

Throughout this book are downright VALUES that can't be beat. QUALITY clear through. Costs of building materials are now at the

lowest mark in years.

Sears-Roebuck's values, quality and guarantee are always beyond question.

Take advantage of these low material costs. Order at today's rock bottom prices, which may not be duplicated again. You take no risk.

NOW is the ideal time to build, remodel or repair! about 19


Honor Bilt BUILDING MANIBERING




EARS ROEBUCK and



onor




VERY item of HONOR BILT MILLWORK that you select from this catalog to become a part of your home has been carefully selected, as to design, construction and quality, by experts of many years' experience. We feel safe in saying that you cannot obtain better millwork than we can furnish.



63PM9786

63PM668

We can furnish exterior or front doors, consisting of many attractive patterns, a few of which are illustrated above. Of highest quality clear white pine, clear oak or clear fir as described, they form an inviting entrance to your home. Our interior doors are popular for their attractive design and sturdy construction. The most popular today is the famous one panel sub-frame design shown at the right.



One panel sub-frame design.


a feature in many modern homes. An ideal arrangement for any family, no matter how

prices.



Fireplaces are as fascinating today as long ago when the fireplace was the most attractive part of the home—a place where the family gathered in the evening to talk over the experiences of the day.

The Colonial design illustrated above, together with high grade fireplace fittings, is available for your new home, at prices which represent real savings. With this design of fireplace, and a few charming fittings, this part of the home is easily made very attractive and comfortable.



Sears, Roebuck and Co.



EVERYTHING IN BUILDING MATERIAL

Dear Customer:

Thanks for your inquiry. We are glad to send you our latest Building Material Catalog.

It contains a complete assortment of "Honor Bilt" building materials. Everything required to <u>Build</u>, <u>Modernize</u> or <u>Repair</u> a house, garage or barn. A complete line of the very latest in <u>Sash</u>, <u>Doors</u>, <u>Moldings</u>, <u>Interior Woodwork</u>, <u>Entrances</u>, <u>Built-In Conveniences</u> and <u>Kitchen Cabinets</u>, many of which are our exclusive design. On <u>Lumber</u>, <u>Lath</u> and <u>Shingles</u>, we have very low prices, but in order to give you the full benefit of the lowest wholesale market prices, which change quite frequently, and to tell you to a penny what Lumber, Lath and Shingles will cost you laid down at your station, it is necessary for you to send us your list, or plans on which to make a quotation. Please use Estimate Blank, see inside of back cover.

As to the quality and saving we can make you -- we will let one of our customers tell you.

"I wish to express my thanks and gratitude to you. The material and millwork was excellent and reached me in fine condition. Your promptness in shipping and corresponding were all anyone could desire. I feel sure I saved not less than \$500.00 by purchasing from you".

W. J. Aicholtz
(Address furnished on request.)

Quick Shipment. We own three large factories covering nearly 100 acres. (See pages 2 and 3) which is the best argument we can give you for quick service and guaranteed millwork. Should you have difficulty in making out your order, simply make out a list of the items needed (use blank page) and send it to us marked for the personal attention of "Manager of Estimating Division, Department 264" and it will be given special attention. Remember, we guarantee to please you in every way and save you money.



Yours very truly,

SEARS, ROEBUCK AND CO.



Modernize Your Home for Beauty - Convenience and Profit (Honor Bilt) (NDEX) ENDEX DEMODELING the old home has marked. Honor Bilt MILLWORK



Remodeling the old home has many advantages for you. Usually these old homes were better constructed originally than many new ones. Remodeling and modernizing will preserve the value, and give you a more modern, more attractive and more comfortable home. It will increase the value of your property, preserve the property values in your immediate neighborhood or community, stimulate new building and home ownership, and improve social conditions.

Picture your kitchen with the latest type of working units, including sink, hanging cupboards, tables with drawers, arranged to save time and steps. Make the kitchen more pleasing and household duties easier. A disappearing ironing board that can be pulled out in a jiffy. Colored wall tile, so popular now, will add a bright touch to the bathroom and kitchen, too. It comes in beautifully finished sheets, sanitary and moisture proof. Easily cleaned. No trouble at all to put it on. Anyone can install it, and so inexpensive, too.

Don't forget the medicine cabinet, with its mirror, for the bathroom. Set in the wall over the lavatory. It's the ideal place for convenience.

For the morning meal a Breakfast Alcove is the best and handiest place to serve it. A Telephone Stand built into the wall has a distinct advantage and is so practical. Everyone will appreciate the appealing charm and daintiness of a hanging china cabinet.

Doors make or mar the attractiveness of your front entrance. Our selection is large, and it's easy to find one that will harmonize with all types of architecture.


"Honor Bilt" Millwork and Building Materials are offered at lowest factory-to-you prices by the World's Largest Building Material Dealers. You will be surprised and pleased when you realize how little it costs to install these charming, convenient built-in features. They are brought within easy reach at very low prices. You will find it really cheaper to have these modern conveniences than to forego remodeling, not alone because of their low cost, but because of increased value to any home. You

The Built-In Ironing Board shown at the right is illustrated, described and priced on page 55.


Telephone Stand illustrated, described and priced on page 51.



Built-In Bookcases illustrated, described and priced on page 51.












Hanging China Cabinet with glass doors illustrated on page 49.



Cozy Breakfast Nooks or Dining Alcoves illus-trated on page 56.





Our Building Material

THESE are reproductions of actual photographs taken for the purpose of giving our

THESE are reproductions of actual photographs taken for the purpose of giving our customers a better idea of the tremendous stocks carried at our lumber mills and millwork factories IN READINESS TO SHIP AT ONCE. Here you will find a larger stock of building material than will be found carried by any retail dealer.



As shown in pictures, our millwork is carefully stored in dampproof, dirtproof buildings, assuring our customers of receiving only bright, clean stock. Here you will find about 100,000 Doors, over 150,000 Windows, millions of feet of hard and soft wood Moldings and Columns, Newels, Stair and Porch Material; also Flooring in equally large quantities.





LEFT—DOOR WAREHOUSE


> RIGHT—ORDER PRICING DIVISION



ABOVE-BUILT-UP COLUMN WAREHOUSE


Write us about the building you intend to do. We will answer your letters promptly and intelligently.





Factories and Offices

VERY day hundreds of orders for materials and requests for plans and estimates come from all parts of the country. Efficient workers give every kind of service. We have the largest organization of its kind in the world. Our architects, draftsmen and expert women advisers have mastered home building problems.



ABOVE—ESTIMATING DIVISION


LEFT—A birdseye view of our huge Newark, N. J., Lumber and Millwork Plant. It covers a total of 40 acres, connecting with railroad terminals and ocean going freighters. The plant consists of fourteen manufacturing buildings and has the latest and most efficient modern machinery. Good service is assured, because the plant has a capacity of 100,000,000 feet of lumber per annum.



LEFT-MOLDING WAREHOUSE

RIGHT— MODERN HOMES DIVISION





These modern facilities and mammoth stocks make it possible for us to furnish you EXTRA GOOD QUALITY and EXTRA QUICK SERVICE, while our prices enable you to make A SUBSTANTIAL SAVING.

LEFT—A BIRDS-EYE VIEW OF OUR BIG 40-ACRE LUM-BER PLANT IN ILLINOIS



ABOVE-WINDOW WAREHOUSE

Our Guarantee Protects You. See Guarantee on Back Cover.



Our Terms

1—Cash in full with order. You need not hesitate about sending us the full purchase price. If we do not satisfy you in quality, service and saving, send back the material and we will return your money, together with any freight charges you paid.

2—Pay for the material as the building goes up. If you are building by an arrangement with a bank or building and loan association, we will ship the material to you upon receipt of a letter from the bank or the building and loan association stating that payments for the material will be made at certain periods as the work progresses.

3—No cash with order. If you want to examine the materials before paying you can deposit the full purchase price in your local bank, and send us the certificate of deposit stating that the money will be paid to Sears, Roebuck and Co. after you have examined the material and find it to be satisfactory.

If you are going to build a complete house, write for our EASY PAYMENT PLAN. See inside back cover.

Sectional View Millwork Warehouse

No Time Lost in Hauling to Depots Loaded Direct From Building to Cars

Care in Packing

No concern takes better care in packing and crating material than we do. A tough grade of paper is used to cover our doors, balusters, newels, etc. All exposed parts are carefully protected by sound ½-inch lumber which will stand the rough handling in transit. All our millwork products are clean and bright.

Quick Delivery

We have unexcelled facilities for making prompt shipments. See sectional view of our Millwork Factory on this page. We always have plenty of all stock items on hand ready for immediate shipment.

Where We Ship From

All millwork in this catalog, unless otherwise stated, will be shipped from our own factory in NEWARK, N. J., interior sections of which we show on this and on pages 2 and 3. Note how material is shipped direct in box cars, promptly upon receipt of your order. See illustration on this page. We do not pay transportation charges on lumber or millwork.

Freight Rates

Freight rates on building material are low to almost every section of the country. (See "Freight Rates on Millwork" on pages 63 and 64 of this catalog for charges to the principal points in the state you live in.) You can figure from the information on the yellow sheet just how much you will have to pay on any bill of material. Prices in this book do not include transportation charges. Delivered prices quoted on request.

How to Order

Write out your order on the Special Millwork Order blank enclosed in this catalog or on a plain sheet of paper. Be sure to give the numbers shown in catalog; also sizes and quantity required. Always give width first.

We will figure your bill of material for you, with freight paid to your station, on request. We know we can save you money.

Sizes, Grades and Weights

All our millwork is guaranteed to be exactly as represented. The sizes listed in this catalog are standard sizes. They are the same sizes handled by all of the leading manufacturers in the country. We give the approximate shipping weights on doors, windows, etc. Approximate molding weights are shown on molding pages. Unless otherwise stated, all millwork is shipped in the white, that is, without paint or varnish.

Made to Order Goods

100,000 DOORS

150.000 WINDOWS

40 CARS STAIR MATERIAL

You can save extra money and get your millwork quicker by ordering stock items. If you must have "Made to Order" goods, remember that they will cost you more and you must allow from two to three weeks' extra time. All stock sizes and numbers can be shipped promptly. Odd sizes will have to be made to order. If your order contains both stock sizes and made to order items, please state if you want stock goods sent at once and back order the special items or whether entire order shall be held, awaiting the making of special items.

GOOD ADVICE The wise man always orders building material at least thirty days in advance of the date he intends to use it. Do not wait until the last moment. Place your order early.



The best way to investigate the facts about our "Honor Bill" millwork is to talk to those who use it. The next best way is to read some of the letters written by these users. They serve as a reliable guide to all who are interested in getting the highest quality millwork at the lowest possible



Customers Are Enthusiastic~ l Be Enthusiastic Too!

When you find you have purchased equal quality for less money, or better quality for the same money, you are naturally well pleased. But when you receive better quality for less money, you are sure to be enthusiastic. It is only natural that our customers should feel the same way

These testimonials from enthusiastic customers—a few of many thousand-bespeak savings so large, and a degree of satisfaction so great that they are most convincing. Buy from the pages of this book, and when your purchases arrive, you, too, will be just

Saved \$2,000.00

I saved at least \$2,000.00. My builder did not have the slightest trouble, and he remarked that in all his career he had never handled such wonderful lumber.

FRANK R. RYNEX

Finest **Materials**

The material received was of the finest, better than could be obtained locally. I can highly recommend your company for fair and square dealing.

OSCAR W. SWANSON

Saved \$800.00

We are well satisfied with our home, and can honestly say that we saved at least \$800.00.

Our dealings with your company have been very satisfactory in every respect, and recommend you to anyone who intends to build.

ADOLPH TRINKLE

Our Millwork Unexcelled

I can get local mills to verify the statement that your millwork cannot be excelled.

"Guaranteed to Satisfy" is carried out to the fullest extent. GLENN C. REITER

Materials Are of **Finest Quality**

We are thoroughly pleased. We have a home which is admired by all who see it. The material furnished by Sears, Roebuck and Co. was of the finest quality throughout, and do not feel that same could have been duplicated elsewhere. We wish to thank you for your cooperation during construction.

Yours truly, CLINTON A. ROBERTS

C. B. MANBECK, General Manager. STANDARD OIL COMPANY C. W. CLARK, Asst. Gen. Mgr. Coal Mining Department Sears, Roebuck and Co. Gentlemen: The 200 houses you supplied on us at Carlinville, Wood River and Schoper, Illinois, are now completed and entirely detail. quality in every detail. I ne tionally good. We are able to offer these houses to our workmen at very low prices. Standard Oil Company

"Never Saw Nicer Floor"-Says Carpenter

C. P. Sundand

In regards to material, I don't think you can get its equal around here. The carpenter who did my finish work said he never saw a nicer floor than mine-and him a man with 30 years of building experience.

ANDREW HORNE

Saved \$500.00-Got Better **Material**

We believe that we at least saved \$500.00 on our house besides getting much better material than could possibly have been purchased locally. JOHN H. TOMPKINS

Best Materials He Ever Used

The lumber, millwork, doors, windows, hardware and plaster board were the best materials I have worked for years. I have not found anything to beat it for smoothness and quality. JOHN W. PARKER.

Saved \$1,500.00

The quality of the material you provided was excellent and I feel I saved \$1,500.00 over what it would have cost me elsewhere.

FRED A. BRISTOL

Not One Flaw in Material

You can print all you wish as to the good quality and the saving of your building material. In the whole amount I got there was not one flaw.

R. M. FLAIG

Millwork as Good Today as When Bought 14 Years Ago

About 14 years ago I purchased through your Chicago house seven Birch doors, 2'6"x6'6", laminated, a pair of leaded glass cupboard-doors and enough Maple Flooring to finish 4 rooms and hallway in a farm house I was remodeling. The whole lot cost me less delivered than the flooring alone would have, purchased locally. I had occasion to visit the present owner a few weeks ago and found the woodwork looking as good as the day it was installed. I can recommend your lumber and millwork with strongest praise to anyone.

F. B. ENGLER

Prompt Service

We wish to thank you for your very prompt service, in sending Millwork and Hardware. I am well pleased with everything. Surely are glad we could make a saving of \$177.78 buying from Sears, Roebuck and Co. The doors are very satisfactory.

MRS. J. B. KEEFER

Saved \$500.00

Your finishing materials can-Your finishing materials can-not be beat at any price. We have talked over the saving and we think we saved no less than \$500.00 on the lumber, mill-work, plumbing fixtures, light fixtures and paint. JAMES G. FICKES

"Millwork First Class"_ Says Carpenter

I take great pleasure in stating that the millwork I received from you last fall was first class in every respect.

I would recommend it to all. I am a carpenter myself, therefore I know.

CHARLES A. LYON

Addresses furnished upon request.

Honor Bitt MILLWORK

Entrance Doors

THE entrance door creates the first impression of your home. When choosing an entrance door, select one that harmonizes with the exterior architecture. You can select one from the many designs shown in this book that will be best suited for your house. And again perhaps you may decide to change the style of your house front. For complete front entrances, see pages 17 to 20.

Description of All Our Fir Doors

Quality

Made of Clear Fir. Can be exposed to the weather, will not warp or shrink when finished. It is light, strong and durable. Takes stain or varnish, and is an ideal wood for paint or enamel. All doors shown as 1% inches thick, can be furnished 1% inches thick for \$2.00 extra.

How They Are Made

The stiles and rails are joined together with hardwood dowels and waterproof glue, under enormous pressure. Perfect work-manship guaranteed. Carefully sanded.

Glazing

Glazed with selected clear glass, by competent workmen. Furnished either with selected first quality beveled or plain plate glass, or double strength (D. S.) glass. Glass is securely held in place with wood stops wood stops.


Continued on opposite page

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.




63PM187 Glazed as Illus-trated, BevelPlate Glass SIZES 13/4 Inches Thick 63PM188 Glazed Plain D. S. Glass Glass Size in Inches Shpg Wt., Lbs. Width Height Ft. In. In.

FOR DOOR FRAMES SEE PAGES 32 and 34




SIZ 1% Inch	ES es Thick	Glass	63PM9860 As Illus-	Shpg.
Width Et. IIn.	Height	Size in Inches	trated, Glaz- ed Clear D. S. Glass	Wt., Lbs.
20.01	6 6 8	21 % x24 21 % x26	\$3.75	70 73 75
2 6 2 8 2 10 2 8	6 8 6 10 7 0	23 1/4 x 26 25 1/4 x 28 23 1/4 x 30	4.50	85 80



1 3/8	SIZ	ES es T	hick	Glass	63PM301		
Wie	Width Heigh		ight	Opening Size in	Glazed Six Lights D. S.	Shpg. Wt., Lbs.	
Ft.	In.	Ft.	In.	Inches	Glass	2001	
2 2	6	6	888	21 % x38 23 % x38	\$5.25	80 85 90	
2 3 3	0	6	8	27 % x38 27 % x42	5.95 6.25	100	





Entrance Doors

Honor Bilt MILLWORK

THESE doors all have heavy bevel plate glass lights, and are in perfectly good taste for any type of homes, both large and small. They can also be furnished with double strength glass for those desiring a lower price door. If you are in doubt as to the best design for your particular type of house, write us, and we will be very glad to make a recommendation.

Designs

Our designs are architecturally correct—they have been approved by authorities. The stiles, rails and glass are correctly proportioned, presenting a massive and dignified appearance. This strong construction makes them ideal for outside doors.

Important Notice: These doors can be mortised to receive any lock set shown on pages 76 and

77 for 25c extra. State catalog number of lock for which door is to be mort!sed. Be sure to state if hinges are to be on left or right hand side as you face door from outside.

Securely Crated. Carefully wrapped in tough paper, crated with sound lumber. Will reach you bright and clean.

Safe Delivery Guaranteed


Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

ALL DOORS 1% INCHES THICK CAN BE FURNISHED 1% INCHES THICK FOR \$2.00 EXTRA







Can be furnished 13/4 inches thick for \$2,00 extra



1% Inch	ES es Thick	Glass Open- ing	63PM415 Glazed Plain	. Wt.,	Glazed Clear	.Wt., bs.
Width Ft. In.	Height Ft. In.	Size in Inches	Plate Glass	Shpg.	Double Strength Glass	Shpp.
2 8 2 8 2 8 2 10 3 0	6 8 7 0 7 0	20x56 18x60 20x60	14.10	95 95 100	\$8.25 8.35 8.50	85 85 90
2 10 3 0 0	6 10 6 8 7 0	22x58 24x56 24x60		100 103 105	8.65 8.55 8.85	90 93 95



	13	SIZ 1 In.	ES Thi	ck	Glass Open- ing		. Wt., bs.	63r M387 Glazed Clear Double	z. Wt.,
-	Wi Ft. 2 2 2 2 3 3	In. 8 6 8 10 0	Ft. 6 7 6 6 7 7	In. 8 0 0 10 8 0	Size in Inches	Glass as Illustrated \$18.50 19.15 19.85 20.00 20.25	27	Strength Glass \$8.30 8.20 8.55 8.70 8.95 9.30	Sport



	13	SI2	ES Thi	ck	Glass Size in	63PM396 Glazed Bevel Plate	Wt.	63PM391 Glazed Clear Double	V. Wt.,
1	Width Height Ft. In. Ft. In.		Size in Bevel Plate Inches Glass as Illustrated			Strength Glass	Shpg		
	2 3 3	8 0 0	6 6 7	8 8 0	20x56 24x56 24x60	15.75	100 105 110	\$5.30 5.90 6.30	80 85 95



Shpg Wt., Lbs.

Entrance Doors

Distinctive V-Joint Design

Cardio dicals.

Here we offer a choice of four doors with several different treatments of light openings, so you can pick just the one that seems to best adapt itself to your particular style of home. They are new, "different" and distinctive, and will bring the quaint charm of Sunny Spain or delightful Old England to your very threshold.

Made of Clear White Pine

13/4 Inches Thick

V-joint design doors made of Clear White Pine. Glazed with best quality clear double strength glass. These doors are of slab construction, having V joints cut in the extra thick veneer to give it the effect of planks nailed together. Can be furnished in square, rounded, Gothic and segment design tops. Back of door is plain.

Important Notice—Mortised to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is to be mortised. Be sure to state if lock is to be on left or right hand side as you face door from outside.


Securely Crated. Carefully wrapped in tough paper, crated with sound lumber. Will reach you bright and clean.

Forged ornamental door hinge straps. Furnished in Swedish finish, complete with stub screws, and can be shinged with door direct from our factory in NEWARK, N. J., or from our PHILADELPHIA Store.

9PM4702—Curved Stran Hinge 2 (1. 1 in long. Each.)


n NEWARK	, N. J., or from our PHILADELPHIA St	tore.
9PM470	2-Curved Strap Hinge, 2 ft. 1 in. long.	Each\$4.85
9PM470	1-Straight Strap Hinge, 8% in. long.	Each
	-Straight Strap Hinge, 171/2 in. long.	
9PM470	-Straight Strap Hinge, 22 in. long.	Each 2.85

The above hardware is strictly ornamental, and are priced separately on pages 76 and 77. Regular hinges must be used,



Seven Different Styles of Lights From Which to Choose


Our V-joint design doors are carried in stock without the opening for the light of glass. Seven different styles of lights are illustrated on this page. Anyone of the seven lights can be furnished. We illustrate two designs of lights in each door that are best suited to its design. Write for price on Oak Doors.



S ZES

Square Top Design
Door 63PM310 is illustrated above; door 63PM298 is

shown i	shown in small illustration at top of page.										
	SIZ	ES		631	63PM310 63PM298						
Wie Ft.		Ft.	ight In.		ithout	Glazed Three Vertical Lts.	Shpg. Wt., Lbs.				
3	In. 0	6 7	8 0	\$	5.40	\$24.50 25.00	80 85				
0 1		ed Do	or Hir	ge S		t included.					



FOR DOOR FRAME

Gothic or Tudor Design
Door 63PM297 is illustrated above; door 63PM296 is shown in small illustration at top of page.

Segment Top Design
Door 63PM287 is illustrated above; door 63PM288 is shown in small illustration at top of page.

63PM297 63PM296 SIZES Glazed Diamond Light Glazed Four Lights Width Height 8 \$24.00 24.50 \$22.75 23.25 orged Door Hinge Straps not included.



63PM287

enown	in sma	ur mus	strattor	at top or pa	ge,		
	SIZ	ES		63PM287	63PM288		
Width		Height		Glazed Nine	Glazed Rectangular	Shpg. Wt.,	
Ft.	In.	Ft.	In.	Lights	Light	Lbs.	
3	0	6	8	\$22 50	\$18.50	80	
3	0	7	0	23 00	19.00	85	
	Forged	Doo	r Hing	ge Straps no	ot included.		

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Entrance Doors (MONOT Rill WORK)


DELIGHTFULLY Colonial in treatment and reminiscent of Revolutionary days or the grandeur of Southern Mansions. These doors are readily adaptable to the small home or cottage. They breathe of hospitality and cheerfulness, and welcome the visitor with a friendly gesture.

They are all simple, interesting, and appealing, and lend a pleasing charm and dignity to any front entrance.

Clear Fir Doors Quality


Made of **Clear Fir.** 1¾ inches thick. Can be exposed to the weather, will not warp or shrink when finished. It is light, strong and durable. Takes stain or varnish, and is an ideal wood for paint or enamel.

For complete specifications see pages 8 and 9.



63PM393 1 ³/₄ Inches Thick

1 74	HILLI	es Illien	
ES		GLAZED With Clear	Shpg.
Height		Strength Glass	
Ft.	In.	Each	Pounds
6	8	\$10.50	85 90
	Ft.	Height Ft. In.	Height Strength Glass Ft. In. With Clear Double Strength Glass 63PM393 Each



NOTICE—We will mortise any of these doors to receive any lock set shown on pages 76 and 77 for 25c extra. State catalog number of lock for which door is to be mortised. Be sure to state if hinges are to be on left or right hand side as you face door from outside.

Interior Six-Panel Colonial Doors

13/8 Inches Thick 63PM673


(See Illustration at the Right)

Interior Colonial design door made of Clear Fir, 13/8 inches thick, with wide stiles and rails. Solid raised panels held in place with solid sticking. Sanded, ready for finish. Ideal for paint or enamel.

The following doors for interior use are 1% inches thick.

	SIZ	ES		Six-Panel	Shpg. Wt.,
Wid Ft.			ght In.	Design 63PM673	Wt., Lbs.
2	0	6	8	\$3.75 4.30	42 54
2 2 2 2	8 6 8	6 7 7	8 0 0	4.50 4.65 4.85	58 57 61

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



Shpg. Weight.

Glazed Leaded D. S. Glass

63PM388 13/4 Inches Thick

			- /10			
		SIZ	ES			Shipping
	Wie	dth	Hei	ght	63PM388 Each	Weight, Pounds
j	Ft.	In.	Ft.	In.		Toundo
	3	0	6	8	\$5.95 6.45	65 70
					0.40	-

(Honor Bilt) High Grade

Clear Fir

N THIS and the following page is shown our complete line of beautiful interior doors, furnished in various kinds of wood, and made of materials carefully selected for grain and color. Each design is architecturally correct as approved by leading architects, and reflects the most practical designs. All our doors are carefully sandpapered, giving them a fine, smooth finish, which readily takes stain or varnish, or is ideal for paint or enamel.


Our assortment of interior doors is made of the choicest grades of Clear Fir, Clear Oak or Clear Birch.

Our FIR DOORS are made of Beautiful Clear Fir, stiles and rails are made of solid edge grain material, well proportioned. A strong, durable door with pleasing contrast in the grain in the stiles and rails and the panel,

Packing—Wrapped in tough paper and securely crated for shipping. They will reach you bright and clean.



Five-Cross Panel Design No. 63PM [92—No. 63PM6250 Five-cross panel design doors are always popular, appropriate for any building, and inexpensive. For sizes and prices see table below.



Vertical Two-Panel Design
No. 63PM 194
Long vertical lines in the above design
add height to low rooms. Of good proportions and suitable for any house. For
sizes and prices see table below.

Price Table

SIZ	SE.		Five-	Five-Cross Panel Design				Two-	One-Panel Design	
Width Ft. In.			"A" Quality Clear Fir 63PM 92		Veneered Plain Red Oak 63PM6250		"A" Quality Clear Fir 63PM 94		"A" Quality Clear Fir 63PM 9	
			Each	Shpg Wt. Lbs.	Each	Shps Wt. Lbs.	Each	Shpg Wt. Lbs.	Each	Shpg. Wt. Lbs.
2 0 2 0 2 4	6 6	0 6 6	\$2.44 2.56 2.82	38 41 45		,	\$2.87	38 41	\$2.56 2.69	38 41
2 6 2 0 2 4	6	6 8 8	2.96 2.60 2.88	53 42 50	\$8.15 7.95	75	3.48 3.06	53 42	3-11 2-73	53 42
2 6 8 2 8	6	8	3.00 3.14	54 58	8.25 8.65	73 78 84	3.38 3.53 3.69	50 54 58	3.02 3.15 3.30	50 54 58
2 4 6	7 7	Ŏ D	3.24	45 55 57			3.31 3.64 3.81	45 55 57	2.96 3.26 3.40	45 55 57
2 8 3 0	7 7	0	3.38 3.68	61 70	9.30	88	3.97	61	3.55	61

Sizes not priced are not carried in stock. Write for price. Shipped from our own factory in NEWARK, N. J. Not prepaid



One-Panel Design
No. 63PM [9]
Single panel doors are always popular;
they display to better advantage the natural
beauty of the grain in the wood. For sizes
and prices see table to the left.

Interior Doors (Honor Bilt)

Oak and Birch

Our HARDWOOD DOORS are made of the Highest Grade Oak or Birch Veneers, selected for grain and color. The stiles and rails are built of White Pine cores, locked, joined and glued together, with the grain turned in different directions, which avoids warping.

Oak strips are placed on each edge of the stiles and rails before the veneer is applied, giving the door the same appearance as having been built of solid hardwood.

All Panels in our doors are threeply laminated construction, selected for beautiful grain and color. In these panels the center layer has the grain running in the opposite direction. This construction makes an extra strong panel that will not warp or check.


The Molding around the panels is solid sticking, perfect in workmanship.

Trim to match these doors is illustrated, priced and described separately on pages 36 to 41.





All Doors Shipped from our Factory in NEW JERSEY Not Prepaid



Price Table	9
-------------	---

White ALLOUND

-													
_	SIZES One-Panel Subframe Design				Inverted Two- Panel Design	Regular Two-Panel Design			Shpg. Wt., Lbs.				
	idtl	1	_	Clear	Ve- neered Birch 63PM6255	Ve- neered Oak 63PM6256	Quality Clear Fir 63PM184	"A" Quality Clear Fir 63PM193	Ve- neered Plain Red Oak 63PM6252	Ve- neered Birch 63PM6253	Fiг	Oak and Birch	
2	.,	6	0	\$3.22			\$2.71	\$2.50		\$5.45	38	55	
2	-	6	6	3.60	\$6.30 6.70	\$9.25 9.85	2.85	2.62 2.89	\$7.65 8.35	5.55	41	60	
2	-	6	6	3.74	6.80		3.29	3.03	8.75	6.10	48 53	70 75	
2	4	6	8	3.38	6.50 6.65	9.30 9.75	2.89	2.67	7.75		42	62	
2	6	6	8	3.78	6.85	10.10	3.20 3.34	2.95 3.08	8.55 8.85	5.90 6.10	50 54	73 78	
2	8	6	8	3.92 3.60	7-15	10.45	3.49	3.22	9.25	6.40	58	84	
2	4	7	0	3.88	7.25 7.40	10.00	3.14 3.45	2.89 3.18	8.35		45	66 ·	
2	6	7	0	4.02	7.50	10.75	3.60	3.32	9.55	6.65	55 57	83	
	8	-/	0	4-16	7.65	11.10	3.76	3.46	9.95	6.90	61	88	

SIZES NOT PRICED ARE NOT CARRIED IN STOCK. WRITE FOR PRICE, SHIPPED FROM OUR OWN FACTORY IN NEWARK. N. J., Not Prepaid

Complete Door Sets (Honor Bill WORK)

Perfect Fitting Joints—Better and Cheaper Than Hand Fitted

Save money by ordering complete door sets, CUT TO EXACT SIZE, and perfectly machined. Door, jamb, interior casing, head casing, base blocks, etc., all cut to exact size. No trimming or cutting necessary except the planing of edges on door, a simple bit of work that should be done on the job. Door is mortised for lock.

The door in illustration is the one-

panel subframe design 63P181 priced separately on page 15. Door sets are also quoted with regular two-panel design, 63P193 (see page 15), and vertical twopanel design, 63P194 (see page 14). These complete door sets are for inside doors only. Prices for complete outside door sets quoted on request. Just tell us the catalog number and size of outside door.

SPECIFICATIONS

DOOR. Clear Fir. Stiles and rails, except bottom rail, are 434 in. wide and 153 in. thick with solid sticking and perfect joints. Bottom rail is 934 in. wide. PANELS have beautifully figured grain and color and are 3-ply laminated. The best soft wood door made. Illustrated and priced separately on pages 14 and 15.

TRIM SETS. Made of clear fir. Molded cap design. For both sides of door. Head casing, cap mold and fillet nailed together. Cap mold is "returned." No miters to open, Casing, head casing and base blocks are round edge. Sizes as follows:

Head cap: 11/8 in. thick by 2 in. wide. Head casing: 34 in, thick by 45% in, wide, Fillet: 1/6 in. thick by 1 in. wide. Side casing: 34 in. thick by 414 in. wide. Base blocks: 11/8 in. by 41/2 in. by 10 in. Molded cap design, ready cut trim sets are illustrated and priced separately on page 39. Back band trim sets on page 40, and can be furnished with these complete door sets instead of molded cap design trim. For prices see table below.

JAMBS. Made of clear fir, ¾ in. thick by 5¼ in. wide. Furnished with clear fir stops, ¾ in. by 1¾ inches. Sides dadoed to receive head jambs. Sandpapered and polished as smooth as glass. Illustrated and priced separately on page 42.

HARDWARE. Hinges and lock are high grade lemon brass finish in keeping with high quality of door. We do not include thresholds as most people use inside doors without them.

as most people use inside doors without them.

PACKING. We use extra special care in packing these sets. Door is wrapped in tough paper and crated. Jambs are bundled and tied with patent fasteners. Moldings are in corrugated paper which excludes dust and insures bright clean material. Sizes of door marked on both jamb and molding so each set can be matched without opening.

	Price of E	ach Set Includ	es Door, 2 S	ets of Trim, J			>OCK
	With One	Subframe	With Ty	vo-Panel	With Tw	7.1	
	Pane	l Door	Do	or	Panel	Door	
					*****	Shpg.	
SIZE OF DOO!	R 63PM9792		63PM9831		63P M9832	63PM9808	Wt. of
13% Inches Thic	k With	With	With	With	With	With	Com-
	Molded	Back	Molded	Back	Molded	Back	plete
	Cap Design	Band Design		Band Design		Band Design Trim as	Door
	Trim as	Trim as	Trim as	Trim as	Trim as Hiustrated	Illustrated	Set.
Width Heigh		Illustrated :	Illustrated	Illustrated on Page 40	at Left	on Page 40	Lbs.
Ft. In. Ft. I	n. at Left	on Page 40	at Left	on Page 40	at Leit	On Lage 40	
	88.24	\$7.84	\$7.52	\$7.12	\$7.89	\$7.49	114
2 0 6	8.36	7.96	7.64	7.24	8.03	7.63	117
	8.76	8.36	8.05	7.65	8.50	8.10	129
		8.00	7.69	7.29	8.08	7.68	124
2 4 6	8 8.40	8:28	7.97	7.57	8.40	8.00	126
	8.80	8.40	8.10	7.57	8,55	8,15	130
			8,24	7.84	8,71	8.31	136
	8 8.94	8.54	8:21	7:71	8.63	8.13	134
					8,96	8,46	138
	9.20	8.70	8.50	8.00	9.13	8:63	140
2 6 7	9.34	8.84	8.64 8.78	8.14 8.28	9.29	8.79	142
2 8 7 4	9.48	8.98	8.78	0.20	3,23	1 0.70	1 2 2 2

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

CONTRACTORS!

Save by Ordering Complete Door Sets

Here are a few of the savings you make by ordering complete door sets from this page and complete window sets from page 28:

1—Time and trouble in ordering separate parts.

1—Time and trouble in ordering separate parts.
2—Errors in quantity of material.
3—Waste in cutting materials.
4—Nearly a day's work, for each opening.
Reduce your carpenter bill and get a better job. Every piece is ready cut. No waste—simply nail it in place.

Doors Mirror

Glazed with fine quality thick polished plate glass mirror.

Used as closet doors in bedrooms and halls. Ornamental and useful. Back of doors made to match any design of door shown on pages 14 and 15. For prices see below.

Any of our Oak or Birch Panel Doors shown on pages 14 and 15 can be supplied with mirrors. For prices add to the prices below the difference between the price on pages 14 and 15 of a hardwood and softwood door of the same size and design as priced on this page.

Following Mirror Doors Are 13/8 Inches Thick

							-
Ft. lr	Height	Inches	Fir Subframe Door	Door 63 P M 9081	Oak Subframe Door 63PM9046	Subframe Door 63PM9047	Lbs.
2 0 2 0 2 0 2 4 2 4 2 4 2 6 2 6	6 6 8 7 0 6 8 7 0	14x58 14x64 14x66 14x70 18x64 18x66 18x70 20x64 20x66 20x70	15.15 15.60 16.60 18.30 190.530 20.30	18.250 18.860 19.455 21.3865 223.65	23.155 23.155 25.150 257.600 229.385	21.90 23.95 24.45 26.00 25.55	95 90 95 105 95 100



CHARMING



Entrance Complete, Nos. 63PM9838 - 63PM9839 - 63PM9704
Price Includes Door, Side Lights and Frame
ENTRANCE COMPLETE (As illustrated above)

Sizes of Opening for Frames Width Height	DOOR SIZES TO FIT	FIR 63PM9838 63PM9839 Glazed Glazed Double Bevel Strength Plate	Glazed Bevel Plate OAK Shipping Wt.,Lbs. Com- plete En-
	Ft. In. Ft. In. 2 8 6 8	Strength Glass S22.40 \$43.15	Glass trance \$54.65 260 58.65 305

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

DOOR, Nos. 63PM391 and 63PM396 of Clear Fir (1% inches thick). or No. 63PM60 highest grade veneered Oak (1% inches thick). Glazed with either double strength or bevel plate glass. Clear Fir door described on page 9. Veneered Oak door described on page 12.

DOORS ONLY (As illustrated above)

SIZES		CLEAR F	IR DOORS	VENEERED OAK DOORS	Shpg.
Width Height Ft. In. Ft. In.	Glass Size in Inches	63PM39 Glazed Double Strength Glass		63PM60 Glazed Bevel Plate Glass	Wt., Lbs.
2 B 6 8 3 0 7 0	20x56 24x60	\$5.30 6.30	\$15.05	\$20.75 24.25	100 115


SIDE LIGHTS, Nos. 63PM9846 and 63PM9847, of Clear Fir, or No. 63PM9876 veneered Oak (13/4 inches thick). Glazed with either double strength or bevel plate glass. Made in the same manner as our Clear Fir doors, described on page 9, or our superior veneered Oak doors, described on page 12.

SIDE LIGHTS ONLY (As illustrated above)

-													
İ		SIZES		CLEA SIDE L		VENEERED OAK SIDE LIGHTS	Shpg.						
	Width Ft. In.	Height Ft. In.	Glass Size in Inches	63PM9846 Glazed Double Strength Glass Each	Glazed Bevel	63PM9876 Glazed Bevel Plate Glass Each	Wt., Lbs.						
	1 2	6 8 7 0	10x56 10x60	\$3.35 3.75	\$8.85 9.40	\$11.75 12.20	40 45						

FRAME, No. 63PM6772, with Clear Cypress outside casings (1½ Inches thick), and moldings, and Oak sills. Rabbeted for 1½ or 1½-inch door. Plain drip cap design, detailed description on page 32.

			FRAM	E ONL	Y (A	s illi	ıstra	ted a	bov	e)	
Size of Opening for Frames Door Sizes to Fit											Shipping
	Wie	dth	He	ight	Wie	lth	Hei	ght	631	PM6772	Wt., Lbs.
	Ft.	ln.	Ft.	In.	Ft.	In.	Ft.	In.			Frame
	5	6	7	1	2	8	6	8	\$	10.40	80
ı	5	10	7	- 5	3 1	0	7 1	0		10.80	100



Entrance Complete, Nos. 63PM9835-63PM9836 Price Includes Door, Side Lights and Frame ENTRANCE COMPLETE (As illustrated above)

İ	Sizes of Opening for Frames	Door Sizes to Fit	63PM9835 Glazed	63PM9836	Shpg!
	Width Height Ft. In. Ft. In.	Width Height Ft. In. Ft. In.	Double Strength Glass	Bevel Plate Glass	Wt., Lbs.
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 8 6 8 3 0 7 0	\$26.85 28.60	\$47.50	255 295

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices See Below

DOOR, No. 63PM386 or No. 63PM379, of Clear Fir, 1% inches thick. Glazed with either double strength or bevel plate glass. Described on page 9. DOORS ONLY (As illustrated above)

SIZES	Glass	Each l	01.	
Width Height	Size in Inches	63PM386 Glazed Double Strength Glass	63PM379 Glazed Bevel Plate Glass	Shpg. Wt., Lbs.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20x56 24x60	\$7.75 8.60	\$16.40	95 195

SIDE LIGHTS, No. 63PM/680 or No. 63PM6681, of Clear Fir, 1% inches thick. Glazed with either double strength or bevel plate glass. Made in the same manner as our Clear Fir doors, described on page 9.

SIDE LIGHTS ONLY (As illustrated above)


i	Sizes of Side					Each Si		
	Lights Width Height		Glass Size in Inches	63PM6680 Glazed Double Strength	Glazed Bevel Plate	Shpg. Wt., Lbs.		
	Ft.	In.	Ft.	In,		Glass	Glass	
	1	2 2	6 7	8	10x56 10x60	\$4.35 4.60	\$10.35	40 45

FRAME, No. 63PM6772, with Clear Cypress outside casings, 1½ inches thick, and moldings, and Oak sills. Rabbeted or 1½-inch door, Plain drip cap design, detailed description on page 32.

FRAME ONLY (As illustrated above)

Sizes	Door Sizes to Fit					Shipping			
Wi	dth	Hei	Height		Width		G	63PM6772 Each	Weight,
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		Pounds
5	6	7	1	2	8	6	8	\$ 10.40	80
5	10	7	5	3	- 0	7	0	10.80	100

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid



Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid



Complete Entrance No. 63PM9707

Price Includes Door, Side Lights and Frame (As illustrated above)

Size of Opening for Frame			D	oor Si			Entrance No.	Shpg. Weight,
Width Ft. In.			Ft.	In.	Ft.	In.	63PM 9707 Complete	Pounds
5 6	7 7	1 5	2 3	8	6 7	8	\$63.90 66.80	285 330

The Door or Any Other Article Shown in Our Entrances
Can Be Purchased Separately. For Prices and Description See Below

DOOR, No. 63PM68, of highest grade veneered Oak, 13/4 inches thick. Glazed with leaded art glass. Described on page 12.

		DOOK N	10. P.L.	100 (22 1111	istrated above	
İ	Width		ight	Glass Size in	Each	Shipping Weight,
	Ft. In. 8	Ft. 6	<u>In.</u>	20x56 24x60	\$25.80 27.80	Pounds 125 140

SIDE LIGHTS, No. 63PM9880, of highest grade veneered Oak, 13% inches thick. Glazed with leaded art glass. Made in the same manner as our superior Oak veneered doors described on page 12.


OF LICHTS No. 63PM 9880 (As illustrated above)

	SIDEL	101115110.	. 0 71 1	110000 (110		
Width		Heigh	t	Glass Size in	Each	Shipping Weight, Pounds
	Ft. In.	6 7	In. 8 0	10x56 10x60	\$13.85	40 45

FRAME, No. 63PM6772, with Clear Cypress outside casings, 11/8 inches thick; and moldings, and Oak sills. Rabbeted for 11/4-inch door. Plain drip cap design, detailed description on page 32.

DRIP CAP FRAME No. 63PM6772 (As illustrated above)

S	Size of Opening for Frame				Door Sizes to Fit			Each	Shipping Weight,
Ft.	Width Height Ft. In. Ft. In.		-	Ft.	In.	Hei Ft.	In. 8	\$10.40	Pounds 80
5	10	7	5	3	ō	7	0	08.01	100



Front or Side Entrance Complete, No. 63PM9837

Price Includes Door and Frame ENTRANCE COMPLETE, No. 63PM9837

(As illustrated above)

Size of for		Door Si			Complete	Shpg. Weight,	
Width Heig		Ft.	In.	Ft.	In.	Complete.	Pounds
3 0 4	7 1 5	2 3	8	6 7	8	\$28.30 29.45	148 160

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

DOOR, No. 63PM393, of clear Fir (13/4 inches thick), two vertical solid raised panels, glazed four lights clear double strength glass, described on page 11.

DOOR No. 63PM393 (As illustrated above)

Width In.	Height	Each	Shpg. Weight, Pounds
2 8	6 8 0	\$10.50	85
3 0		11.35	90


FRAME, No. 63PM9781, with clear Red Cypress outside casing (11/8 inches thick), moldings, and Oak sill; rabbeted for 134-inch door, includes brackets, and moldings for hood.


FRAME COMPLETE, No. 63PM9781 (As illustrated above)

Size of Opening for Frame	Door Si	zes to Fit	Each	Shpg.
Width Height Ft. In. Ft. In.	Width Ft. In.	Height Ft. In.	Lacii	Weight, Pounds
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 8 0	6 8 0	\$17.80 18.10	63 70

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Colonial Front Entrances





Colonial Entrance Complete, No. 63PM9548

Price Includes Door, Side Lights and Frame COMPLETE ENTRANCE, No. 63PM9848

Size of Op	ening tor me	Door Si	zes to Fit	Complete	Shpg. Weight,
Width Ft. 1 In.			Width Height Ft. In. Ft. In.		Pounds
5 4 5	7 1 5	3 0	6 8 7 0	\$24.65 25.95	215 ° 240

The Door or Any Other Article Shown in Our Entrances Can Be Pur-chased Separately, For Prices and Description See Below

COLONIAL DOOR, No. 63PM388, of clear Fir (13/4 inches thick), six solid raised panels, solid sticking around panels, described on page 11. COLONIAL DOOR, No. 63PM388 (As illustrated above).

1	Wie	lth	Hei	ght	Each	Shpg. Wt., Pounds	
	Ft.	In.	Ft;	In.			
ı	3	0	6	- 8	\$5.95 6.45	65 70	


COLONIAL SIDE LIGHTS, No. 63PM9737, of clear Fir (13% inches thick), glazed with clear double strength glass, made in the same manner as our clear Fir doors described on page 9.

COLONIAL SIDE LIGHTS, No. 63PM9737 (As illustrated above)

Width In.	Ft.	In.	Each	Shpg Wt., Pounds
111/4	6 7	8 0	\$4.15 4.35	30 35

FRAME, No. 63PM6772, with clear Cypress outside casings (1½ inches thick), and moldings, and Oak sills. Rabbeted for 1¾-inch door. Plain drip cap design, detailed description on page 32. COLONIAL FRAME, No. 63PM6772 (As illustrated above)

Ì	Size of Opening for Frame			Do	or Siz	es to	Fit		Shpg.	
	Width		Height		Width		Height		Each	Weight,
	Ft.	ln.	Ft.	In.	Ft.	In.	Ft.	In.		Pounds
	5	4	7	1	3	0	6	8	\$10.40	80
1	5	4	7	5	3	0	7	0	10.80	95



Colonial Entrance Complete, No. 63PM9844

Price Includes Door, Side Lights and Frame

	COMIT EL		CES, Itel OU		
	pening for	Door Siz	es to Fit	0 11	Shipping Weight,
Width Ft. In.	Height Ft. In.	Width Ft. In.	Height Ft. In.	Complete	Pounds
5 4	7 1 5	3 0	6 8	\$43.20	255 280

The Door or Any Other Article Shown in Our Entrances Can Be Pur-chased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63PM388, of clear Fir (13/4 inches thick), six solid raised panels, solid sticking around panel. Described on page 11. COLONIAL DOOR, No. 63PM388 (As illustrated above).

Width		Hei	ght	Each	Shpg, Wt., Pounds
Ft.	In.	Ft.	In.		
3	0	6	8	\$5.95	65
3	0	7	0	6.45	70

COLONIAL SIDE LIGHTS, No. 63PM9737, of clear Fir (1% inches thick), glazed with clear double strength glass. Made in the same manner as our clear Fir doors, described on page 9.


COLONIAL SIDE LIGHTS, No. 63PM9737 (As illustrated above)

	001101111				
İ	Width	Hei		Each	Shpg. Wt.,
	Inches	Ft.	In.		Pounds
	111/4	6	8	\$4.15	30
	111/	7	0	4.35	35

COLONIAL FRAME, No. 63PM9779, with clear Cypress outside casing (1½ inches thick) and moldings, and Oak sill; rabbeted for 1¾-inch door, includes pilasters and riser beneath sill.

COLONIAL FRAME, No. 63PM9779 (As illustrated above)

i	Size	of Open	ing for Fi	ame	То	Fit D	oor Si	zes		Shpg.
	Wi	dth	Hei	ght	Wie	dth	Hei	ght	Complete	Weight.
1	Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		Pounds
	5	4	7	1	3	0	- 6	8	\$28.95	130
	5	4	7	5	3	ก	7	. 0	29.55	140



Shipped From Our Own Factory in NEWARK, N. J., NOT PREPAID

CO.

Honor Bilt | Colonial Front Entrances [Honor Bilt]



Colonial Entrance, Complete, No. 63PM9843

Price Includes Door, Sidelights, Columns, Transom Sash and Frame COMPLETE ENTRANCE, No. 63PM9843

Size O	penin	g for l	rame	Door Size to Fit					Shipping
	dth		ight		idth	Hei	In.	Complete	Weight, Pounds
Ft.	ln.	Ft.	In. 4	$\frac{\text{Ft.}}{3}$	1n. 0	6	8	\$33.60	390
5	4	8	8	3	0_	7	0	99.50	410

The Door or Any Other Article Shown in Our Entrances Can Be Purchased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63PM388, made of clear Fir, six solid raised panels, solid sticking around panels. Described on page 11.

	COLON	IAL DOOR, No.	63PM388	(As illustrated at	ove)
-	Width Ft. In.	Height Ft. In.	Thickness	Each	Shpg. Wt., Lbs.
	3 0	6 8	134 in. 134 in.	\$5.95 6.45	65 70

COLONIAL SIDELIGHTS, No. 63PM9737, of clear Fir. glazed with clear double strength glass. Made in the same manner as our clear Fir doors described on page 9.

COLONIAL SIDELIGHTS, No. 63PM9737 (As illustrated above)

Width In, I	Height	Thickness	Each	Shipping Wt., Lbs.
111/4	6 8 0	13% in. 13% in.	\$4.15 4.35	30 35

TRANSOM SASH, No. 63PM7252, of clear White Pine, glazed with clear single strength glass. Made in the same manner as our Glazed Windows, described on page 26.

TRANSOM SASH, 5-LIGHT, No. 63PM7252 (As illustrated above)

Width		Height		Thickness	Each	Shipping Weight, Pounds
Ft. 3	In.	Ft.	1n. 3	1¾ in.	\$4.35	12

COLUMNS, No. 63PM8070, of clear Fir, as illustrated above, size, 6x6x8 feet, described and priced separately on page 46.

COLONIAL FRAME, No. 63PM9773, with clear Cypress outside casing (1½ inches thick,) moldings, and Oak sill; rabbeted for 1¾-inch door, includes columns, pilasters, moldings for hood, plate boxes and cornice, half circle facia, half circle spandrel, and riser beneath sill.

COLONIAL FRAME, COMPLETE, No. 63PM9773 (As illustrated above)

Sizes o	Door Size to Fit				Each	Shipping Weight,		
Ft. 1		eight I In.	Ft.	Width Ft. In.		In.	Duen	Pounds
5 4	8 8	4 8	3	0	6 7	8	\$75.00 80.00	235 250



Colonial Entrance, Complete No. 63PM9842

Distance center to center of columns, for 3 ft. door, 5 ft. 4 in

Price Includes Door, Columns and Frame as Described Below COMPLETE ENTRANCE, No. 63PM9842

Size	of Op Fra		for			es to F		Complete	Shipping Weight,
Ft.	dth In.	He Ft.	ight In.	Width Ft. In.		Height Ft. In.		Complete	Pounds
3	4 4	7	1 5	3 3	0	6 7	8	\$49.95 51.45	210 225

The Door or Any Other Article Shown in Our Entrances Can Be Pur-chased Separately. For Prices and Description See Below

COLONIAL DOOR, No. 63PM388, of clear Fir, six solid raised panels, solid sticking around panels, described on page 11.

COLONIAL DOOR, No. 63PM388 (As illustrated above)

Ft.	idth In.	He Ft.	ight	Thickness	Each	Shipping Weight, Pounds
3 3	0 0	6 7	8	1¾ in. 1¾ in.	\$5.95 6.45	65 70

COLUMNS, No. 63PM8070, of clear Fir, as illustrated above, size, 6x6x8 feet, described and priced separately on page 46.

COLONIAL FRAME, No. 63PM9780, with clear Cypress outside casing (1½ inches thick), and moldings, and Oak sill; rabbeted for 1¾-inch door, includes columns, pilasters, moldings for hood, plate boxes and cornice, and riser beneath sill.

COLONIAL DOOR FRAME, COMPLETE, No. 63PM9780 (As illustrated above)

Size o	Size of Opening for Frame					es to F		Each	Shipping Weight,
Widt	h	Hei	ght	Wi	dth_	Hei			Pounds
Ft.	In.	Ft.	In.	Ft.	In.	Ft.	In.		
3	4	7	1	3	0	6	8	\$44.00	145
3	4	7	5	3	0	7	0	45.00	155

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Screen and Storm Door Combination

A Screen Door in Summer; a Storm Door in Winter

TERE'S the highest class combination storm and screen door made. A high grade screen door in summer-a substantial storm door in winter -at the price of one door. The door remains on hinges all year around-you simply change the center panel in spring and fall. A strong, solid adjustable fastener holds screen or glass panel firmly in place.

Changes from storm door to screen door, or vice versa, quickly-all you

need is a screwdriver.

It's the most dependable and easiest adjustment (see illustration at right) together with a most dependable door sash and screen arrangement.

It will no longer be necessary, when the end of the summer comes, to take down the screen door and put up a storm door in its place. This door remains on the hinges the year around.

Standard Storm Doors



Storm Doors No. 1 Grade Storm Doors

No. 6 3PM6808

No. 6 3PM6808

Carefully made of clear soft wood. Perfect coping and sanded. Shipped in the white, suitable either for paint or natural finish. Glazed with high grade double strength glass.


Painted Doors

No. 63PM6800
Made from the same grade of lumber usually used in painted doors. While not clear number, doors are strong, durable and very carefully painted. Glazed with double strength glass. Shipped from our factory in New Jersey. Not Prepaid.

SIZI 11% Inch Width Ft. In.			63PM 6800 Painted Doors Glazed Double Strength Glass	63PM6808 No. 1 Qual- ity Glazed Double Strength Glass	Shpg. Wt., Lbs.
2 614	6	7	\$4.15	\$4.50	58
2 814	6	9	4.25	4.60	63
2 101/4	6	11	4.80	5.15	68
3 01/4	7	1	4.85	5.20	7.3




These panels are interchangeable. Simply turn 4 patented adjustable fasteners a quarter turn to change the center panel.



The illustration above shows Patent Adjustable Fastener. Contractors tell us it's the most Practical they've seen.

Our method of fastening the storm and screen panels overcomes rattling. You will note from the illustration above that the metal lock is adjustable. Every half turn of screw operates lock. Increases its pressure and holds panel firmly, also eliminating any chances for rattling.



Specifications

Made of clear White Pine, clear window glass securely held in place with wood stops, and high grade 14-mesh galvanized or 16-mesh bronze wire screen cloth. Side and top rails, 33/4 inches wide; bottom rail, 91/4 inches wide. This allows a small margin for trimming to insure snug fit. Wood panel at bottom of door. Furnished in the white, without paint or varnish.



Why

this door will serve you (See Illustrations Below)



DOOR REMAINS ON HINGES THE YEAR AROUND



CHANGE PANELS



PANELS ARE CHANGED FROM INSIDE OF ROOM



EASILY PUT

Double Duty Combination Screen and Storm Doors

Sizes, 1½ Inches Thick	Solid Door Fastener, 8 Glazed Clean Either Gal	With Patent Light Sash Glass, and vanized or	No. 1 Grac Solid Door Fastener, 12 Glazed Clea Either Gal Bronze Wire		
Width Height Ft. In. Ft. In. 2 614 6 7 2 614 6 9 2 814 6 9 2 814 7 1 2 1014 6 11	63PM2410 14-Mesh Galv. Wire Screen Panel \$6.25 6.30 6.40 6.70 6.85	16-Mesh Bronze Wire	63PM2411 14-Mesh Galv. Wire Screen Panel \$6.35 6.60 6.65 6.75 6.90	63PM2413 16-Mesh Bronze Wire Screen Panel \$7.25 7.55 7.65 7.80 8.05	Shpg. Wt 1.bs 45 48 50 65 60
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 95 7 10 7 15	7.90 8.05 8.15	7.00 7.20 7.25	8.20 8.35 8.47	70 73 75

NOTE—Circle Head Combination Screen and Storm Doors (8-light sash) like design 63PM2410, with 14-mesh Galvanized Wire.

63PM2410½—Size, 3 ft. ½ in. wide by 6 ft. 9 in. high. Shipping weight, 73 pounds. Each. \$15.00 Size, 3 ft. ½ in. by 7 ft. 1 in. Shipping weight, 75 pounds. Each. \$15.00 For 16-mesh Bronze Wire Screen add 70c per door.

Shipped From Our Factory in NEWARK, N. J., Not Prepaid. 4

elon Your Coal Bill With Storm Sash-HERE'S P

Our Storm Sash and Doors SAVE YOU MONEY. The homes shown below are the same size and both located in the same town. Mr. A. W. Radloff, however, has storm sash and doors on all windows and doors. By this investment in storm sash and doors he is SAVING EACH YEAR \$30.00 ON HIS COAL BILL. One-third less than it is costing Mr. Hopp. The saving on one year's coal bill alone will pay for the storm sash. Compare the statements of these two owners. Buy here at wholesale, factory-to-you prices. High grade. Full line of stock sizes. Satisfaction guaranteed.

"Storm windows will save 25 to 30 per cent on costs of fuel." The above statement taken from circular letter No. 227, issued in 1927 by the Department of Commerce, Bureau of Standards, Washington, D. C.



Insulating Feature
Storm sash creates a still air space between the sash and window. (See illustration below.) It is this insulating feature that saves fuel. Cold air against your windows chills the air in the room 15 to 20 degrees. Storm sash keens out the cold and saves fuel.


STILL AIR
SPACE




Two-Light

22x20 22x22 22x24 22x28 22x30 22x32 24x20 24x22 24x26 24x36 24x36 24x36 26x24 26x26 26x26 26x30 26x32

Two-Light
StormSash 1½ inches
In the following sizes only. Prices do not
include ventilators. Ventilators 15c each extra. Sizes
not priced are not carried in stock. Shipped from
our own factory in NEWARK, N. J. Not prepaid.





11.8956 688459 6889559 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.222 11.2222 11.222 1222 1222 1222 1222 1222 1222 1222 1222 1222 1222 1222 1222 1222 1222 38 39 40 41 43 39 40 41 42 44 40 41 42 43 45

Sears, Roebuck and Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In heating our Co.

In

No Storm Sash-

Eight-Light Storm Sash

11/8 inches thick. Carried in following sizes only. Prices do not include ventilators. Ventilators, 15c each, extra. Size of sash allows for trimming. When ordering be sure to give width first.

Shipped from our own factory in NEWARK, N.J. Not prepaid.

			- Pro-			
Size of Each	Ou	tside Mo	easuren Bash	ent	63PM7300	Shpg.
Light of	Wi	dth	He	ight	Glazed	Weight
Glass	Ft.	In.	Ft.	In.	Clear Glass	Pound:
9×12	1	11	4 5	756	\$1.47	33
9×14	1		3	35%	1.59	35
10×12	2 2	1	4	758	1.47	37
10×14	2	1	5	35%	1.67	39
10×16		1	_ 5	1158	1.96	41
12×14	2	5	5	35%	1.85	42
12×16	2	5 5 5	5	115%	2.15	4.3
12×18	2	5	6	753	2.34	45
14×16	2	9	5	1156	2.35	46
14×18	2	9	6	75%	2.51	
14×20	2	9	7	336	2.75	49 51

Twelve-Light Storm Sash

1½ inches thick. Carried in the following sizes only. Prices do not include ventilators. Ventilators 15c each,

Size of Each Light	М	Out leasu of S	reme	nt	63PM7305 Glazed Clear	Shpg Wt.			
of	Wi	dth	Hei	Glass	Lbs				
Glass	Ft.	In.	Ft.	In.					
8x10 8x12	2 2	414	3 4	1158 758	\$1.53	44 46			
9×12 9×14	2 2	714	5	75/8 35/8	1.81	48			
10×12 10×14	2 2 2	101/6	4 5 5	75/8	1.88	50			
10×16	2	1013	5	115%	2.08	52 54			
Ship NEWAR	Shipped from our own factory in NEWARK, N. J. Not prepaid.								





Four-Light Storm Sash

With Storm Sash \$60.00 for Coal

Sears, Roebuck and Co.
We only consumed 5 tons of Joliet Coke
We only consumed 5 tons of Joliet Coke
to heat our "Honor Bilt" Vallonia home
last winter.
This cost us \$12,00 per ton
last winter.
We have storm sash and doors
on all windows and doors.

Windows and doors.
Yours very truly.
ALBERT W. RADLOFF.
(Address furnished on request).

11/8 inches thick. Carried in stock in the following sizes only. Prices do not include ventilators. Ventilators, 15 cents each, extra. In some cases a little trimming will avoid necessity of or-dering special sizes. Size of sash allows for trimming. When ordering be sure to give width first. Shipped from our own factory in NEWARK, N. J. Not prepaid.

							1
Size of Each	Ou	side Mo	easurer Sash	nent	63PM7295 Glazed	Shpg Wt.,	
Light	Wi	dth	He	ight	Clear	Lbs.	1
of Glass	Ft.	In.	Ft.	ln.	Glass		
10x20	2	1	3	115/8	\$1,49	36	
10x22	2 2 2 2 2 2	1	3 4 4 5 5	115/8 35/8 75/8	1.56	38	1
10x24 10x26	7	1 1	4	1152	1.57	40	1
10x28	2	i	3	336	1:74	41	1_
10x32	2	1	5	115% 33% 115%	2:40	45	1
12x20	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55555555	- 3		1.47	38	
12×22	2	5	4	358 758	1.66	40	
12×24 12×26	2	5	3 4 4 4 5 5	11 5/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8/8	1.66	42	1_
12×28	2	5	5	1158 358 758	1:84	43	1
12x30	2	5	5	3 % 8 7 % 8		45	1
12×32				11%	2:40	47	П
14x20 14x22	2 2 2 2 2 2 2 2 2	9 9 9 9	3 4 4 5 5	1158 358 758	1.76	40	1_
14x24	2	9	4	358 758	1.90	42	1
14x26	2	9	4	1196	1.08	44	1
14×28	2	0	5		2.21	46	1
14x30 14x32	2	9	5	358 758 1158	2.21 2.39 2.54	47	١.
15×24		11			2.54	49	1
15x24	2 2 2 2 2 2	ii	4 5 5 5	75% 115% 35%	2.08 2.39 2.50 2.61 2.78	44	
15x28	2	11	5	356	2.50	46 47	
15x30	2	11	5	196	2.61	48	1-
15x32	2 1	11	1 5	113%	2.78	48 50	1

Page 22

Fu	II Len	gth	Scree	ns for 2-	LightWi	ndows
-	Outside I	Meas	ure-	63PM28	62PM20	
	Size of	Open	ing	With	63PM30 With	Shpg.
	Width		ight	Galv. Wire	Bronze Wire	Wt., Lbs.
Ft	In.	Ft.	In.			
1	4	4	11%	\$1-10	\$1.23	12
I 1	6 6	4 4 5	75% 115% 35%	1.13 1.26 1.29	1.25 1.32 1.36	12 13 14
1	8 8	3 4	7558 358 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558 11558	1.13	1.20	11 13
1	10	3	115%	1-16	1.59	12
1	10	4	1158	34	1.51	14
1	10 10 10 10	5	11 % 7 5% 11 5% 3 5% 7 8%	1.16 1.27 1.34 1.40	1.59 1.41 1.56 1.63	12 13 14 14 15
2		3	115%		1.35	12
2		4	358	1.28	1.41	13
2		4	115%	1:40	1.57	14
2		5	11 5/8 3 5/8 7 5/8 11 5/8 3 5/8 7 5/6	22334432	1.35 1.51 1.57 1.64 1.72	12 13 14 14 15 15
2	2	3	11 5/8 35/8 7 5/8 11 5/8 3 5/8 7 5/8			13
2	2	4	758	1.37	1.52	14
2	2	4	1158	1.43	1.67	15
2	2	5	75%	1.30 + 1.37 1.38 1.43 1.49	1.44 1.558 1.666 1.84	13 14 14 15 15 15
2	4	3	1156	1.32		
2	4	4	115%	1:40	1.68	16
2	4	5	35%	1.54	1.85	16
2	4	5	1158	1.68	1.51 1.68 1.76 1.85 1.93 2.01	14 16 16 16 16 17 18
2	222222244444444444444444444444444444444	6	11 5 6 7 5 6 11 5 6 3 5 6 6 7 5 6 11 5 6 3 5 6 11 5 6 7 5 8	1.32 1.446 1.560 1.6633 1.78	1.51 1.686 1.853 1.901 2.01	18 18
2	6	4	11 5 6 1 1 5 6 1 1 5 6 6 7 5 6 6 1 1 5 5 6 6 7 5 6 6 1 1 5 5 6 6 7 5 6 6 1 1 5 5 6 6 7 5 6 6 1 1 5 5 6 6 6 1 1 5 5 6 6 6 1 1 5 5 6 6 6 1 1 5 5 6 6 6 1 1 5 5 6 6 6 6	1.50		16
2	6	4 5	1138	1-58	1.85	16
2	6	5	75%	1.66	2:01	17
2	6 6 6 6 6	6	75% 113% 35% 75% 115% 35%	1.50 1.58 1.62 1.66 1.76	1.75 1.85 1.93 2.01 2.11	16 16 17 18 18
2	7	4	758 1158 358 758 1158	1.52	1.84	16
2	7 7	5	35%	1.62	2.03	16
2	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5	75%	1.52 1.66 1.70	1.84 1.93 2.03 2.13 2.23	16 17 17 18
11111112222222222222222222222222222222	- 8	34455 344455 344455 344555566 445556 44555 44555	7.5.5 % % % % % % % % % % % % % % % % % %	1.54		16
2	8 8 8	4	1153	1.54 1.64 1.68 1.72 1.83	1.84 1.93 2.03 2.13 2.23	16
2	8	5	75%	1.72	2.13	16 17 17 18
2	8	5	755,508,808,808,808,808,808,808,808,808,8	1.83	2.23	
2	10 10 10 10	4	1158	1.60 1.66 1.73 1.78 1.90 2.00	901	16 17 17 18 19
2	10	5	358	1.73	2.11	17
2	10	5	1158	1:66	2.32	19
2	10	5	75%	1.95	1.91 2.00 2.11 2.32 2.53 2.32	
3	4	4	756	1.76	2.19	16
3	4	4 4 5 5	788 1158 356 758	1.76 1.85 1.96 1.97	2.32 2.19 2.30 2.42 2.53	16 17 18
3	4	5_	758	1.97	2.53	18
1	8	1-5-	35%	2.00	2.61	19

1111

rried rices

tors.

xtra.

trim-

ire to

own

Not

Shpg. Veight, Yound>

46 49 51

CO.

Half Length Window Screens

Grooved Stiles Loose Slides

Top rail of screen is on a line with middle rail of window. middle rail of window. Measure between blind stops for exact size of screen. Half length Window Screens are made to order, requires about two weeks. All half length screen, ¾ inch thick. Prices include slides.

Half Length Screens Nos. 63PM465-63PM466

		one Garage	01 00111	
Any Siz	e up to cluding	63PM465 With	63PM466 With	Shpg.
**	Width Height		Bronze	Wt
Ft. In.	Ft. In,	Wire	e4 94	Lbs.
1 11 3 5 7	2 434	1:05	1:40	736
2 5 7 2 7 2 9	2 4 14 6 14 2 8 14 2 10 14 3 0 16	1.25	1.55	814
2 9	2 1014	1.30	1.80	10
3 1 7	3 412	1:55	2.30	11

How to Measure for Screens

Full Length Screens. Give actual dimensions between inner edge of side casing for width, and between top of sill and under edge of head casing, for height. Use a rule, not a tape.

Half Length Screens. Give actual dimensions between inner edge of the blind stops for width, and between top of sill and top of meeting rail for height. Use a rule, not a tape. When ordering give width first.

Everyone realizes how necessary screens are to health and comfort. Screen windows and doors admit fresh air without bothersome insects. Eliminate the nuisance of flies and mosquitoes which endanger your health. Buy your window screens here at wholesale factory to you prices and make a substantial saving. Best materials; durable construction. Much higher grade than the kind sold in hardware stores. We ship promptly from a full line of stock sizes.

All full length screens, made of clear soft wood 1½ inches thick. The top crosspiece and the stiles, that is, the pieces that run length-wise, are 2½ inches wide. Bottom crosspiece is 3½ inches wide. This allows a small margin for trimming. Carefully crated, guaranteed to reach you in good condition. For sizes not shown, write for price.

All Screens and Screen Doors Shipped From Our Own Factory in Newark, New Jersey, Not Prepaid

Made to Give Much Longer Service Than Screens Usually Sold at Local Hardware Stores

Full Length Screens for Four and Eight-Light Windows Outside Measurement of Screens Size of Opening Width Height Ft. | I Ft. In. Full Length Screens

				dows		
5	of Sc of Sc Size of	reens Openin	g	63PM28 With	63PM30 With	Lbs.
Ft.	Width Heigh			Galv. Wire	Bronze Wire	Shp Wt.
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4½ 4½ 7½ 7½ 10½ 10½ 10½	3 4 4 5 4 5 5 5	In. 1158 758 758 358 758 358 1156	\$1.45 1.52 1.65 1.64 1.73	\$1.54 1.73 1.85 2.01 1.93 2.48	14 16 16 17 16 17 19

63PM28

With Galv. Wire

63PM30

With Brouze Wire

\$1.53

Nos. 63PM28, 63PM30

Our screen doors are made as carefully as our best front doors Doors 63PM25, 63PM26, are solid oak; others of clear soft wood.



63PM22-63PM23 Clear Soft Wood 63PM25-63PM26 Clear Oak \$3.50 AND UP 11/4 inches thick. Stiles and rails, 4½ inches wide. Bottom rail, 8¾ inches wide. Panels, 8 inches.



Door Nos. 63PM16-63PM17

\$2.45 AND UP

11/4 inches thick. Stiles and rails, 21/4 inches wide. Bottom rail, 51/4 in. wide.



Door Nos. 63PM19-63PM20 \$3.30 AND

11/s inches thick. Stiles and rails, 33/4 inches wide. Bottom rail, 71/4 inches wide.

SIZE	63PM22 6	3PM23 Wood	63PM25 Clear Oak	63PM26 Clear Oak	Snpg.	63PM 6 Clear So	63PM17 ft Wood	Shpg.	63PM 9 Clear Sc	63PM20 ft Wood	Shpg.
Width Height Ft. In. Ft. In.	Galvanized Wire	Bronze Wire	Galvanized Wire	Bronze Wire	Lbs.	Galvanized Wire	Bronze Wire	Wt., Lbs.	Galvanized Wire	Bronze Wire	Wt., Lbs.
2 814 6 9 2 814 7 1	\$3.50	4.60	\$7.80	\$8.80	23 25	\$2.45	\$3.75 3.90	18 19	\$3.30	\$4.15 4.25 4.30	20 21 23
2 10 4 6 11 2 10 4 7 1	3.65	4.75 4.80 5.00	0.35	9.60	28 28 30	2.50 2.60 2.65	4.15	20 20 21	3.50	4.40	23 24


French Doors

Beautiful Clear Fir

Clear Oak Veneered



Beautiful Clear (63PM9859 Clear Glass Oak Veneer (63PM7003 Clear Glass Fir Door Nos. (63PM9840 Plate Glass Door Nos. (63PM7004 Plate Glass 13/4 Inches Thick




French Doors 13/4 Inches Thick. T Astragal is furnished with each pair of French doors. We do not recommend 13/8-inch doors.

		Beau	tiful	Clear Fir F	rench Sash l	Doors
:	Size of	Openin	R	63PM9859 Glazed Clear	63PM9840 Glazed Plain	Outside Frames for French Doors.
	Width Height		D. S. Glass. Per Pair With Astragal	Plate Glass. Per Pair With Astragal	63PM7005 Frame to Match. Each	
lit.	In.	Ft.	In.		ALC: A COLUMN TO THE PARTY OF T	
4 4 5	0	6	8 0 8	\$11.50 12.05 13.25	\$17.30 17.65 20.55	\$4.50 4.60 4.75
5	ŏ	7	Ŏ	14.05	21.05	4.85
		Oa	k Ve	neered Fren	ch Sash Do	ors
	Size of	Openin	g	63PM7003 Glazed Clear D. S. Glass.	Glazed Plain Plate Glass	63PM7005 Frame to Match.
	idth	He.	ight	Per Pair With Astragal	Per Pair With Astragal	Each
1·1.	1n. 0	6	8 0	\$20.05	\$27.60	\$4.50 4.60
5	0	6	8	22.45	32.50	4.75



FOR INTERIOR DOORS. A cased opening can be greatly improved by the addition of a pair of French Doors.



FOR EXTERIOR DOORS. All the breezy coolness can be transferred to the living room by a pair of French Doors.

SPECIFICATIONS

FRENCH DOORS (for interior or exterior use), of beautiful clear Fir or clear Oak Veneer. Selected for grain and color. Thoroughly kiln dried. Stiles are mortised for muntins. Best workmanship. Sandpapered and polished ready for finish. Stiles and top rail are 3 inches wide, bottom rail is 93% inches wide. Doors are 13% inches thick. We do not recommend 13%-inch French doors.

Glazed with high grade double strength, or plain plate glass, as described under number. Glass is fastened into place with wood stops. T Astragal is furnished for over joint where doors come together in the center.

OUTSIDE FRAME No. 63PM7005, with clear Cypress outside casing (1½ inches thick), jambs and moldings, and Oak sill; rabbeted for 1¾-inch door, described on page 32.

INTERIOR TRIM, of clear Fir or clear Oak, on pages 36 to 41, matches these doors perfectly.

WEIGHTS: With clear double strength glass the doors will weigh (packed for shipment) approximately 125 pounds per pair; with plate glass, 165 pounds per pair.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Hardware for French Doors and Windows

French Window and Screen Door Lock



Genuine Bronze, For flat front French windows and doors. Escutcheons, 438x114 inches. Lock, $3\frac{1}{8}$ x1½ inches. Knobs, $1\frac{1}{8}$ in. We Pay the Postage.

Loose Pin Plated Butts

16c a Pair 21/2 x 21/2 in. In Old Copper or Lemon. We Pay the Postage.

9P4651—Lemon. 9P4832—Old Copper. 9P4568—Sanded Old Brass.

0		
Size, Inches State size	9P4568 Per Pair	9P4651 9P4832 Per Pair
23/2x23/2 3 x3 33/2x33/2	22c 23c 24c	6c 7c 8c
4 x4 436x436	57c	53c

Light Surface Bolts

Electro
Plated Steel.
Length, about
4 in. We Pay
the Postage.

. 19с 9P4560

Surface Bolts

Electro plated steel. Length, about 6 inches. We Pay the Postage.

9P4489-Lemon brass finish. 9P4791—Old copper finish. Each .

9P4546—Sanded old brass. SP4546 Length, about 9 inches. We Pay the Postage.

9P4497—Lemon brass finish.
Each. 30c.

1702—Old copper finish.

9P4793—Old copper finish. 30c 9P4547-Sanded old brass.



French Windows and Casement Sash

French Windows



No. 63PM7016 Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Casement Sash



Add

Enduring

Charm

at

Low

Cost

Prompt

Ship-

ments


From

Large

Stocks

No. 63PM7018

French Windows



No. 63PM7015 Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid


Made of high grade clear California White Pine, 13/8 inches thick. Glazed with clear window glass. Mortised and tenoned. Smoothed and sanded. Made in the same

and tenoned. Smoothed and sanded. Made in the same manner as our white pine windows described on page 26. The FRAMES quoted are for 2x4 studs. Full description of frames on page 34. When ordering casement sash or French windows with frames to match, specify whether sash is to swing in or swing out. Bottom rail of sash will be shipped not rabbeted when ordered without frame. Deduct 10 cents per sash, (20 cents per pair) if not wanted rabbeted.

French Window 63PM7015—The 2-ft. 8-in. by 2-ft. 6-in. and 2-ft. 10-in. by 3-ft. 4-in. sizes are made only three lights high, six lights to the sash, 12 lights to each pair. Over 3 ft. 4 in. in height, 10 lights to the sash, as illustrated to the right.

Casement Sash, 3 ft. 5½ inches high and small have 6 lights of glass and sash, 4 ft. 5¾ inches high have 8 lights of glass.

									22	
-1		SIZE OF OPENING			63PM7016	63PM7015	63Pw17018	Shipping Weight	63PM7991	Weight
ł	Wid			ght	French Windows, Per Pair	French Windows, Per Pair	Casement Sash, Each	of Sash	Frame to Match Description Page 34	Frames
41	Feet	Inches	Feet	Inches	rei rait			1.1	62.50	25
ı	1	8	2	5	\$2.55	\$2.60	\$1.20	20	\$2.50 2.95	25 30
		101/	3	51/4	32.00		\$1.35 1.65	24	3.10 3.30	32
	î	10¼ 10¾	4	5 1/2	1		1.00	JE		35
	2	10	3	4	3.64	2.70 3.65		35 41	3.25 3.95	35 41
	2	10	4	10				16	3.90	46
	2	10	5	2	4.00	4.05 4.45		48	4.05	46 48
	2	10	5	6	4.00 4.40 4.50	4.45		51	4.05	51
	3	8			4,30					




No. 63PM7009

Casement Sash

Made of Clear Cali-fornia White Pine, 13/8 inches thick, glazed with clear single strength glass.

Shipped From Our Own Fac-tory in NEWARK, N. J., Not Prepaid



No. 63PM7017

Will match our Divided Light Window 63PM7172 or 63PM7173,

shown on page 27.

Width	Opening Heig		63PM7009 Casement Sash.	Weight, Pounds	63PM7991 Frame to Match. Description	Shipping Weight, Pounds
Ft. ln. 4 8 3 8 4 2	Ft. 2 2 2 2 2 2	1 1 1 1 3	\$1.00 1.05 1.75 2.15	16 22 27 33	\$2.60 2.85 3.10 3.45	25 28 33 36


Sash will be made as follows: 2 feet 4 inches and 2 feet 8 inches, three lights wide 3 feet 8 inches, five lights wide, and 4 feet 2 inches, six lights wide.

Size of C Width Ft. In.	Opening Height Ft. In.	63PM7017 Casement Sash. Each	Weight, Pounds	63PM7991 Frame to Match. Description Page 34	Shipping Weight, Pounds
2 4 2 8 3 8 4 2	2 1 2 1 2 1 2 1 3	\$1.00 1.15 1.65 1.95	16 22 27 33	\$2.60 2.85 3.10 3.45	25 28 33 36

Hardware for Casement Sash

Casement **Fasteners**

Reversible. Size, 7/8x 1½ in. With screws. We pay the postage.



Mortise Door Bolts


Solid Bronze Knob and Escutcheon



9P4496 Lemon brass fin-ish. Each...27c

9P4800

Universal Casement



Brass plunger. s. We pay the Plated steel. B Length, 12 inches. postage.

9P4533 Lemon brass finish......95c 9P475 | Old copper finish..................95c

Old copper finish. Each.....27c Sanded old brass finish...\$1.10 Pair... Hardware Shipped From Our Store

Electro Plated Butts



9P4830-Old copper finish.

9P4650-Lemon brass finish.

31/2×31/2 Size, inches. . 21/2 x 21/2 3x3



Loose Pin-Plated Butts

We pay the postage. 9P4568-Sanded old brass. 9P4832-Old copper. 9P4651-Lemon brass.

Size, Inches State size	9P4568 Per Pair	9r4832 9r4651 Per Pair
2½x2½ 3 x3 3½x3½ 4 x4 4½x4½	22c 23c 24c 33c 57c	1 6c 1 7c 1 8c 2 9c 5 3c
inches for ba	Vickel plated. throom doors.	Size, 3½x3½ We pay the 33c

18c



Nos. 63PM7186, 63PM7187. Outside View

Honor Bitt MILLWORK

Glazed Windows

Made of Clear White Pine


All our windows are mortised and tenoned. The White Pine is thoroughly kiln dried, carefully machined and sanded. Can be finished in "light natural" or any finish desired. Contractors say they are the best windows they ever saw. Glazed with good quality glass, securely held with points and the best putty, preventing the window glass from rattling and making a tighter and neater job.

Check rail windows are 1% inches thick and have a check rail where the two sash come together; preventing rattling or driving rains and snow beating through. Carefully crated. Safe delivery guaranteed.

NOTE—Weights shown are of the window only, to assist in ordering sash weights. (See page 29.) For shipping weight or weight of window and crating add one-fifth to the weight given.

For Window Trim See Pages 36 to 41 For Frame Prices See Page 33

When Ordering Be Sure to Give Width First Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid



No. 63PM7189. Inside View

Two-Light Check Rail Windows Price Includes Top and Bottom Sash Only

	Size of Each Light of Glass, Inches	Sizé ot Opening			Opening 63PM7186 63PM7187 Single Double				nt of Vindow. /5 for . Wt.
-	Width, Height	Wi	idth In.	Heig	ht In.	Strength Glass	Strength Glass	Single Strength Glass, Lbs.	Double Strength Glass, Lbs.
-	12x20 12x24 12x28	1 1 1	4 4 4	3 4 5	10 6 2	\$1.06 1.19 1.30		11 13 13	
-	14x20 14x24	1 1	6	3 4	10	1:13		12	
ŀ	16x20 16x24	1	8	3 4	10	1.22	\$1.39	12	14
-	18x20 18x24	1 1	10 10	3 4	10	1:30	1:49	13 16	15 18
-	20x20 20x22 20x24 20x26 20x28 20x30	2 2 2 2 2 2 2 2	0 0 0	3 4 4 5 5 5	10 2 6 10 2 6	1.51 1.529 1.662	1.54 1.73 1.74 1.85 1.94	15 16 17 19 21 22	17 18 19 21 23
	22x20 22x22 22x24 22x26 22x28 22x30	2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2	3 4 4 4 5 5	10 2 6 10 2 6	1.47 1.62 1.63 1.70 1.81	1.71 1.89 1.98 2.12	16 18 19 20 21 22	18 21 22 23
	24x14 24x16 24x20 24x22 24x24 24x26 24x28 24x30 24x32	222222222	4 4 4 4 4 4	2334445555	10 2 10 2 6 10 2 6 10	224667891 1.067893	1.71 1.89 1.98 1.98 2.130 2.62	12 14 17 19 20 26 23 25 26	19 21 22 23 25 27 28
	26x24 26x26 26x28 26x30	2 2 2 2	6 6 6	4 4 5 5	6 10 2 6	1.73 1.81 1.98 2.15	32201 01-35 2000 2000 2000 2000 2000 2000 2000 20	21 23 24 26	23 25 27 29
	27x24 27x26 27x28 27x30 27x32	2 2 2 2 2 2	7 7 7 7 7	4 4 5 5 5	6 10 2 6 10	1.86 1.98 2.04 2.15	2.1928 1338 1505	22 24 25 27	24 26 •28 30 31
	28×14 28×16 28×24 28×26 28×28 28×30 28×30	2 2 2 2 2 2 2 2 2	888888	2 3 4 4 5 5	10 2 6 10 2 6 10	1.58 1.66 1.86 1.98 2.09 2.15	2.19 2.32 2.46 2.51 3.05	14 16 23 24 25 27	25 27 28 30 31
	30×24 30×26 30×28 30×30 30×32	2 2 2 2 2 2	10 10 10 10 10	4 4 5 5 5	6 10 2 6 10	1.94 2.15 2.17 2.44	2.30 2.55 2.55 2.89 3.14	25 26 27 29	27 29 30 32 34
	32×30	3	0	5	6		3,15		34
	36x26 36x28	3	4	4 5	10		3.16 3.38	::	34 35
1	40×28	3	8	5	2		3.93		37

For Storm Sash Prices See Page 22 For Screen Window Prices See Page 23

PLOWED AND BORED FOR SASH WEIGHT CORD Check Rails The check rail feature in our windows effectively keeps out rain, snow and wind. All windows on this

All windows on this page made with check rail where sash come together, as shown above makes them rainproof, windproof and dustproof.


Four-Light Check Rail Windows Price Includes Top and Bottom Sash Only

	Size of Each Light of Glass, Inches Width Height					63PM7189 Single Strength Glass	Approximate Weight of Entire Window, Pounds.; Add 1/5 for Shpg. Wt.
	10x20	2	1	3	10	\$1.49	16
	10x22	2 2 2 2	1	4	2	1.56	17
	10×24	2	1	4 5	6	1.57	18
	10x28	2	1	5	2	1.74	20
	12×20	2	5	3	10	1.47	18
	12×22	2	5	4	2	1.66	19
	12x24	2	5	4	6	1.67	20
	12x26	2 2 2 2 2 2	5 5 5 5 5 5	4	10	1.77	21) 22
,	12x28	2	5	-5	2	1.84	22
	12x30	2	5	5	6	2.17	24
	14x20	2	9	3	10	1.76	20
	14×22	2	9	4	2	1.90	22
	14×24	2	9 9	4	6	1.92	23
	14×26	2 2 2 2 2 2 2 2	9	4	10	1.98	24
	14×28	2	9	5 5 5	2	2.21	25
	14x30	2	9	5	6	2.39	27
	14x32	2	9	5	10	2.54	29
	15×24	2	11	4	6	2 08	74

Eight-Light Check Rail Windows The Price Includes Top and Bottom Sash Only

Size of Each Light of Glass,	S	ize of O	pening	·.	63PM7192 Single	Approximate Weight of Entire		
Inches	Wid	th	He	ight	Strength Glass	Strength Pounds		
Width Height	Ft.	In.	Ft.	In.		Shpg. Wt.		
9x12	1	11	4	6	\$1.47	17		
10x12 10x14	2 2	1	4 5	6 2	1.48	18 19		
12x14 12x16	2 2	5	5 5	10	1.85	23 24		

Twelve-Light Check Rail Windows





Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Divided Light Windows

Made of Clear California White Pine

The true Colonial expression in divided light windows calls for a light of glass somewhat greater in height than in width.

Windows like these increase the value and beauty of your home.

The Colonial Design Window shown here is made of Clear California White Pine, 1% inches thick, glazed with a selected grade of window glass securely fastened with good putty and points. Frame is priced separately. We pack our windows with great care and guarantee safe delivery.

All windows on this page made with check rail where sash come together, making them rainproof, windproof and dustproof.

We will ma	intain this	proportion	by furnish-
ing these windo	ws with to	p sash divide	d as follows:

	Where Size of Glass in Lower Sash Is	Top Sash Will Be Divided
_	16 in. wide 18 in. to 24 in. wide 26 in. to 32 in. wide Over 32 in. wide	2 lights wide 3 lights wide 4 lights wide 5 lights wide

i i individe											
No. of Lights	Size of Glass		Size of (-		Shipping Weight	Single	63PM7103 Double Strength			
in Top	in Lower	Wi	dth	He	ight	Windows	Strength Glass	Glass			
Sash	Sash	Ft.	In.	Ft.	In.	Pounds	Glass				
6	20x24	-2	0	4	6	26	\$2.02	\$2.24			
6	20x28	2	0	5	2	29	2.16	2.44			
-6	24x20		4	3	10	26	1,97	2,21_			
6	24x24	2	4	4	6	30	2,17	2,47			
6	24x28	2	4	5	2	33	2.31	2.62			
8	26x24	2	6	4	6	31	2,23	2.53			
8	26x30	2	6	- 5	6	38	2,65	3,02			
8	28x24	2	- 8	4	6	34	2,36	2,69			
- 8	28x28	* 2	8	- 5	2	36	2,59	2.96			
8	28x30	2	8	5	6	37	2.65	3.01			
8	30x26	2	10	4	10	36	2,65	3.02			
	30x28	$-\frac{2}{2}$	10	- 5	2	38	2.67	3,05			
- 8	30X28	1 4	1 10	J	-	0.0					

Drip Cap Frames to Match, Described on Page 33

All Other Sizes of Two-Light Windows Listed on Page 26 Can Be Furnished Divided as Above. For Prices Add 50c Extra to the Price of Our Regular Two-Light Window on Page 26 of the Size Wanted. Allow 15 days extra for such sizes.

Shipped From Our Own Factory in NEWARK, N.J., Not Prepaid.



COLONIAL


Divided Light Windows

Suitable for Any Style of Building

SPECIFICATIONS

MATERIAL-Clear California White Pine and high grade window glass carefully set with good putty and

CONSTRUCTION-Frame of windows, 1% inches thick. Check rail construction. See illustration to



Divided Light Windows

Increase Value and Beauty of Home

Weights here given are shipping weights. In ordering iron sash weights (see page 29) for divided light windows use actual net weight of two-light windows on page 26 opposite.



Nos. 63PM7160 Single Strength Glass

NOTICE—All windows on this page, except 63PM7140 and 63PM7141, will be divided as shown in table to the right.

Where Size of Glass	Top Sash Will
in Lower Sash Is	Be Divided
16 in. wide	2 lights wide
18 in. to 24 in. wide	3 lights wide
26 in. to 32 in. wide	4 lights wide
Over 32 in. wide	5 lights wide

Shipped FromOurOwn Factory in NEWARK, N.J. Not Prepaid.

00	
1	
1	
· (6	3PM7140 Single Strength Gla

Nos. 63PM7172 Single Strength Glass 63PM7173 Double Strength Glass

dan

Size of Glass in Lower Sash	Siz Wie	e of	_	ing ght In.	63PM7172 Single Strength Glass	No. of Lights in Top Sash	63PM7173 Double Strength Glass	63PM7160 Single Strength Glass	No. of Lights in Top Sash	63PM7161 Double Strength Glass	63PM7140 Single Strength Glass	63PM7141 Double Strength Glass	Weight Single Strength Divided Light Windows, Pounds	Weight Double Strength Divided Light Windows, Pounds
20×20 20×24 20×26 20×28	2 2 2 2	0000	3 4 4 5	10 6 10 2	\$1.80 1.97 2.04 2.11	3 3 3 3	\$1.99 2.19 2.30 2.39	\$2.10 2.27 2.34 2.41	9 9 9 9	\$2.29 2.49 2.69	\$2.10 2.27 2.34 2.41	\$2.29 2.49 2.60 2.69	20 25 26 28	22 27 28 30
22x24 22x28	2 2	2 2	4 5	6 2	2.08	3	2.34 2.57	2.38 2.56	9	2:64 2:87	2.38	2.64	27 30 25	29 32 27
24x20 24x24 24x26 24x28 24x30	2 2 2 2 2 2 2	4 4 4 4 4 4	344555	10 6 10 2 6 10	1.92 2.15 2.29 2.39 2.69	3 3 3 3 3 3	2.16 2.42 2.43 2.57 2.75 3.07	2.45 2.45 2.69 2.98	9 9 9 9 9	2.46 22.73 22.85 3.37	2.445 2.45698 2.5698	2.46 2.73 2.85 3.37	25 29 30 32 34 36	31 32 34 36 38
24x32 26x24 26x28 26x30	2 2 2	6 6	4 5 5	6 2 6	2.18 2.43 2.60	4 4	2.48 2.77 2.97	2.47 2.73 2.90	12 12 12	2.78 3.07 3.27	2.47 2.73 2.90	2.78 3.07 3.27	30 34 36	32 36 38
28×24 28×28 28×30 28×32	2 2 2 2 2	88888	4 5 5 5	6 2 6 10	2.31 2.53 2.60	4 4 4 4	2.64 2.91 2.96 3.50	2.61 2.84 2.90	12 12 12 12	2.94 3.21 3.26 3.80	2.61 2.84 2.90	2.94 3.21 3.26 3.80	32 35 37 38	34 37 39 40
30×24 30×26 30×28 30×30	2 2 2 2 2	10 10 10 10	4 5 5	6 10 2 6	2.39 2.60 2.62 2.89	4 4 4 4	2.75 2.97 3.00 3.34	2.69 2.90 2.92 3.19	12 12 12 12	3.05 3.27 3.30 3.64	2.69 2.90 2.92 3.19	3.05 3.30 3.64	32 34 36 38	34 36 38 49

All other sizes of two-light windows listed on page 26 can be furnished with top sash divided. For prices add to the price of our regular two-light window on page 26 of the size wanted as follows:

For Catalog (63PM7172) Add 45c

For Catalog (63PM7160) Add 75c

Nos. (63PM7173) Extra

For Catalog (63PM7161) Extra

For Catalog (63PM7141) Extra

Nos. 163PM7141 Double Strength Glass For prices of DRIP CAP window frames only for these windows see page 33. Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Complete Window Sets

Honor Bilt MILLWORK

Include Window, Frame, Trim, Stops and Hardware

Ready to Nail in Place
CUT TO EXACT SIZE. Perfectly machined. Complete Trim Sets neatly packed in dustproof cartons. See illustration below.
This applies to Window Frames, Interior Casing, Head Casing, Sills, Aprons, etc. Includes the glazing of the sash, making trimming or cutting unnecessary, except the planing of edges on Glazed Sash, a simple bit of work that should be done on the job.


work that should be done on the job.

Complete Window Sets Include:
WINDOW—Clear California White Pine,
13/4 inches thick, check rail. Glaze! with high
grade clear win. ow glass, carefully set with good
putty and points. Illustrated, described and
pitty and points. Illustrated, described and
pitty and points. Illustrated, described and
pitted separately on page 26.
WINDOW FRAME—High grade drip cap
design, made with clear fir pulley stiles and clear
cypress outside casing and sill. Every part cut to
size, ready to nail together. Pulleys set in place.
Illustrated, described and priced separately on
page 33.
NOLDINGS, INCLUDING STOPS, FOR
TRIMMING INSIDE OF WINDOW—Made of
Clear Fir, carefully selected for grain and color.
Each piece is cut to the exact size required. All
parts carefully sand-papered, ready to nail in
place. Illustrated, described and priced separately
on page 39.
Back Band Trim illustrated and priced separately
on page 40 can be furnished with our complete window sets instead of Molded Cap Trim.
For prices see below.
HARDWARE—High grade sash weights.
Illustrated and priced separately
on page 76. Enough nalls, screws and sash cord
sert to complete the window.



Neatly Packed in Dustproof Carton

PACKING. We use extra special care in packing these sets. Windows are crated with sound ½-inch lumber. Frames are bundled and tied with patent fasteners. The moldings are packed in corrugated paper, excluding dust and insuring your getting bright, clean material. Size of the window is marked on both the frame and the moldings, so each set can be matched up without opening.



INSIDE VIEW No. 63PM1232

When Ordering Give Width First Nos. 63PM1230-63PM1231-63PM1226-63PM1227

Sets With Two-Light Check Rail Windows

OUTSIDE VIEW

TS.	44.1	UH		MO.TIR					
			}	Price of each	set includes stops, sash w	glazed eights,	l windows, w sash cords, lo	indow frames	, inside
Me	Ins	ide ide eme	nt	Glazed Wi Strengtl	th Single Glass		Glazed With Double Strength Glass		
Wie				WithMolded Cap Trim As Illustrat- ed Above	ed on Page	Shpg. Wt., Lbs.	With Mold- ed Cap Trim As Illustrat- ed Above	With Back- Band Trim As Illustrat- ed on Page 40	Shpg. Wt., Lbs.
Ft.	In.	Ft.	In.	63PM1230	63PM1226		63PM1231	63PM1227	
1 1	4 4 4	3 4 5	10 6 2	\$5.35 5.63 6.07	\$5.00 5.38 5.72	78 78 82			::
1	8	3	10	5.68 6.02	5,33 5,67	82 84	\$5,98	\$5,63	86
2 2 2 2 2 2	0 0 0 0 0	3 4 4 4 5	10 2 6 10 2	6.04 6.40 6.46 6.84 6.91	5.69 6.05 6.11 6.49 6.56	84 86 88 92 94 96	6.28 6.72 6.78 7.20 7.31	5.93 6.37 6.43 6.85 6.96	86 88 90 96 98
2 2 2 2	2 2 2 2	3 4 4 4	10 2 6 10	6.32 6.62 6.62 7.00	5.97 6.27 6.27 6.65	84 86 90 92 94	7.05 7.40 7.60	6,32 6,70 7,06 7,25	86 94 96 98
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 4 4 4 4 4 4	3 4 4 4 5 5 5	10 2 6 10 2 6 10	6.42 6.71 6.76 7.17 7.29 7.73 7.58	6.07 6.36 6.41 6.82 6.94 7.38	92 92 96 100 102 104 106	6.80 7.08 7.20 7.57 7.77 8.16 9.10	6.45 6.73 6.85 7.22 7.42 8.81 8.76	96 96 100 104 108 110
2 2 2 2	6 6 6 6	4 4 5 5	6 10 2 6	7.18 7.36 7.72 7.99	6.83 7.01 7.37 7.64	100 102 104 108	7.55 7.79 8.18 8.50	7.20 7.44 7.83 8.15	104 106 108 114
2 2 2 2 2	8 8 8 8	4 4 5 5 5	6	8.03	7.10 7.52 7.68 7.80	102 106 108 110	7.89 8.33 8.53 8.69 9.71	7.54 7.98 8.18 8.34 9.16	106 110 114 116 120
2 2 2	10 10 10	4 5 5	6 2 6	7.59 8.16 8.55	7.24 7.81 8.20	116 122	8.11 8.65	7.76 8.30 8.84 9.49	122 128 134 136
	Me of Me of	Outin Measur of Width Ft. In. Vidth	Outside Measureme of Window Measureme of Frame Width Hel Ft. In. Ft. 1 4 4 4 1 4 5 1 8 3 1 8 4 2 0 3 2 0 4 2 0 4 2 0 5 2 0 5 2 2 3 2 2 4 2 2 2 4 2 2 2 4 2 2 2 4 2 2 2 4 2 2 2 4 2 2 3 2 4 4 5 2 6 5 2 4 5 2 6 5 2 8 5 2 8 5 2 10 4 2 10 5 2 10 5	Outside Measurement of Window, Inside Mensurement of Frame Width Helght Tt. In. Ft. In. 1 4 3 10 1 4 4 5 2 1 8 3 10 1 8 4 6 2 0 4 2 2 0 4 6 2 0 4 10 2 0 5 6 2 2 3 10 2 0 4 6 2 0 5 6 2 2 3 10 2 0 4 6 2 0 4 10 2 0 5 6 2 2 4 10 2 2 4 10 2 2 4 10 2 2 4 10 2 2 4 10 2 2 4 10 2 2 4 10 2 4 4 10 2 4 4 10 2 4 5 2 2 4 5 6 2 4 5 6 2 4 5 6 2 6 5 6 2 8 4 6 2 8 5 6 2 8 5 6 2 8 5 6 2 8 5 6 2 8 5 10 2 10 5 6 2 10 5 6 2 10 5 6	Outside Measurement of Window, Inside Mensurement of Frame Price of each triin, Measurement of Window, Mensurement of Frame With Molded Cap Trim As Illustrated Above Ft. In. Ft. In. 63PM1237 1 4 3 10 \$5.35 1 4 4 6 5.63 1 8 4 6 6.02 2 0 3 10 6.04 6.02 2 0 4 2 6.40 6.40 2 0 4 2 6.40 6.44 6.46 6.91 7.35 6.32 2 2 6.40 6.44 6.46 6.49 6.46 6.40 6.46 6.46 6.62 2 2 2 4 6 6.62 2 2 2 4 6 6.62 2 2 2 4 6 6.62 2 2 4 6 6.62 2 2 4 6 6.	Outside Measurement of Window, Inside Measurement of Frame Price of each set includes trim, stops, sash w Glazed With Single Strength Glass WithMolded Cap Trim As Illustrated Above G3PM1220 1 4 4 6 63PM1230 63PM1226 1 4 4 6 5.63 5.33 63PM1226 1 8 4 6 6.07 5.72 5.63 5.33 5.67 2 0 3 10 6.04 6.05 6.05 6.07 5.67 2 0 4 2 6.40 6.05 6.05 6.04 6.05	Price of each set includes glazed trim, stops, sash weights, of Window, Inside Measurement of Frame Width Height Above	Outside Measurement of Window. Inside Measurement of Frame With Height As Illustrated Above	Outside Measurement of Window, Inside Measurement of Frame Price of each set includes glazed windows, window frames trim, stops, sash weights, sash cords, locks and lifts. Glazed With Single Strength Glass WithMolded Cap Trim As Illustrated Above ded Above

Sets With Four-Light Check Rail Windows

			Outs			wi	ndows, windo ops, sash wei	n set includes in w frames, inside ghts, sash cord,	etrim,		
Size	of	Measurement of Window, Inside Measurement				of Window, Inside Glazed with					
Each L of Gl			f Fr		With Molded Cap Trim as			With Back- Shps Band Trim Wt.,			
	1	Wid	lth	Hei	ght		Illustrated Above	on Page 40	Lbs.		
		It.	in.	Pt.	ın.	6	3PM 232	63PM 228			
10x		2	1	3	10		\$6.19	\$5.84 6.05	84 86		
10x 10x		2 2	1	4	6		6.40	6.18	90		
10x		2	i	5	2		7.09	6.74	92		
12x		2	5	3	10	-	6.50	6.15	86		
12×		2 2	5 5	4	6		6.97	6.62	86 90		
12x 12x		2	5	4	10		7.25	6.90	90		
12x		2 2	5	5	2		7.39	7.04	92		
12×		2	5	5	6	-	8.04	7.79	96		
14×		2	9	3 4	10		7.39 7.58	7.04 7.23	92		
14>	22	2	9	4	6		7.60	7.25	94		
142		2 2 2 2	9	4	10		7.79	7.44	94		
	28	2 2	9	5	6	1	8.17 8.44	7.82 8.09	96 100		
147	30	2	9	5	10		9.17	8,62	104		
		Wit	h Ei	ight	-Li	g fr	t Check l	Rail Windo	ws		
		1		1		ī	with molaed	With Back-	1		
	e of	Wi	dth	He	ight		Cap Trim as Illustrated	Band Trim as Illustrated	Shpg. Wt.,		
	Light lass	Ft.	lin.	Ft.	In.		Above	on Page 40	Lbs.		
						. 5	63PM 233		86		
	x12	1 2	11	4 4	6	1	\$6.37 6.62	\$6.02 6.27	88		
	x12 x14	2	i	5	2		6.98	6.63	90		
	x14	2	5	5.	2	1	7,42	7.07	98		
Se	ts W	Vith	Tv	velv	e-L	ig	ht Check	Rail Wind	OW8		
-		1		T.,		1	with wolued		Shog.		
	e of Light		idth	H	leight	1	Cap Trim as Illustrated	as Illustrated	Wt.,		
	Glass	Ft.	In.	Ft	. In		Above 63PM 23	on Page 40 4 63PM 236	Lbs.		
-	3×10	2	41	_ _		0	\$6.55	\$6,15	84		
	3×12		43	13 6	i '	6	6.90	6.50	86		
9	12	2 2 2 2	71	2	1	6	7.39	6.99	90		
	14	2	73	2	5	6	7.98 7.69	7.57	94		
	0x12	2	103	2		0	9.22	8.64	104		

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid



Front Windows

Check Rail Front Window—13% Inches Thick Made of Clear California White Pine

Top sash of Window 63PM7106 glazed clear leaded crystal sheet glass. Bottom sash of Window 63PM7106 and both top and bottom sash of Window 63PM7142 glazed clear double strength glass. Windows are check rail design, the bottom sash may be raised or the upper sash lowered, if hung with weights. If made in one piece, to be placed stationary, add 45 cents extra, and write the word "Special" after the catalog number; also state "one-piece, stationary." Order with our casement frames, page 34.

The frames priced below under catalog number 63PM9944 are our regular plain drip cap window frames, fully illustrated and described on upage 33. Made with 1½-inch outside casing and include our exclusive leakproof sill. Prices include pulleys set in frame. Made with clear fir pulley stiles and clear cypress outside casings and sills. Shipped knocked down, ready to set up.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

2371	·P	peu	4 7 0								63 PM9944
Size o	i C)pen	ing	Тор	Glass	Bottom Glass		Shpg.	63PM7106		F2
Widtl Ft. In	—ŀ	Hei Et.	ght In.	Wdth.	Hght., In.	Wáth. In.	Hght., In.	Wt., Lbs.	Glazed as Illustrated	Glazed as Illustrated	63PM7106 63PM7142, Windows
3 8	-	5	0	40	14	40	40	90	\$7.85	\$4.85	\$3.53
3 8		5	2	40	14	40	42	93	8.35	5.40	3.55
4 0	,	5	2	44	16	44	40	102	8.65	5.65	3.80
4 0)	5	6	44	16	44	44	110	8.00	6.05	3 84





Plain Rail Windows and Frames to Match

CLEAR CALIFORNIA WHITE PINE 11/8-INCH PLAIN RAIL FOUR-LIGHT WINDOWS

63PM7106




CLEAR CALIFORNIA WHITE PINE 11/8-INCH PLAIN RAIL EIGHT-LIGHT WINDOWS



CLEAR CALIFORNIA WHITE PINE 11/8-INCH PLAIN RAIL TWELVE-LIGHT WINDOWS



FOR CHECK RAIL WINDOWS, SEE PAGE 26




63PM7178

		Four-Lu	Suf Lisin warr Armer) TT =			
Size of Each Light of Glass in Inches	Size of O Width Ft. In.		11/8-Inch Thick Plain Single Strength Glass 63PM7176	Rail Weight, Lbs.	Frame for No. 63PM7176 Window, K. D. 63PM9765 \$2.25	Shipping Weight, Lbs.	
12×20	2 4 4	3 10 4 6	\$1.39	26	2.35	25 30	1

Eight-Light Plain Rail Windows Frame for No. 63PM7178 Window, K. D. 63PM**9766** Shipping Weight, Lbs. Single Strength Glass 63PM7178 Size of Each Light of Glass in Inches Height Width Ft. In. \$2.10 2.25 2.27 2.50 10 6 6 2 \$ | .11 | .28 | .35 | .73

Twelve-Light Plain Rail Windows Frame for No. 63PM7180 Window, K. D. 63PM9767 11/8-Inch Thick Plain Rail Shipping Weight, Lbs. Size of Opening Single Strength Glass 63PM7180 Size of Each Light of Glass in Inches Height Weight, Width Lbs. Ft. In \$2.25 2.43 2.55 2.48 \$1.39 1.65 1.95 8×10 9×12 9×14 10×12



Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Louvre Frame

63PM7166
Rectangular Louvre Frame, of clear Cypress. Outside casing, 1½ inches thick. Size of

casing, 1/8 liters times. One opening:
10 in. by 1 ft. 5 in....\$3.55
12 in. by 2 ft. 6 in....\$4.45
Furnished with stationary wire screen and a solid wood Panel back for closing in winter. Shipping weight, 23 pounds.

Half Circle Louvre Frame



63PM7167

Half Circle Louvre Frame, of clear Cypress. Outside casing, 11/8 inches thick. Size of opening: 2 ft. 3 in. by 1 ft. 2 in.....\$4.50 2 ft. 6 in. by 1 ft. 4 in..... 4.90

Framed square on the inside. Furnished with stationary wire screen and a solid wood Panel back for closing in winter. Shipping weight, 25 pounds.

Half Circle Gable Sash and Frame



63PM7182

Sash only. Opening, 2 feet 6 inches by 1 foot 4 inches. 1% inches thick, glazed, 4 lights, clear glass. Made square inside. (Shipping wt., 15 lbs.). \$4.05


63PM7183

Frame only. Of clear Cypress. Outside casing, 11/2 inches thick. Opening, 2 feet 6 inches by 1 foot 4 in., for 2x4 studding. Made square inside. \$3.90

Shipping weight, 20 pounds.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Sash Weights



Sizes, from 3 to 815 pounds by half pounds, and from 9 to 26 pounds by pounds. Be sure to state weight. Not Prepaid.


63PM7200


Per pound21/4c

CO.



Details and Exact Measurements





Lower detail at left shows frame with crown mold cap in place of plain drip cap. If crown mold cap frame is wanted. allow 50 cents extra over price quoted for plain drip cap door frames of corresponding size. When ordering crown mold cap frame, specify catalog num-ber63PM9834, and state "with crown mold cap." All parts of crown mold cap frame are of the same dimensions as plain drip cap frame, except crown mold, drip cap mold and head casing. (For dimensions see lower detail at left.)

Door Frames [Honor Bilt]

Plain Drip Cap **Outside Door Frames**

7E USE thoroughly dried and seasoned lumber kept from the weather in mammoth warehouses; when kept properly protected with paint will not warp or check.

We use practically clear Louisiana cypress for the outside casings and moldings and solid oak for the sills. There is no better material for the manufacture of the various parts of the frame.

All frames packed to secure lowest transportation rates. Will reach you in a clean and perfect condition and take the lowest freight rate. Each part

is cut to exact size. Easy to put together.

Opening size shown is outside measurement of door and inside measurement of frame. Stud opening should be 4 inches wider and 5 inches higher than outside measurement of door.

Jambs of frames are rabbeted for 1\%-inch or 1\%-inch doors.

When ordering frames be sure to give the thickness of the door for which the frame is wanted.

We ship promptly.

Door Frames With Hardwood Sills

OUR FRAMES WILL OUTWEAR THE BUILDING, because REAL CYPRESS, "The Wood Eternal," is used for all our door and window

We do not use Redwood or Pine for the outside casings and moldings of our frames.

Cypress takes paint readily; will not warp or check. IT IS THE BEST

WOOD for this purpose.

When ordering door frames be sure to give width first.

Made with 1½-inch outside casing and with or without transom head. Where jambs are wanted wider than 5½ inches, add 35 cents for each additional inch or fraction thereof in the width of the jamb.

Prices of Drip Cap Door Frames

Width		ght	With Oak Hard- wood Sill 63PM9950	With Soft- wood Sill	Ship- ping Weight, Pounds					
Ft. In.	Ft.	In.	\$4.05	\$3.65	42					
2 6	-6	-8	4.10	3.70	45					
2 8	6	8	4.15	3.75	46					
2 6	7	0	4.20	3.80	48					
2 8	7	0	4.25	3.85	49					
2 10	6	10	4.25	3.85	50					
$\begin{bmatrix} 3 & 0 \\ 3 & 0 \end{bmatrix}$	6	8	4.30	3.90						
3 1 0	,	ı v	4.00	0.00	- 00					

Transom Head Frames

If frame is wanted with a transom head add \$1.50 to the price above of a regular frame of the same size and be sure to give height of transom when ordering.

"The best I've used in 20 years"
Says a Washington, D. C., Contractor

NOTE—If wanted for stucco or brick veneer construction add 90 cents per frame, for brick veneer or 45 cents per frame for stucco to above prices and state in your order "For Stucco Construction," or "For Brick Veneer Construction."

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid. For Inside Door Jambs See Page 42

Circle, Segment and Gothic Head **Door Frames**

Constructed exactly the same way as our plain drip cap door frames, except the drip cap mold is not included. Outside casings 11/8 inches thick are practically Clear Louisiana Cypress. These frames are to fit circle head doors illustrated on page 10. They can also be furnished with segment, or gothic heads, (not illustrated). For prices see table below.

Prices of Circle, Segment and Gothic **Head Frames**

	SI	ZE		With Hard-	With Soft- wood Sill	Shpg.
Ft.	dth In.	Heig Ft.		}	63PM9796	lbs.
3	0	6	8	\$9.20	\$8.80	52
3	0	7	0	9.30	8.90	55

Add \$3.00 for these frames, made for Brick, Brick Veneer or Stucco Construction.

BE SURE TO STATE WHAT HEAD DESIGN DOOR FRAME IS FOR

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.



MILLWORK

Window Frames

High grade frames made of practically clear lumber. NOTE—The outside casing and the sills of our window and sash frames are made of Clear Cypress, the very best wood for the purpose. We do not use Redwood or White Pine for the outside casings and mold-

ings of our frames. Opening size shown is the outside measurement of window and inside measurement of the frame. Stud opening should be 6 inches wider and 5 inches higher than opening size of windows.

Two-Light Window Frames

Two-Light window Plantes											
Size of		Size			11/8-Inch 7 Outside C	Thick asing					
Glass in Window	-	dth_	Hei	ght_ (n.	With Pulleys 63PM9944	Wt., Lbs.					
to Match	Ft.	1n. 4	Ft.	10	\$2.16	24					
12x26	1	4	4	10	2.40	29					
12×28	1_	4	5_	2	2.48	30					
14×20 14×24	1	6	3 4	10 6	2.24	27					
16×20	1	-8	3	10	2.32	26					
16×24	1	8	5	6	2.48	28 32					
16×28 16×30	1	8	5	6	2.72	33					
18x24	1	10	4	6	2.61	29 32					
18x26	1 2	$\frac{10}{0}$	$\frac{4}{3}$	10	2.64	28					
20×20 20×24	2	0	4	6	2.64	30					
20x28	2 2	0	5	6	2.78 2.90	33					
20x30 20x32	2	0	5	10	2.97	35					
20×36	2	0	6	_ 6		39					
22×20	2 2	2	3	10	2.59	29 31					
22x24 22x28	2	2 2	5	2	2.83	35					
22x30	2	2	5	6	2.95	36					
24×14	2 2	4	2 3	10	2.52	27					
24×16 24×20	2	4	3	10	2.64	30					
24×24	2	4	4	6 2	2.71	32					
24x28 24x30	2	4 4	5	6	2.95	37					
24x36	2	4	6	6	3.29	41					
26×24	2 2	6	4	10	2.83	32 34					
26×26 26×28	2	6	5	2	3.04	36					
26x30	2	6	5	6	3.09	37					
28x14	2	8	2 3	10	2.82	27					
28×16 28×24	2	8	4	6	2.95	33					
28×28	2	8	5	2	3.19	37					
28x30 28x32	2 2	8	5	10	3.25	39					
30x24	2	10	4	6	2.95	34					
30x28	2	10	5 5	6	3.16	38					
30x30 30x36	2	10	6	6	3.23	44					
32x30	3	0	5	6		40 45					
32×36 36×24	3	4	4	6		36					
36x24	3	4	4	10	3.36	38					
36x28 36x36	3	4	5	6		40					
40x24		8	4	- 6	3.44	39					
40×28	3	8	5	2	3.55	42					
40x30 40x36	3	8 8	5	6		44					
44x30	4	0	5			44					
44×36	1 4	0	6	1 6		49					

Four-Light Window Frames

Size of		Size Oper			11/8-Inch T Outside Ca	hick sing_
Window	Wi	Width 1		ght	With Pulleys	Wt
to Match	Ft.	In.	Ft.	In.	63 PM9944	Lbs.
10x20	2	1	3	10	\$2.45	28
10×22	2	ī	4	2	2.59	29
10×24	2	i		6	2.64	30
10x24	2	i	5	2	2.87	34
10x20	2 2 2	i	4 5 5 5	6	2.95	35
10x30	2	i	5	10	3.01	36
12×20	2	5	3	10	2.72	31
12x26	2	5	4 5	10	2.95	3.5
12x28	2	5	5	2	3.04	37
12x30	2	5	5	6	3.11	38
12x36	2	5 5 5	6	6	3.33	42
14×24	2	9	4	6	3.04	34
14×26	2	9	4	10	3.11	36
14×28	2 2	9	5	2	3.20	38
14x30	2	9	5	6	3.28	39
15x24	2	11	4	6	3.13	34
15×28		11	5	2	3.29	38
15x30	2 2	ii	5	6	3.37	40
15x32	1 2	lii	5	10	3.45	41
*070	1 20	1 4 4	17	1 40	1 0170	


Eight-Light Window Frames

Size of Glass in		Size			11/8-Inch T Outside Ca	hick sing				
Window	Wi	dth	Hei	ght	With Pulleys	Wt				
to Match	Ft.	In.	Ft.	ln.	63PM9944	Lbs.				
9x12	1	11	4	6	\$2.64	29				
10x14	2	1	5	2	2.83	31				
12x14	2	5	5	2	3.04	34				
12x16	2	- 5	5	10	3.33	38_				
14x16 2 9 5 10 3.40 41										
For 12-Light Window Frames, Use Price of Nearest Four-Light Window Frame.										

Frames are cut to the exact size of the window for which they are intended and all that is necessary is to nail them together. Include pulleys set in place. All frames are shipped in bundles, one frame to the bundle. Will reach you in a clean and perfect condition. Bundles are wired together. They take a lower freight rate when shipped this way. As each part is cut to exact size they are each to but to exact size they are seen to but to cut to exact size they are easy to put together.

Shipped From Our Own Factory in Newark, N. J., Not Prepaid.

Details and Exact Measurements



Window Frames


Made with two-member leakproof sill. Furnished with 11/8-inch outside casing. Made for inch outside casing. Made for buildings with regular 2x4-inch stud-ding. Where pulley stiles for window frames are wanted wider than listed, add 35 cents for each additional inch or fraction thereof and write the word "Special" after the number in the ' after the number in the (We use only high grade catalog. pulleys.)

Crown Mold Caps for **Window Frames**



Window frames can be fur-nished with heavy crown mold cap. All parts of the frame, with this exception, are of the same dimensions as plain drip cap frames (see detail). If crown mold cap is wanted, allow 30 cents extra over price quoted for plain drip cap window frames of corresponding size. When ordering specify catalog number 63PM9829 and state WITH CROWN MOLD CAP.

Plain Drip Cap Frames for Check Rail Windows



WHEN ORDERING BE SURE TO GIVE WIDTH FIRST Mullion or Double Frames

63PM9945—11/8-Inch Thick Outside Casing. With pulleys

Mullion or Double Frames are double the price of regular frames of the same window opening size.

ORDER BY NUMBER OF ARTICLE AND STATE SIZE

Triple Frames

63PM9946-11/8-Inch Thick Outside Casing. With pulleys.

Triple Frames are three times the price of regular frames of the same window opening size. ORDER BY NUMBER OF ARTICLE AND STATE SIZE

Single Sash Frames

SINGLE SASH FRAMES will be furnished at prices quoted on page 34 for Casement Sash Frames. When ordering Single Sash Frames mention 63PM7991.

Prices of Sizes Not Shown


For price of frames in sizes not shown allow the price of the next larger size. If wanted for stucco construction add 45 cents per frame to price shown and state in order "for stucco con-struction," or for brick veneer add 90 cents per frame and specify in order "for brick veneer construction."

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Door, Window and Sash Frames

FOR FRAME, STONE OR SOLID BRICK BUILDINGS

Casement Sash Frames




The frame shown is for frame wall and to be used with the casement sash on page 25. Made with clear cypress outside casings, 1½ in. thick, each piece cut to exact size. Rabbeted to receive 1½-inch sash. Made for sash to swing in or out. When ordering be sure to mention whether you want your sash to swing in or out. If other sizes than those listed are wanted, write for prices. If wanted for brick veneer construction, add 90 cents per frame and specify "For Brick Veneer."

Per Frame, Knocked Down and Bundled

Size of Opening or Outside Measurements of Sash Width Height		of	63PM7991 Price, Per Frame	Weight, Pounds	M	or Or	Opening Outside Frements Sash Height		63PM7991 Price, Per	Weight, Pounds	
Ft.	ln 0	1· t.	1n.	\$2.40	20	Ft.	In.	Ft.	ín.	Frame	
2 2 2	0 4 6	2 2 2	1 1	2.60 2.60 2.65	26 25 26	2 2 3	10 10 8	5 5 2	6	\$3.90 4.05 3.10	46 48 33
2 2 2	8	2 2 3	6	2.85 2.95	28 30 35	3 4	2	5 2	3	4.40 3.45	51 36

Door Frames for Concrete, Stone or Solid Brick Buildings




This frame is made of 11/8x15/8inch clear cypress brick mold and 13/8x51/4-inch jamb, making it 63% inches over all for 9-inch wall. No sill or arch board furnished with this frame. Shipped knocked down and carefully bundled.

	S	IZE		Without		With	NT7-1-1-4
Wie	dth	Hei	ight _	Itansom Head	Weight, Pounds	Transom Head	Weight, Pounds
Ft.	In.	Ft.	In.	63PM7895	Lounds	63PM7896	Tourids
2	8	6	- 8	\$3.00	42	\$3.92	57
3	0	7	0	3.12	52	4.16	67

Window and Sash Frames

For Stone or Solid **Brick Buildings**

For check rail windows. The frames are perfectly machined and ready to be put together. Outside casings and molds made of clear cypress. When ordering give size of glass and number of lights in window. Orders for single sash frames will be furnished at price of window frames of same size opening. Pockets and pulleys are included. If pulleys are not wanted, deduct 20 cents and mark word "Special" after number in catalog.



4.50

SPECIFICATIONS FOR THIS FRAME

Brick Mold. Size, 1½x1½ inches | Parting Stop. Size, ½x½ ¼ inches | Blind Stop. Size, ½x4½ inches | Rabbeted Box Lining. Size, ½x4½ inches | Pulley Stile. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, ½x4½ inches | Back Box Lining. Size, 3x4½ inches | Back Box Lining. Size

Note: A jamb lining which is listed below is used with these frames when they are used in residences.

Per Frame 63PM 7897 Weight. Pounds Width Height 3 feet 10 inches or smaller 4 feet 6 inches or smaller 5 feet 2 inches or smaller 3 feet 10 inches or smaller 5 feet 2 inches or smaller 6 feet 2 inches or smaller \$3.10 3.40 3.65 3.60 2 feet 0 inches 2 feet 0 inches 2 feet 0 inches 2 feet 10 inches 30 35 40 35 45 50 2 feet 10 inches 3 feet 4 inches


63PM803 | - Mullion or Double Frames are double the price of regular frames of same window opening size.

63PM8032-Triple Frames are three times the price of regular frames of same window opening size.

Jamb Lining for Stone or Brick Buildings

Made of Clear Oak or Clear Fir. 63PM8 | 32-Clear Oak. 3/4x4% inches. Per 100 feet.....\$10.95 63PM9833-Clear Fir. 3/4 x 45% inches. Per 100 feet..... 4.95 Note-Add 10 per cent extra for specified lengths.

Plank Cellar Sash Frames for Stone, Concrete or Brick Wall





Section of Sash Frame for Concrete Block, Stone or Solid Brick Building

Our Plank Cellar Sash Frames made with a 138x514-inch jamb, 11/x13/s-inch ear cypress brick mold. Knocked down, bundled ready for shipment. Weight,

63PM7894-2-Light Cellar Frame | 63PM7898-3-Light Cellar Frame

	Si	ze of	Sash		
Size of Glass	Wid	th_	Heig	ht	Price.
Glass	Ft.	In.	Ft.	In.	
10x12	2	1	1	- 5	\$1.30
10x14	2 2 2	1	1	7	1.32
10x16	2	1	Ĭ	9	1.34
10x18		1	1	11	1.36
12x14	2	5	1	7	1.38
12x16	2	5	1	9	1.39
12x18	2	5	1	11	1.41
12x24	2	5	2	5	1.43
14x16	2	9	1	9	1.44
14x18	2	9	1	11	1.45
14x20	2	l o	2	1	1.46

		ize of			
Size of Glass	Wid	th	Heig	ht	Price
Chass	Ft.	In.	Ft.	ln.	
8x10	2	4	1	3	\$1.35
9x12	2	7	1	5	1.38
9x14	2	7	1	7	1.39
10x12	2	10	1	5	1.40
10x14	2	10	1	7	1.41
10x16	2	10	1	19	1.44

Note: Be sure to give thickness of sash.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Cypress Moldings

Honor But MILLWORK

Frame and Outside

Window Sills 63PM692—Subsill. Size, ¾x5¼ inches.

63PM693—Main Sill.
Size, 1½x33½ inches.
63PM692—Subsill Stock, made of Clear Cypress. Weight on 100 lineal feet, 76 pounds. Per 100 lineal feet. \$7.50
63PM693—Main Sill Stock, made of Clear Cypress; takes paint readily. Weight on 100 lineal feet, 90 nounds. Per 100 lineal feet. \$9.96

Door Frame Jamb Stock



Size, 1%x514 inches

Rabbeted Door Frame Jamb Stock, made of
Clear Fir. Will take paint readily. Give thickness
of door for which this stock is required, as rabbet
will be made for 1 1/2-inch door unless otherwise
specified. Weight on 100 lineal feet, 99 pounds.
63PM699—Door Frame Jamb Stock, Clear
Fir. Per 100 lineal feet. \$12.00

Outside Casing



Pulley Stile



Size, 34x4½ inches.

Pulley Stile Stock, made of Clear Fir. Plowed for 1½-inch windows. Weight on 100 lineal feet,

63PM698—Pulley Stile Stock, grooved to receive parting stop. Clear Fir. Per 100 lineal

Parting Stop



Prices are for 100 lineal feet in random lengths. Size, 1/2x3/4-inch. Weight on 100 lineal feet, 12 pounds.

Blind Stop

Price is for 100 lineal feet in random lengths. Size, 3/x13/8 inches. Weight on 100 lineal feet, 19 pounds. 63PM 7351—Clear



..\$1.50 **Drip Cap Molding**



Clear Cypress. Prices are for 100 lineal feet.

Carried in stock in the following sizes:

63PM7325—Clear Cypress. Size, 1½x1½ in. Weight, per 100 lin. ft., 30 lbs. \$3.15 63PM7326—Clear Cypress. Size, 1½x2 in. Weight, per 100 lin. ft., 36 lbs. \$3.58 63PM7327—Clear Cypress. Size, 1½x2½ in. Weight, per 100 lin. ft., 44 lbs. \$4.35 63PM7328—Clear Cypress. Size, 1½x3 in. Weight, per 100 lin. ft., 52 lbs. \$5.15

For 150 Years This Cypress House Has **Defied Rain and Decay**



Bed Molding

Used to Finish Off Up in Eaves or Cornice.

63PM7321-Clear Cypress. Size, ³/₄x² inches. Weight, per 100 lineal feet, 27 lbs. Per 100 lineal

ft......**\$1.50**



Used in Eaves or Cornice, Same as Bed Molding.
63PM683—Clear Cypress.
Size, 34x234 inches. Weight, per 100 lineal feet, 36 lbs.

Per 100 lineal feet.\$2.87

Brick Mold

Used Around Door and Window Openings.

63PM678-Clear Cypress. Size, 11/8 x 15/8 inches. Weight, per 100 lineal feet,

Per 100 lineal feet , \$3.15

Plaster Molding




Used on our door and window frames. When used for stucco and plaster exterior it covers the joints between the frame and plaster, making your work more weatherproof.

63PM7324—Clear Cypress, Size, ¾x2 inches. Weight, per 100 lineal feet, 27 lbs. Per 100 lineal feet. \$1.50

Lattice and Battens



Crown Molding



Per 100

Lineal Feet
63PM7320—Clear Cypress. Size, ¾x2¾ inches. Weight, per 100 lin. ft., 36 lbs\$2.87
Size, 34x314 inches. Weight, per 100 lin. ft., 42 lbs
Size, 34x35% inches. Weight, per 100 lin. ft., 48 lbs
Size, 3/4x41/4 inches. Weight, per 100 lin. ft., 54 lbs
Size, 34x45% inches. Weight, per 100 lin. ft., 58 lbs

Nosing

Used to Finish Off the Edge of Porch Flooring.



Hook Strip



Clear Fir, used in clothes closets and also as a chair rail. Size, \$\frac{5}{2}\text{x3}\frac{1}{2}\text{ inches clear fir. Weight, per 100 lineal feet, 50 pounds.}

Price, per 100 lineal feet in random lengths.
63PM687—Clear Fir, hook strip......\$3.00

Cove Molding



Quarter Round



63PM7783—Clear Cypress. Si-Size, 34x34 Inch.

Door and Window Stop

Used on Inside Door Jamb or Window Frames to Hold Door or Window in Place.



Screen Molding



Used to Hold Screen Wire in Frame.
Price is for 100 lineal feet in random lengths.
Weight, per 100 lineal feet, 6 lbs.

63PM7350—Clear Cypress. Size, 5/6x5/8 in. 65c

Clear Fir or Clear Oak

HIGHEST GRADE MOLDINGS. Made on high speed heavy

molding machines. Perfect work. Free from defects or blemishes.

Made of clear stock. Sold in random lengths, 8, 10 or 12 feet
(most pieces being over 10 feet). For specified lengths, add 10 per
cent to prices quoted for random lengths. If oak moldings over 12 feet are wanted write for special quotations.



Picture Molding

Picture Molding. Size, 34x134 inches. Im-proves the appearance of a room. Convenient when hanging pictures. Prices are for 100 lineal ft.

63PM9933 Clear Fir. Weight, 100 lineal feet, 30 pounds...\$1.10


Craftsman Panel Strip To be used un-

derneath plate rail bracket, giving the wall a nice panel effect. Both edges rounded.

Size, 3/8x21/4 inches. Prices are per 100 lineal feet.

63PM9917—Clear Fir. Wt., 100 lineal feet, 20 pounds...\$1.00 63PM7627—Clear Oak. Wt., 100 lineal feet, 25 pounds...\$3.70

Folding Door Astragals



For 13.-inch door, 7 feet high or less.
63PM9919—Clear Fir. Wt., 6 lbs. Each. 92c For 1%-inch door, 7 feet high or less. 63PM9973—Clear Fir. Wt., 7 lbs. Ea. 92c

Cove Molding

May be used the same as quarter round and is used under stair treads, steps, stools, etc. Size, %x% in. Prices are for 100 lineal feet.

Round Edge Door and Window Stop



Sold in random lengths. Prices are for 100 lineal feet.

100 110	100 fineat feet.							
Size, In.	63PM17778 Clear Oak	Wt., 100 Lineal Ft.	63 PM 9863 Clear Fir	Wt., 100 Lineal Et.				
3 6 x 1 1 8 3 8 x 1 3 8		12 lbs 14 lbs.		9 lbs. 11 lbs.				
(). G. Design	. Not	illustrated	1.				
Size, In.	63P M9752 Clear Poplar	Wt., 100 Lineal Ft.	63PM9621 Clear Chestnut	Wt., 100 Lineal Ft.				
%x1%	\$2.20	11 lbs.	\$2-40	14 lbs.				

Quarter Round Molding



Used for base shoe or to cover joints in corners. Size, 3/4 x 3/4 inches.

Prices are for 100 lineal feet.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

[Honor Bilt] HIGH GRADE INTERIOR MOLDINGS




Base

Size, 3/4x71/4 Inches. Prices are for 100 lineal feet, in random lengths.

63PM9937—Clear Fir. Weight, 100 lineal feet, 120 pounds......\$6.00

63PM7718-Clear Oak. Weight, 100 lineal feet, 144 lbs. \$14.00



Base

Size, 3/4871/4 IncRes.
Prices are for 100 lineal feet, in random lengths.
63PM9936-Clear Fir. Wt., 100 lineal feet, 120 lbs...\$6.00
63PM7548-Clear Oak. Wt., 100 lineal feet, 144 lbs..\$14.00
Carpet Strip—Size, 1/2x3/4 inch. Prices are for 100 lineal feet.

63PM9935-Clear Fir. Wt., 100 lineal feet, 14 lbs, 55c 63PM7532-Clear Oak.Wt., 100 lineal feet, 17 lbs. . . . \$1.75

Round **Edge Casing**



Dust will not collect on this style of casing. Prices are for 100 lineal feet, in random lengths. Weights shown under the heading of pounds are the weights per 100 lineal feet.

	Chair Rail	Lbs.	Casing	Lbs.	Casing	Lbs.	Mullion Casing	Lbs.
Size	34x354 in.		34x414 in.		34x434 in.		³íx5¾ in.	
63PM9932 Clear Fir 63PM7597	\$3.00	60	\$3.75	70	s 4.15	80	\$ 4.50	88
Clear Oak	7.35	75	9.15	85	10.07	95	10.99	105
63PM9748 Clear Poplar. 63PM9617		60	5.40				7-15	88
Clear Chest- nut		75	6.10				7.80	105



This Molding used with our 63PM9932 Casing makes an attractive design of door and window trim. (See Page 40.)

Prices quoted per 100 lineal feet include only the back band. Casing must be ordered separately.

63PM9934—Clear Fir. Size, 11/8x11/8 inches. Weight, 100 lineal feet.

23 pounds. \$1.45 63PM7553—Clear Red Oak. Size, 1/8x1½ inches. Weight, 100 lineal feet, 30 pounds. \$4.30 63PM9749—Clear Poplar. Size, ½ in. x 1½ in. Weight, 100 lineal feet, 30 pounds. \$1.70 63PM9618—Clear Chestnut. Size, ½ in. x 1½ in. Weight, 100 lineal feet, 30 pounds. \$1.85

of CLEAR FIR or CLEAR OAK

Honor Bilt MILLWORK

Bright, Clean Moldings

Made of selected clear fir or clear oak. Molded smooth, free from blemishes. The best moldings money can buy. Fir moldings come in random lengths from 6 to 16 feet, Oak from 8 to 12 feet, the majority of pieces being over 10 feet long. We charge 10 per cent extra for specified lengths. Write for special quotations on Oak moldings over 12 feet long.

Cap Trim

Requires three members. A popular pattern. Prices are for 100 lineal feet in random lengths.

1-Cap Molding

Size, 11/8x2 Inches 63PM9927-Clear Fir.

Weight, 100 lineal feet, 36 pounds......\$2.35 63PM7692-Clear Oak. Weight, 100 lineal feet, 45 pounds..... 6.95

2-Head Casing

Size, 3/4x45/8 Inches 63PM9926-Clear Fir. 63PM7637-Clear Oak. Weight, 100 lineal feet, 98 pounds.....

3-Fillet

Size, 7/16x1 Inch 63PM9925-Clear Fir.

63PM7648-Clear Oak. Weight, 100 lineal feet, 17 pounds.....

Three Member Base

Room.

Rose

Moldings

These Base-

boards are Made of the Highest Quality Material and Are Designed

for the Best Com-

for the Best Combination of Beau-ty and Utility. The Workman-ship is Perfect. They Will Add Considerably to the Trim of Any

Size, %x7½ in-ches overall. Each member priced separately below. Prices and weights shown are per 100 lineal feet.

Base Mold 34 x2 1/4 Inches. 63P 49988— Clear Fir. Wt., 30 lbs.... \$1.58 63PM7550 - Clear Oak. Wt., 54 lbs... \$5.05

G3PM7550 — Clear Oak. Wt., 54 lbs... \$5.05

Base Mold

G3PM9753—Clear Popurs. Not illustrated. Weight, 100 lineal feet, 25 pounds... \$2.20

G3PM9622—Clear Popurs. S2.40

G3PM9624—Clear Chestnut. Not illustrated. Weight, 100 lineal feet, 25 pounds. \$2.40

G3PM9634—Clear Popurs. Not illustrated. Weight, 100 lineal feet, 25 pounds. \$2.40

G3PM9634—Clear Popurs. Not illustrated. Square edge. Surfaced 4 sides. Weight, 100 lineal feet, 108 pounds... \$6.60

G3PM9615—Clear Chestnut. Not illustrated. Square edge. Surfaced 4 sides. Weight, 100 lineal feet, 108 pounds... \$7.80

Carpet \$5 trip=\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}

Window Stool

15

18 5

ng

0 al

D.

O. G. Base Size, 34x714 In. Price is for 100 lineal feet, in ran-

63PM9938 Clear Fir. Weight, 100 lineal feet, 120 lbs.....\$6.00

dom lengths.

Craftsman Picture Mold

Size, ¾x1¾ in. Prices are for 100 lineal feet.

63PM7628—Clear Oak. Weight, 100 lineal feet, 37 pounds....\$3.70

Craftsman Casing and Cap

Size, 1/4x3 1/4 in. Prices are per 100 lineal feet including two members.

Can be used for Door or Window Trim.

63PM9922 Clear Fir. Weight, 100 lineal feet, 64 pounds....\$2.85

63PM 7666 Clear Oak. Weight, 100 lineal feet, 80 pounds....\$8.45



This design can be trimmed down to smaller sizes if desired. Be sure to state size when ordering. Weight, each, I pound.
63PM9918-Clear Fir. Size, 4½x10x1½ inches.
Each. 7c
63PM7755-Clear Oak. Size, 4½x10x
1½ in. Each. 15c
Size, 5x10x
1½ in. Each. 15c

Corner Bead



Hardwood

Size, 5/8x33/4 Inches

63PM7890-Clear Birch Thresholds.

2 feet 9 inches long. Each. **16c** 3 feet 1 inch long. Each. **17c**

63PM7891-Clear Oak Thresholds. 2 feet 9 inches long. Each.....18c 3 feet 1 inch long. Each.....19c Weight, each, 2 pounds.

Base Blocks

Thresholds

Window Apron

Window Stool. Size, 1½x3½ inches. Prices are for 100 lineal feet random lengths.
63PM9931—Clear Fir. Weight, 100 lineal feet, 80 lbs., \$ 4.20
63PM7715—Clear Oak, Weight, 100 lineal feet, 100 lbs... 12-65
63PM9750—Clear Poplar. Weight, 100 lineal ft., 80 lbs. 6.25
63PM9619—Clear Chestnut. Weight, 100 lineal ft., 100 lbs. 7.25



Window Apron. Used under window stool to make a neat finish. Size, 34x35% inches. Prices are for 100 lineal feet, in random lengths.

 lineal feet, in random lengths.
 63PM9930—Clear Fir.

 63PM9930—Clear Fir.
 83-00

 Weight, 100 lineal feet, 60 pounds.
 7.35

 63PM7722—Clear Oak.
 7.35

 63PM9751—Clear Poplar.
 4.40

 Weight, 100 lineal feet, 60 pounds.
 4.40

 63PM9620—Clear Chestnut.
 5-20


 Weight, 100 lineal feet, 75 pounds.
 5-20

1-inch lumber dressed to 13/16 inch.

63PM9924 - Clear Fir. Weight, 100 lineal 63PM7854-Clear Oak. Weight, 100 lineal

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Plate Rail



Protect the corners. Attractive and service-able. Made of one piece. Made in one size only, 13%x13% inches. Prices are for each lineal foot in random lengths, 63PM9920-Clear Fir. Weight, 100

lineal feet, 50 pounds......6c



Door and Window Trim Sets
All interior moldings needed to trim a
door or window on one side. No waste, cut
to convenient lengths, liberal allowance for trimming. Trimming and fitting must be done on the
job. State size of door or window to be trimmed.
If size wanted is not listed, allow the price of the
next larger size. Made of Clear Fir. Will take
paint and enamel readily, shipped in the white,
not painted or varnished. Shipped carefully
bundled, one set to a bundle.
If ordered wrapped in paper with all ends and
corners protected, add 8 cents per side of trim
extra.

corners protected, and 8 cents per side of time extra.

The window and door sets are made of colonial style moldings, illustrated below. Sets consist of sufficient of each kind of molding necessary to trim a window or door on one side.

Casing is ¾ inch thick by 35% inches wide.


Backband is 1% inches thick by 1% inches wide.

wide. Window stool is 11/8 inches thick by 35/8 inches wide. Window apron is ¾ inch thick by 35% inches

wide.
Stops will be included for 25c per set extra.
Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

	Colonial Trim for Doors							
Any to a	Size and I	Door nclud	r Up	Each Set, Consist- ing of Casing and Backband	Shipping Weight,			
Ft.	dth ln.	Hei	ght ln.	63PM9916 Clear Fir	Pounds			
2 3	8	6	8	\$1.15	16 20			
2 3 5 6	0	7 8	0	1.30	22 24			
8	0	8	0_	1.58	26			

	Colonial Trim for Windows							
4	An Up	y Size V to and I	Wind	ow ling	Each Set, Consisting of Casing, Backband Stool and Apron	Shpg. Wt.,		
	Ft.	idth ln.	Hei	ght In.	63PM9915 Clear Fir	Lbs.		
	2	0	3	10	\$0.97	16		
	2	0	5	6	1.19	18 17		
	2 2 2 2	4 8	4 5	2	1.12	18		
-	2	10	3	10	1.12	17		
1	2	10	5	6	1.32	19		
		Q.			1.50			



Clear Fir Colonial Design Moldings



63PM9913 — Cove mold, size 154ex51/4 in. Weight, per 100 lineal feet, 135 lbs. \$7.50

63PM99 | 2—Sub-mold, for cove, size, 3/x1 in. Weight, per 100 lineal ft., 20 lbs. 6 | c 63PM99 | | —Picture mold, size, 3/x13/ in. Weight, per 100 lineal ft., 30 lbs. . \$ | . | 6

Door and Window Stops

Door and Treatment of							
Size, Inches		63PM9863	Wt., per 100 Lineal Ft., Lbs.				
%x1 ⅓	For Windows. For Doors	550	9				
%x1%	For Doors	61c	11				

63PM9910—Two-Member Chair Rail. Size, including both members, ¾x31½ inches. Weight, per 100 lineal feet, 60 lbs., both members. \$3.15

63PM9907—Backband, size, 13/8 x1 3/8 in. Weight, per 100 lineal feet, 26 lbs. . . . \$2.35

63PM9906—Casing, size, ¾x3¾ inches. Weight, per 100 lineal feet, 64 lbs....\$3.00

Three-Member Base


63PM99 | 2—Base Mold, size, ¾x1 inch. Weight, per 100 lineal feet, 18 lbs.......61c

63PM9937—Base, size, 3/x71/4 inches. Wt., per 100 lineal feet, 120 lbs......\$6-00 63PM9935—Carpet Strip, size, ½x¾in. Weight, per 100 lineal feet, 14 pounds....55c

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

9931

In Sets Ready to Nail in Place



Sets consist of sufficient of each Sets consist of sufficient of each kind of molding necessary to trim a door or window. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and, if frame is rabbeted, no stops. Windows require one set of trim and one set of stops.


1-Cap molding is 11/4 inches thick by 2 inches wide. The ends are re-turned by machine at the factory. See illustration at bottom of page.

2-Head casing is 34 inch

1 inch wide.

Side casing is 34 inch thick by 414 inches wide.

inches thick by 35% inches



Base blocks are 4½ inches by 10 inches by 1½ inches thick.

In ordering simply give the size of the door or window you want to trim and allow the price. In case the size you want is not shown, allow the price of the next larger size.




thick by 45% inches wide.

3-Fillet is 3% inch thick by



Window stool is 11/8





Molded Cap Trim for Doors

Any Size and Incl	Up to luding	head c	consisting asing, fille and base l	g of cap mo t, side casir blocks.	ıg
Width Ft. 1n. 2 8 0 5 0 6 0 8 0 0	Height Ft. In.	63PM9904 Clear leir \$1.40 1.50 1.80 2.05 2.25	Shpg. Wt., Lbs. 18 21 23 26 28	Clear Oak \$2.50 2.65 3.10 3.45 3.80	Shpg. Wt., 1.bs. 22 25 27 30 33


Mitered Stops for Door and Window Sets will be included with any Clear Fir Sets for 25 cents extra, or with any Clear Oak Sets for 40 cents extra, per opening.

Each Set Carefully Packed

The illustration above shows the window and door head trim just as it is sent out with these sets. Ends are molded. All parts smoothed and sandpapered. The three moldings of which the head trim is composed are nailed together, making one solid piece ready to nail in place.

to nail in place.

Cost of expert labor cut in half. Cut to exact length, ends re-turned, all parts smoothed and sandpapered. This is all done in our factory, in a manner not possible with the human hand. Entire set is packed carefully in corrugated paper, as illustrated below, sealed against dust or discoloration due to the weather.



Ready-Cut Trim Saves You Time and Money

Figure it out for yourself. Our Ready-Cut Trim saves the time and cost of sorting out, first the side casing, then head casing, then the stops and stool, etc. Also saves the cost of mitering the head casing and cap, the cost of sawing each and every piece and then sandpapering every piece by hand. One contractor says he saves \$2.00

One contractor says he saves \$2.00 per opening by buying our Ready-Cut Trim.

Buy your trim ready-cut to exact measure, all ready to nail into place. Any carpenter or handy man can put it in place in a few moments.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Molded Cap Trim for Windows

		Size Incl					g of cap me et, side casi apron.	
	Width Height			ght	63PM9903 Clear	Shpg.	63PM7578 Clear	Shpg.
	Ft.	In.	Ft. In.			Lbs.	Oak	Lbs.
	2	4	4	6	\$1.35	19	\$2 35	23
	2 2 3	10	5	2	1.45	20 21	2.55	24 26
	3	4	5	10	1.85	25	3.40	28
1	3	8	6	2	2.05	29	3.50	34

Costs Time and Money to do

The Modern Machine Method

9912

9935

) CO.



Illustration above shows cap molding with end molded on the solid wood. Being machine made, the cut is clear and true. Be up to date. Save money, time and labor; buy your trim already made, ready to nail in place.




Re-turning Ends of Cap by Machine-The Modern Way.

The Wasteful Hand Method



The illustration above shows the usual method of mitering the end of cap molding. This does not make a good job, as it leaves a joint at the corner which is liable to open, revealing an unsightly crack.

Back Band Door and Window Trim



Honor Bitt MILLWORK Back Band Trim Sets

With Round Edge Casing

Made of Clear Fir, Clear Oak, Clear Chestnut or Clear Poplar, carefully sanded. Standard size moldings, in no waste sets. All inside trim needed to trim door or window. These moldings are cut to convenient lengths with a liberal allowance for trimming. Trimming and fitting must be done on the job. Entire set is carefully packed one set to a carton. Will arrive bright and clean. (See illustrations below.)

Sets consist of sufficient of each kind of molding necessary to trim a door or window. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and if frame is rabbeted, no stops. Windows require one set of trim and one set of stops.

NOTICE—Circle, segment or gothic head door trim sets to trim any size door shown on page 10 can be furnished for \$3.50 more than the prices quoted for regular back band door trim sets priced on this page. When ordering, give regular catalog number followed by the word "Special," and size of door trim wanted, and be sure and specify whether trim is for circle, segment or gothic head design door.

IF FOR GOTHIC OR SEGMENT HEAD SEND PATTERN

Back Band-Round Edge Casing



Window Stool



Window Apron



Door Trim Sets are priced with and without stops, because stops are required for inside doors, but are not required for outside doors.

Price quoted for window trim sets include one set of stops.

Carefully Packed



Each piece of these trim sets retains its sandpapered perfection because of the corrugated paper carton in which it is packed. The carton is sealed against dust and prevents discoloration. It also protects the ends and corners against dentsor scratches.



Back Band Trim for Windows

Clear Fir—Clear Oak Including Stops

Specifications:

Head Casings 34x35% in.	Stool
Any Siza Window up	

Any Size Window up to and Including				63PM9901	63PM5584	Shpg,
Width Height		Clear Fir	Clear Oak			
Ft.	In.	Ft.	In.			
2 2 2	4	4	6	\$1.35	\$2.35	17
2	4	5	2	1.45	2.55	18
2	10	5	6	1.55	2.95	19
3	4	5	10	1.65	3.40	21
3	8	6	2	1.75	3.75	27

Clear Chestnut—Clear Poplar Including Stops

Specifications:

Side Casing	34x414 in.	Stool	.11/6x35/8 in,
Head Casing	34x414 in.	Apron	3/4x35/8 in,
Back Band	34x118 in.	Stops	3/6x13/8 in.

Any Size Window Up to and Including Width Height			Clear	63PM9690 Clear	Shpg. Wt., Lbs.	
Ft.	In.	Ft.	In.	Chestnut	Poplar	, 255
2 2	4 4	4 5	6 2	\$2.05	\$1.90	17 18
2 2 2 3	6	4 5	10	2.20	2.05	18 19
3	4 8	5	10	2.40	2.25 2.45	21

Back Band Trim for Doors Clear Fir—Clear Oak

Includes Trim for 1 Side Only

Specifications:							
Side Casing	%x35% in			11/8×			
Head Casing	34x3% in		S		1 3/8 in.		
Any Size Door Up to and Including Width Height	Clear Fir, not In- cluding	Clear Fir, Includ- ing	Clear Oak, not In- cluding	Ciear Oak, Includ- ing	Shpg. Wt., Lbs.		
Ft. In. Ft. In. 2 8 6 8 7 0 7 0	\$1.20 1.25 1.35	\$ 1.45 -50 -55	\$2.50 2.75 3.25	\$2.90 3.15 3.65	16 20 22		

Clear Chestnut—Clear Poplar Includes Trim for 1 Side Only

		_			I Stons	31	6x1 % in.
		Size f. dth		ight	63PM9687 Clear	Clear	Shpg. Wt., Lbs.
_	Ft. 2	In. 8 0	Ft. 6	8 0	\$5.35 5.70	\$5.10 5.35	48 60
	F .	i n	7	l n	6 25	5 0/	75

Shipped From Our Own Factory in Newark, N. J., Not Prepaid

Door and Window Trim Sets Honor Bilt MILLWORK

Round Edge Interior Trim Sets

Made of Clear Fir molding. Cut to convenient lengths, fitting to be done on the job.

In ordering, give the size of the door or the window to be trimmed, and we will send all the moldings needed.

If you do not find the size you want listed, allow the price of the next larger size.

These trim sets are big bargains at the prices shown. Sets consist of sufficient of each kind of molding necessary to trim a window or a door one side. Inside doors require two sets of trim and one set of stops. Outside doors require one set of trim and one set of stops. Outside doors require one set of trim and one set of stops. Stops are not included in the price of door or window trim sets. Stops will be included for 25c per set extra. Shipped carefully bundled. If you wish we will wrap all trim in paper for 8 cents per set extra.

Specifications:

Round edge head and side casing is ¾ inch thick by 3% inches wide.

Window stool is 11½ inches thick by 3% inches wide.


Window apron is ¾ inch thick by 3% inches

ck by 3% inches

inches.

Rou	nd E	ige T	rim:Sets for Doors			
			Each Set Includes Head Casing, Side Casing and Base Blocks.	Shpg.		
Width	Width Height		63PM9680	Wt., Lbs.		
Ft. In.	Ft.	In.	Clear Fir			
2 8	6	- 8	74c	15		
3 0	7 7	0	76c 82c	19 21		
2 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8	Ö	85c 99c	21 22 25		
	8	0				
Round Edge Trim Sets for Windows						
Any Size	Up to a	nd	Each Set Includes Head Casing, Side Casing,	Char		

Ат	ıy Size Inclı	Up to a	nd	Casing, Side Casing, Stool and Apron	Shpg. Wt.,
Wi	dth	Hei	ght	63PM9681	Lbs.
Ft.	In.	Ft.	In.	Clear Fir	
2	-0	3	10	63c	14
2	0	5	6	73c	16
2	8	5	2	8Îc	18
2	10	3	10	74c	16
2	10	5	10	84c	18 22
3		3	10	330	22



Standard Interior Trim Sets With Round Edge Casing

Per Set and Up in no waste sets. All inside trim needed to trim door or window. These moldings are cut to convenient lengths with a liberal allowance for trimming. (Not Ready-Cut. For Ready-Cut Trim Sets see page 39.) Trimming and fitting must be done on the job. Sent out carefully bundled. If you wish we will wrap all trim in paper for 8 cents per side of trim extra. If the size you want is not shown, allow the price of the next larger size.

Stops Will Be Included for 25 Cents per Set Extra.

Specifications: Cap molding is 1½ inches thick by 2 inches wide. Wide. Wide. Fillet is ½ inch thick by 1 inches wide. Fillet is ½ inch thick by 1 inch wide. Round edge side casing is ¾ inch thick by 3¾ inches wide. Window stool is 1½ inches thick by 3¾ inches wide. Window apron is ¾ inch thick by 3½ inches wide. Window apron is ¾ inch thick by 3½ inches wide. Base blocks are 1½x3¾x10 inches.

STOOL

Standard Trim Sets for Doors

	Any Size	Door Up	Each Set, Control Cap Molding, Fillet, Solution Stool and	Head Cas- ide Casing,	
Wi	dth	He	ight	63PM9990	Shog, Wt.,
Feet	Inches	Feet	Inches	Clear Fir	Lbs.
2	8	6	8	\$0.92	18
3	0	7	0	1.01	21
5	0	7	0	1.16	23
6	0	8	0	1.31	26
8	0	8	0	1.46	28

Standard Trim Cate for Windows

	Standard Itim Sets for Wildows							
		Any Size	Each Set, Co Cap Molding, ing, Fillet, Si Stool and	Head Cas- de Casing,				
	Wi	dth 1	He	ight	63PM9991	Shpg. Wt.,		
3	Feet	Inches	Feet	Inches	Clear Fir	Lbs.		
	2	0	3	10	\$0.75	17		
Sec. 1	2	0	5	6	-88	20		
	2	4	4	6	-82	19		
e	2	8	5	2	1.00	21		
	2	10	3	10	-96	19		
1	2	10	5	- 6	1.02	21		
-	3	8	5	10	1.14	27		

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

S

Inside Door Jambs MILLWORK

Made of Clear Fir or Clear Oak. Carpenters and contractors cannot afford to make door jambs when high grade jambs such as these can be had at such low prices. The side jambs are dadoed for head jamb, which fits into this dado perfectly. All jambs are surfaced and sanded, ready for

IMPORTANT—The jamb is 3/4x51/4 inches. If wanted wider than 51/4 inches add for each additional inch in width or fraction thereof, 40 cents for clear fir and 70 cents per inch for clear oak.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

SIZES Width Height		63PM9943 Clear Fir	63PM7952 Clear Oak	63PM9790 Clear Chestnut	63PM9791 Clear Poplar
2 ft. 8 in.	6 ft. 8 in.	\$0.89	\$1.75	\$1.65	\$1.50
3 ft.	7 ft.	0.98	1.95	1.85	1.70
5 ft.	smaller 7 ft,	1.12	2.15	2.05	1.85
10 ft.	smaller 8 ft.	1.45	2.60	2.45	2.20
or	smaller				

For Outside Door Frames See Page 32

Inside Rabbeted Door Jambs for $1\frac{3}{8}$ or $1\frac{3}{4}$ -Inch Doors

Made of Clear Fir or Clear Oak. Packed to secure lowest transportation charges. Easily put together. Securely bundled.

63PM9760-Clear Fir. Per lineal foot.. 12c 63PM8167-Clear Oak. Per lineal foot.. 24c

Single Rabbet, 13/8×51/4 Inches

State if jamb is wanted with single or double rabbet; also give thickness of door.
If wanted in special lengths add 15 per cent to prices quoted.

Finest Grade

NOT PREPAID


3/4×5/4 STOP

Detail of inside door stop not iniamb: cluded in prices of jambs. If stops are iambs. wanted add 25c for Fir and 40c for Oak per set and specify "With Stops.

> Sanded as Smooth as Glass

For each lineal foot of material jambs will weigh about as follows: Clear Oak, 11/2 pounds; Clear Fir, 1 lb.

Double Rabbet, 13/8×51/4 Inches





63PM9941-Colonial Shutters. For eight-light windows.						
W Ft.	Size Oper idth	ning	ight	Per Pair	Shpg. Wt., Lbs., per Pair	
1 2 2 2 2	11 1 1 5	4 4 5 5	75% 75% 35% 35%	\$4.80 4.85 5.35 5.55	15 16 18 22	


Colonial and Batten Shutters

Window Shutters for two, four, eight and twelve-light windows, are furnished in two styles, Colonial and Batten. Both styles are made of clear Fir, 11/8 inches thick. Come in pairs accurately cut to fit standard sizes of windows.

Colonial Shutters, illustrated at left, are made in two-panel design, and are furnished with either crescent, clover, or urn figure in top panel. Unless otherwise requested shutters will be furnished with crescent figure in top panel. Batten Shutters are illustrated at right. Be sure to state which is wanted.

Shutters are the same width as window of corresponding glass size, and are one and five-eighths inches longer. This additional inch is for subsill frame and can be cut off if necessary.

These Shutters are made to order, which requires about 15 days.



Batten Shutters

For	PM9	940 ight	-Colo	nial Shu	utters.
		e of ning		Per	Shpg. Wt., Lbs
Wi	Width Height		Pair	per	
Ft.	In.	Ft.	In.		Pair
2	ĭ	3	115%	\$4.10	14
2	1	4 2	756	4.85	16
2	5 5 9	4	75%	5.20	16
2	5	5	35%	5.55	20 19
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9	3 4 5 4 5 5	254	5.55	22
2	9	5	784	6.70	23

63 For	3PM9	942 -ligh	Colo	nial Shu dows.	atters.
137.	Size Ope		ight	Per Pair	Shpg. Wt., Lbs.,
Ft.	In. 434	Ft.	In.	\$4.95	Pair 14
2 2 2	7 1/2 10 1/2	4	7 9 8 7 9 8 7 9 8	5.60 5.85	16 18 20

For	3PM9: two-li	360 ght	-Batt	en Shu	itters
Size of Opening				Per Pair	Shpg Wt., Lbs.,
W	idth _	He	ight	Pair	per
Ft.	In.	Ft.	In.		Pair
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 4 4 4 6 6 8 8 8 10 10	3434545455455	117335555555555555555555555555555555555	\$2.20 3.41 3.91 4.048 4.89 4.89 4.94	13 15 14 16 18 18 19 21 21 20 22 23

63 For	3PM9 eight-	362	Bat wind	ten Shu lows.	tters
_	Ope dth		ight	Per Pair	Shpg. Wt., Lbs., per Pair
Ft.	In.	Ft.	In.	89.77	15
2 2	1	451	758 358 358	2.87	16 18 22


63PM9361-Batten Shutters. For four-light windows.								
Size of Opening				Per	Shpg. Wt., Lbs.,			
W	Width Height			Pair	per			
Ft.	In.	Ft.	In.		Pair			
2	1	3	1156	\$2.33	14			
2	1	4 2	758	2.87	16 14			
2	5	4	756	3.50	16			
2	5	5	358	4.24	20			
2	9	4	756	4-13	19 22			
222222222	5 5 9 9 9	4345455	75%	4.99	23			
-			2 1 9 3 1 1/8 1 4.331 20					

For	63PM9363—Batten Shutters. For twelve-light windows.					
_	Size Ope idth		ight In.	Per Pair	Shpg. Wt., Lbs., per Pair	
Ft. 2 2 2 2 2	4 36 4 36 7 36 10 36	3 4 4 4	11 5 8 7 5 8 7 5 8 7 5 8 7 5 8	\$3.14 3.50 3.60 4.84	14 16 18 20	

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

In.

Complete Stairways



Not Prepaid

FOR THIS COMPLETE STAIRWAY 63PM57-Clear Fir 63PM47—Clear Oak

Height, Floor to Floor	63PM57 Clear Fir,	63PM47 Clear Oak,
Treight, a root to a root	Complete	Complete
9 feet 0 inches 9 feet 6 inches	\$41.65	\$68.00
10 feet 0 inches	44.95	74.20
10 feet 6 inches	46.60	77.20

Material

Made of absolutely clear stock. Carefully smoothed and sanded.

The prices quoted on this page in-clude all the Newels, Rails, Steps, Risers, String Boards. Balusters and Moldings to build these stairs of the Moldings to build these starts of the best grade of oak, birch or fir, as listed. Give catalog number of design wanted and state size. 3-foot 5-inch treads and risers used in all designs shown. This makes width of stairway 3 feet 6 inches.

Not Prepaid

FOR THIS COMPLETE STAIRWAY 63PM58-Clear Fir 63PM43-Clear Oak

Height, Floor to Floor	63PM58 Clear Fir, Complete	63PM43 Clear Oak, Complete
9 feet 0 inches	\$53.30	\$83.60
9 feet 6 inches	55.90	88.10
10 feet 0 inches	58.40	93.10
10 feet 6 inches	60.85	97.60

Important

Right or Left Hand Turn.
Be sure to say whether you want your stairs to turn to the right or left going up. Illustrations above show right hand turn.

Gooseneck Rail



Made to your order, not carried in stock—allow about 15 days. Used to connect rise in rail with level rail. Size, 198x3% inches. Matches our regular stock Colonial Stair Rail, 63PM8375, illustrated and priced on page 45. When ordering be sure to state rise and run of stairs. 63PM9715—Clear Birch Gooseneck. Write for price.

Easement Turnout Rail-Right or Left

Made to your order, not carried in stock—allow about 15 days. Used to continue rise of rail from stair landing. Size, 15%x35% in. Matches our regular stock Colonial Stair Rail, 63PM8375, illustrated and priced on page 45.

on page 45.

Be sure to state radius wanted; also rise and run of stairs.

63PM9713—Clear Birch Easement Turnout, right hand. Write for price.

Easement Turnout, left

Colonial Stairways



Rough lumber, flooring or material for second story not included in price. These prices are for milled material only and do not include cutting to size or housing string.

Important

Colonial Newel Cap, Including Easement



Made to your order, not carried in stock—allow about 15 days. Made to fit our Colonial Newel, 63PM8330, illustrated on page 44. Size, 1½x3½ in. Cap, 6 inches in diameter. Made to match our regular stock Colonial Stair Rail, 63PM8375, illustrated and priced on page 45. When ordering, be sure to state rise and run of stairs.
63PM9716—Clear Birch Colonial Newel Cap and Easement.
Write for Price.

Clear Birch Colonial Stairs

Materials furnished for Colonial Stairway, illustrated above, include starting newel, landing newel, steps, risers, nosing, moldings, string boards, rails, starting newel cap and easement, gooseneck, stair bolts and balusters. Made of clear Birch, carefully smoothed and sanded. Furnished in the white, not painted or varnished.

Made to your order, not carried in stock. Allow about 15 days.

Catalog No.	Height, Floor to Floor	Price
63PM49 63PM49 63PM49	9 feet Oinches 9 feet 6 inches 10 feet Oinches 10 feet 6 inches	\$108.00 113.20 117.60 122.65

Level Quarter Turnrail

Made to your order, not carried in stock— allow about 15 days. Used around well hole on second floor. Size, 154x356 inches Matches 15/8x35/8 inches. Matches

our regular stock Colonial Stair Rail, 63PM8375, illustrated and priced on page 45. Be sure to state radius wanted.

63PM9712-Clear Birch Level Quarter Turn. Write for Price.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Honor Bilt MILLWORK

Built-Up Stair Newels

(Honor Bilt)

WELL PLEASED— SAVED \$150.00

I received all of my order in very fine condition and I am pleased with everything. Every one 'says it's the nicest lumber they ever saw around here and I am saving just one hundred and fifty dollars.

HENRY G. NYCE Address furnished on request. A LL our stair newels are made from thoroughly kiln dried selected stock, 1 inch thick, carefully built, smoothly finished and guaranteed. They are built to standard specifications and would cost you considerably more if purchased through any other source than our big mills. The 18-inch base on the starting newels will receive either one or two risers.


Packed in dustproof fiber boxes for shipment. Starting Newels weigh about 35 pounds and Angle Newels 38 pounds each.

"SAVED \$100 on a \$540 ORDER"

The material I got from you was A1 and I saved \$100.00 on a \$540.00 order. I would be glad to show this material to anybody and give the full details about your prompt service and good prices.

A. P. Mc GOWAN Address furnished on request.


We Can Also Save You Big Money on a Flight of Stairs. (See pages 43 and 45.)



Starting Newels

63PM8318—Clear Fir......\$**5.20** 63PM8308—Clear Oak.....\$**6.50**

This paneled newel has shaft 6 inches square. Base, 8 inches square, 18 inches high. Height of post, 4 feet. Paneled on four sides below and on three sides above.



Colonial Newels

Starting Newel

Base of colonial design starting newel, $4\frac{1}{2}$ inches square, diminishing slightly in width from bottom to top. Height of post, 3 feet 2 inches. The cap for this newel is illustrated separately on page 46.

63PM8330—Clear Birch. Write for price.

Angle Newel

Colonial design angle newel is the same design as starting newel, illustrated above, except that the base is $3\frac{1}{2}$ inches wide and post is 5 feet $6\frac{1}{2}$ inches high.

63PM8331 Clear Birch. Write for price.



Starting Newels

63PM8315—Clear Fir......\$5.20 63PM8304—Clear Oak.....\$6.05 63PM8301—Clear Birch....\$6.00

Size of shaft, 6 inches square. Base, 8 inches square and 18 in. high. Height of post, 4 feet.



Angle Newels

63PM8329—Clear Fir.....\$4.65 63PM8320—Clear Oak....\$5.40 63PM8307—Clear Birch....\$5.35

The shaft is 5 in. square. Length, 5 feet 6 inches (not measuring the ornament at bottom).

Angle Newels

63PM8334—Clear Fir.....\$3.45 63PM8399—Clear Oak....\$4.10

Shaft is 5 inches square. Length of newel is 5 feet 6 inches.

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

High Grade Stair Material

[Honor But]

Made of CLEAR FIR, CLEAR OAK or CLEAR BIRCH Carefully Sanded

Stair Rail



Size, 21/2×31/2 Inches

The best designed Stair Rail for all purposes. One side of rail is designed to fit the ends of the fingers. Rail is plowed for 1% and 1%-inch balusters. Loose fillet strip must be ordered separately. State whether wanted for 1% or 1%-inch balusters.

Stair Rail Without Fillet
63PM8355—Clear Fir. Per foot...22c
63PM8350—Clear Oak. Per foot...30c

63PM8342-Fillet to Match. Perfoot 3c

Colonial Stair Rail



Size, 13/4x35/8 Inches

Colonial design of Stair Rail is now becoming very popular.

-Clear Fir. Per foot....**15c** -Clear Oak. Per foot...**30c** 63PM8336-63PM8375-Clear Birch. Per foot. . 30c

Shoe Rail



With Fillet. Size, 3/4x23/4 inches. for 13/4-inch or 11/8-inch Balusters.

63PM8346—Clear Fir. Per foot.... 8c 63PM8352—Clear Oak. Per foot...10c

Round Hand Rail



Size, 13/4 Inches

The Hand Rail shown in illustration is used on closed stairway construction, being secured to the wall with our wall rosettes and hand rail brackets.

63PM8345—ClearFir. Per 100 lineal ft. \$ 8.00 63PM8354—ClearOak. Per 100 lineal ft. | 12.00

Wall Rosettes



This Rosette or Plate is used at the end of the rail where it leads against a wall and the center portion is large enough to receive our big rail 3½ inches wide or to receive our hand rail brackets shown below.

63PM8384—Clear Birch. Each.....30c

Hand Rail Brackets

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid. Stair rail and string board shipped in random lengths from 8 to 12 feet. Write for special quotations on oak over 12 feet long.

Treads and Risers

Tongued and grooved treads and risers make a rigid construction and do not permit the treads to pull away from the risers or show open joints. Will not creak.

Sizes quoted provide for a 9½-in. run and a 7¼-in. rise. but we can supply treads and risers for any rise and run. Be sure to mention rise and run when ordering. Stair Treads weigh about 3½ pounds each lineal foot. Risers, about 1½ pounds.


Treads and risers are furnished 3 ft. 5 in. long. This makes stairway 3 ft. 6 in. wide.

NOTICE—Our
Tread and Risers
Are Tongued and
Grooved. This
makes rigid construction. No
Creaking. No open



63PM8266—Clear Fir. 11/6x11 inches\$ 63PM8281—Clear Oak. 11/6x11 inches 63PM8283—Clear Birch. 11/6x11 inches	1.40
Stair Risers	
63PM8267—Clear Fir. 3/4x7½ inches	-30

63PM8285—Clear Oak. 34x7½ inches... 63PM8287—Clear Birch. 34x7½ inches.



In ordering winders be sure to state whether you want them to turn to the right or to the left as you go upstairs. For instance, winders shown in sketch above are right hand winders. If you want them to turn in the opposite direction, order left hand winders. Winders weigh about 90 pounds per set.

Stair Winders 63PM8275—Clear Fir, set of 3 with 2 risers. \$ 7.10 63PM8276—Clear Oak, set of 3 with 2 risers. 10.00 63PM8278—Clear Birch, set of 3 with 2 risers 9.90

Half Circle End Treads and



Very carefully manufactured and give an attractive finish and appearance to any flight of stairs. When ordering be sure to state whether the circle end is at the right hand or left hand side going up the stairs. The picture shows a left hand end. If you want the circle on the other end, be sure your order reads right hand. Weight, each, about 55 pounds.

 Weight, each, about 55 pounds.
 For Stairs 3 Ft.

 63PM7844—Clear Fir.
 Each.
 \$6.80

 63PM7821—Clear Oak.
 Each.
 7.60

 63PM7826—Clear Birch.
 Each.
 7.50

Landing Tread



Size, 11/4x31/4 Inches

Used on the top landing of stairs and platforms.

Weight, each, about	5 pounds.	3 Ft. 5 In.
33PM8257—Clean	Fir	44c

Return Nosing

Size, 11/6x11/ Inches Weight, per lineal foot, about 4



3c 6c 6c

String Boards



One-Member Stringer 34×11 in. matches O. G. design base 63PM9938 page 37.

63PM9633 — Fir Stringer %x11 in.

One-member O, G. design



Stair Balusters

We carry in stock these two designs of Stair Balusters in oak, birch and fir.

Balusters weigh about 11/4 pounds each.

63PM8402-Clear Fir. 13/4x13/4x32 inches. Each...31c

63PM8364-Clear Oak. 13/4x13/4x32 inches. Each...39c

63PM8368-Clear Birch. 13/4x13/4x32 inches. Each...45c

63PM8403-Clear Fir.

134x134x32 inches. Each...31c 63PM8366—Clear Oak.

13/4x13/4x32 inches. Each . . . 39c

63PM8383-Clear Birch. 13/4x13/4x32 inches. Each...39c

63PM8402 Clear Fir. 63PM8403 ClearFir. 63PM8364 ClearOak. 63PM8368 Clear Birch.

Square Baluster Stock

We furnish this square Baluster Stock in plain red oak and fir, clear stock, in random lengths. Size, 1 1/4 11/4 inches. Weight, per 100 feet, about 22 pounds.

63PM8389—Clear Fir. 63PM8371-Clear Oak. Per foot....



Colonial (Honor Bilt) Columns

We illustrate two designs of our Colonial Lock Joint Built-Up Columns which can be furnished with either plain or Composition Cap. Constructed to withstand the worst weather conditions. Made from selected straight grained Washington Fir lumber, practically clear and smooth, thoroughly kiln dried. Will not check or warp.

IMPORTANT—Give columns a good coat of priming as soon as received to keep out moisture.



Composition Cap For 63PM8073 63PM8079 See prices below




Colonial Lock Joint Built-Up Columns

The illustration above shows an end view of our lock joint columns, showing how the staves of these columns interlock, allowing for contraction and expansion.

Columns will add greatly to the selling or rental value of your home, to say nothing of the added beauty and comfort. Plain shaft columns may be cut down to fractional parts of a foot. These columns are strictly high grade and when you receive them they are oiled, not painted. Fine workmanship and lumber used throughout their manufacture.

For dividing or splitting these columns, add 35 cents.



63PM8076 With Plain Cap

The cost of erecting

a pergola is slight. We

necessary cut to exact

size. We supply a rough

cedar post for each col-

umn, so that the post can extend down into the

ground and give a good

substantial foundation.

This post can be set in concrete if desired, which

will give even a more

solid foundation. Fur-

nished in any size desired. We quote three stock

sizes to give an idea of

price, but will be glad to quote on special sizes on

BUILT-UP COLUMNS Made of clear Fir stock, oiled Fluted Shaft Plain Shaft Ship-Diameter of Shaft at Base, Inches Height 63PM8079 63PM8073 With Com-63PM8076 63PM8070 With Composition ping Weight With With Plain Cap Composi-tion Cap All, Feet With Plain Cap Cap \$4.75 \$6.20 \$2.86 \$4.30 6.50 3.18 4.65 5.05 36 3.45 4.90 5.30 6.75 40 7.25 3.50 5.40 5.35 7.70 46 5.80 3.95 5.85 50 6.35 4.50 6.40 8.85 10 5.10 7.00 6.95 8 6.35 53 6.75 8.60 4.50 7.05 9.30 62 7.45 10 5.20 66 8-15 10.00 10 5.90 12.95 11.80 14.80 10 9.95

Shipped From Our Own Fuctory it NEWAKK, N. J.

Colonial Pergolas

Our pergolas are built on true classic lines. The material used is the best made for this purpose.

63PM8070 With Plain Cap

NOTICE—Pergolas are not carried in stock. Please allow 15 days to make shipments.

We will quote prices for any special size pergola on request.



Pergola, size, 8 feet wide by 8 feet long, including 4 columns, 4 beams, 6 cross beams and 3 lattice strips.

63PM8987.....\$48.50 Shipping weight, 650 pounds. Pergola, size, 8 feet wide by 14 feet long, including 6 columns, 4 beams, 16 cross beams and 6 lattice strips.

63PM8988......\$75.50 Shipping weight, 925 pounds. Pergola, size, 10 feet wide by 20 feet long, including 8 columns (like illustration), 4 beams, 13 cross beams and 8 lattice strips.


63PM8989......\$108.00 Shipping weight, 1,200 pounds.

Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

request.

Porch Columns and Newels





\$125

AND UP NOT PREPAID


In ordering be sure to give size and length wanted. Sizes shown are before planing. After planing and finishing columns will measure about 5% inch less than sizes given.

For dividing or splitting this column, add 10 cents to catalog price.

63PM8175

Size, In.	Lgth., Ft.	Each	Wt., Lbs.
4x4	- 8	\$1.25	20
5x5	8	1.94	27
5x5	9	2.25	37
6x6	8	2.85	48_

Colonial Built-Up Newel



Matches Our Colonial Columns on Page 46

Made of Clear Fir

Diameter of shaft at base, 7 inches. Length, 4 ft. Wt., 23 lbs. Not Prepaid. 63PM8150—Each......\$3.10

Solid Newels

Made of Clear Fir

70c

AND UP NOT PREPAID

Sizes shown are before planing. After planing and finishing newels will measure about 5% inch less than sizes given. The height given is exact.

Size Shaft, Inches	Length, Feet	63PM8182 Each	Weight, Pounds
4x4	4	\$0.70	11
5x5	4	1.05	15
6x6	4	1.40	24

63PM8182

Turned Porch Balusters Made of Clear Fir

Special Low Price of

11C AND UP

NOT PREPAID

Give catalog number and size. Weight, each, 1 pound.

Catalog No.	Size, In.	Each De
63PM8212 63PM8212		11c


Large Size Colonial Balusters 63PM8 | 6 |

Size, Inches	Each	Per Crate of 50
2½x20 2½x24	16c	\$7.60 7.60

63PM8161

63PM8212

Four-Member Colonial Porch Rail



Made of clear fir. Size, over all, $5\frac{1}{2}$ inches. Shipped knocked down, bundled. For $\frac{7}{8}$, $\frac{1}{8}$ or $\frac{2}{4}$ -inch baluster. Please state size baluster. Weight, per foot, $\frac{1}{4}$ pounds.

63PM8184-Per lineal foot. Not Prepaid 20c

Square Porch Columns

Made of Clear Fir


Corners made of heavy 2-in. stock and panels are securely locked by our patent lock joint. Columns diminish in width from bottom to top, giving the properarchitectural effect. Prices include cap and base. In ordering give size and length wanted. For dividing or splitting, add 20 cents.

NOT PREPAID 63PM8075

Size, In.	Height, Feet	Wt., Lbs.	Each
6x 6	6	33	\$2.20
8x 8	6	45	3.25
8x 8	8	51	3.95
8x 8	9	55	4.37
10x10	8	67	4.90
10x10	9	71	5.20
12x12	8	85	5.78
12x12	9	95	6.67

Square Porch Newel





Made of clear fir. Of same rigid construction as our square column. Newel post, $7\frac{1}{2}x7\frac{1}{2}$ inches, 3 feet 8 inches high. The newels diminish in width from the bottom to the top, giving the proper architectural effect. Price includes molded cap and base. Weight, 25 pounds.

63PM8074—Each. Not Prepaid....\$2.40

Square Balusters



Made of clear fir. Size, 13/x13/x-32 inches. Weight, each, 2½ pounds. Not Prepaid.

63PM8110-Each.....9c

Baluster Stock or Frieze Rail



Made of clear fir. Prices are for 100 lineal feet. Size, 134x134 inches. Wt., per 100 ft., 40 lbs. Not Prepaid. 63PM8206—Per 100 feet \$2.50

Top Porch Rail



Made of clear fir. Size, 134x35% inches. Weight, per foot, 1 pound.

Per foot. Not Prepaid.....

Bottom Porch Rail



Made of clear fir. Size, 13/4x35% inches. Weight, per foot, 1 pound.

63PM81936c Per foot. Not Prepaid......6c

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Honor Bilt MILLWORK

China Closet Sash

Honor Bitt MILLWORK

Made of clear fir or clear oak, 1½ inches thick, in sizes listed below. Glazed with leaded colored art glass, leaded glass, plain double or single strength glass.



Glazed Double Strength Glass 63PM9995—Clear Fir. 63PM6986—Clear Oak.



Glazed Single Strength Glass 63PM9996—Clear Fir. 63PM6989—Clear Oak.



Glazed Leaded Glass 63PM9997—Clear Fir. 63PM6987—Clear Oak.



Glazed Leaded
Glass With Figure in
Colored Art Glass
63PM9998—Clear Fir.
63PM6988—Clear Oak,

SIZE				Glazed 1 Light Double Strength Glass				Glazed 6 Lights Single Strength Glass			
Wid Ft.	Ith In.	Heig Ft.	In.	63PM9995 Clear Fir	Weight, Pounds	63PM6986 Clear Oak	Shipping Weight Pounds	63PM9996 Clear Fir	Weight, Pounds	63PM6989 Clear Oak	Shippiag Weight, Pounds
1	6 8	4 4	0	\$2.05 2.20	25 28	\$2.40 2.55	26 29	*\$3.00 3.15	26 29	\$3.35 3.50	27 30

-	SIZ	E		Glazed With Leaded Glass				Glazed Leaded Glass With Figure in Colored Art Glass			
Wie Ft.	Ith In.	Heig Ft.	tht In.	63PM9997 Clear Fir	Weight, Pounds		Shipping Weight, Pounds	63PM9998 Clear Fir	Weight, Pounds	63PM6988 Clear Oak	Shipping Weight, Pounds
1	6 8	4 4	0	\$4.05	35 30	\$4.40 4.75	36 40	\$6.05 6.60	35 39	\$6.95 7.70	36 40



63PM9887 4 Feet High

Cupboard Doors Strictly "A" Grade NO. 1 QUALITY

Cross panel design shown to the left, carried in clear fir only. Vertical panel design shown to the right, carried in clear fir or clear oak. 1½ inches thick.



63PM9887

2 Ft. 6 In. High

CLEAR FIR ONLY



63PM9886 63PM6943 2 Ft. 6 In. High



CLEAR FIR CLEAR OAK

63PM9886 63PM6943 4 Ft. High

-	SIZES Width Height		Cross Panels, 1 Panel, Clear Fir, Clear Fir,		63PM6943 1 Panel, Clear Oak,	Shipping Weight, Pounds	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	In. 6 8 6 8	Ft. 2 2 4 4 4	6 6 0 0	\$0.98 	\$1.00 , 1.06 1.30 1.50	\$2.35 2.47 3.15 3.56	7 8 12 14

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

MILLWORK Corner China Closet -1-12 311LVES COUNTER Quaint, charming, and quite practical is this corner china closet. A reproduction of an old Colonial Model. Glass doors above for displaying china and glassware, with shelves and double doors below. Cross Section Showing How Corner China Closet 1s Built Into Corner of Room.


Easily Installed

Sets right against plastered wall. Adds beauty and charm to your dining room or living room. Corner China Closet has triangular back as shown in the cross section view.

SPECIFICATIONS

Made of clear Fir or clear Oak with Fir panel back. Upper section has 3 adjustable shelves, lower section, 1 shelf. Upper doors are 2 foot 8 inches wide by 4 feet 3¾ inches high, 1¼ inches thick. Glazed with clear glass, divided with lead bars. Trim as illustrated is our Colonial Back Band Trim shown on page 38. Can also be furnished with any other design of trim as shown on pages 36 to 41 at the same price. Hardware or dishes are not included. Cabinet is 3 feet 5¾ inches wide, over all, 7 feet 1¾ inches high, 1 foot 3 inches deep. Packed to secure the lowest transportation charges. Easily put together. Furnished in the white, not painted or varnished. Shipping weight, 178 pounds. Not prepaid. Not prepaid.


Hanging China Case



What a delightful addition to a
dining room wall.
A hanging cabinet
with glass doors of
small square panes
reminiscent of old
New England
households. Decorative, yet highly
practical china
closet for installation against wall.
Leaves room underneath for side table,
tea cart or chair.

63PM9668-Hanging China Case.....

China Closet and Sideboard



What a decided convenience for dining room, kitchen or large pantry. A built-in sideboard in natural wood that may be finished to harmonize with the balance of the woodwork or even painted to add a bright touch of color to the room. Glass doors at the top for china and glassware with ample drawer and cupboard space below for linens and silver, make this a most practical unit.

SPECIFICATIONS

Made in Two Sections, Ready to Set Up

Furnished in beautiful clear Fir.
Height of opening in wall, 7 feet.
Width of opening in wall, 4 feet 6 inches.
Depth of opening in wall, 1 foot 3 inches.
Height from floor to counter, 2 feet
8 inches.

Size of china closet doors, 1 foot by 2 feet 9½ inches.


Backed with tongued and grooved beaded ceiling.

s, Ready to Set Up
Shelves are adjustable.
Thickness of counter or shelf, 11/4 inch.
Shipped set up all ready to set in
place. China closet furnished complete with
glass doors and casing, as shown in illustration, excepting hardware, at the price
named. Any other style trim shown on
pages 36 to 41 will be supplied if desired,
at the same price. Shipping weight, 330
pounds. Not prepaid.

63PM9889—Clear Fir\$49.30

We do not furnish drawer pulls or hinges with these sideboards as the hard-are should match the other hardware in your house. See pages 75 to 78 for

Ruffet



The buffet still continues to be a popular dining room built-in feature. The mirrored top makes an attractive appeal, reflecting in its shining surface the articles placed before it. Glass doored cupboards below and plenty of drawer space make this buffet especially convenient.

The buffet shown on this page is the very latest design, identical to buffets now being used in the most modern apartments and residences in large cities. One of the special features is that they are made to set against the wall. Can be used either in a new or old building. Made of the very best grades of either beautiful clear Fir or clear Oak. Workmanship is strictly the best cabinet work,

SPECIFICATIONS OF BUFFET

5 Feet 9 Inches Wide

Shipped set up all ready to set in place. Complete buffet includes clear plain plate mirrors above counter, glazed sash doors and adjustable shelves in compartment back of each sash door. The sash doors are divided with wood muntine, and glazed with six lights of clear glass.

Furnished in beautiful clear Fir or clear Oak. Width, over all, 5 feet 9 inches, height to top of counter shelf, 3 feet 5 inches; depth from front to back, 1 foot 6 inches; Mirrors are 12 inches high; end mirrors are 15 inches wide; center nis 27 inches wide. Height, over all, 4 feet 9½ inches. Shipped to you set up all ready to set in place. Hardware not included in price. Shpg. wt., 375 lbs. Not prepaid.

63PM8900—Clear Fir (not stained or varnished).

\$55.75
63PM8656—Clear Oak (not stained or varnished).

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Bookcased Openings and Colonnades


One of these Bookcased Openings or Colonnades will greatly beautify any arched opening.

Where Yellow Pine Bookcases or Colonnades are

wanted we can furnish them at the same price as Fir on request.




Head Trim, Casing, Base Blocks, Jambs, etc., are not part of the Colonnade nor of the Bookcased Opening shown here, and therefore, are not included in price. For Trim see pages 33 to 41.



Bookcased Opening

Made of Beautiful Clear Fir or Clear Oak. Each of the bookcases shown is made 4 feet 1 inch high; width, 1 foot 4 inches; depth from front to back, 1 foot 2 inches. The cap and base extend beyond these measurements 1 inch. The side and back of the bookcases are paneled. The side that fits against the jamb is plain. The door is glazed with high grade leaded glass. Each case is fitted with three adjustable shelves. The material and workmanship are the best. No hardware included. Shipped SET UP (put together) ALREADY TO SET IN PLACE.

63PM6793—Bookcases, as described above, clear oak, made to fit against 51/4-inch jambs. Per pair. \$42-50






Colonnades

Made of Beautiful Clear Fir or Clear Oak. Height of pedestal and panel work, 24 Inches. Top over pedestal and panel work, 10 inches wide, and made to fit on each side of jambs 5½ inches wide. The column base resting on the pedestal is 7½ inches square. Size of column at base, 6 inches. Size of column at top, 5 inches. Use but one column and pedestal for openings less than 7 feet wide, and allow but half the price of a pair. Shipped SET UP (put together) ALREADY TO SET IN PLACE. Carried in stock to fit openings of the following heights: 6 feet 8 inches; 7 feet, 7 feet 6 inches; 8 feet. I fopenings are intermediate or larger than any height specified, write for price and allow a few days' additional time to ship.

When ordering give exact width of opening from jamb to jamb and exact height from floor to head jamb. Specify width first. Shipping weight, 200 pounds.

Catalog No.	Kind of Wood	Design of Column	Design of Cap for Column	Price, per Pair
63PM9896	Clear Fir	Round	Plain turned wood	\$24.60
63PM8462	Clear Oak	Round	Plain turned wood	30.45
63PM9894	Clear Fir	Square	Plain wood	23.35
63PM8467	Clear Oak	Square	Plain wood	29.30

Prices are for the colonnade in the white (not varnished). If wanted to fit jambs wider than 5½ inches, add \$2.00 to above prices. When jambs are 9 inches wide we suggest setting the end of pedestal up against jambs.



Bookcased Colonnade


Made of Beautiful Clear Fir or Clear Oak. Can be used in room of any width. Cases are 4 ft. 9 in. high, 2 ft. 4 in. wide and 12 in. deep. Has three shelves. Door in each case glazed with six lights of clear glass. Ends of cases are made to set over a jamb 51/4 in. wide. The backs and exposed ends have one three-ply wood panel. Hardware not included. Shipped SET UP (put together),

three-ply wood panel. Hardware not included. Shipped SET OF (plit together), ALL R EADY TO SET IN PLACE.

Columns are 8 in. square at bottom and taper to 7 in. at top.

Furnished in the white (not oiled or varnished). Carried in stock to fit openings 6 ft, 8 in.; 7 ft.; 7 ft., 6 in. and 8 ft. high. If intermediate or larger sizes are wanted, write for prices.

63PM9899-Clear Fir. Per pair.....\$35.25



Bookcase Colonnade

The cases are made 3 feet 2 inches wide, 3 feet 6 inches high from the floor to the top shelf. Each bookcase is 12 inches deep and has two shelves. The ends of the cases are made to set over jambs 5½ inches wide. The backs of the cases have two wood panels same height as the cases in front. Columns are 10 inches square at the bottom and taper to 8 inches square at the top. Paneled on four sides and have molded caps and bases. We will furnish the colonnades in any height required. Furnished in the white (not oiled or varnished). Carried in stock to fit openings 6 feet 8 inches; 7 feet, 7 feet 6 inches, or 8 feet high. For intermediate or larger sizes write for prices. Suitable for opening over 9 feet wide. Shipped SET UP (put together), ALL READY TO SET IN PLACE. Shipping weight, 300 pounds.

63PM9898-Clear Fir. Per pair......\$53.50

Hardware not included in price. When ordering give width from jamb to jamb and height from floor to head jamb. Specify width first.

Shipped From Our Own Factory in Newark, N. J. Not Prepaid

Built-In Bookcase

Honor But MILLWORK

Built-In Bookcase Open Shelf Design


Built-in bookcases are decidedly the vogue. The one below is especially interesting and appealing with its leaded glass doors through which one's books peer out in a most friendly manner.



Specifications: Made of Clear Fir or Clear Oak. Has three adjustable shelves. Pair of doors are 2 ft. 8 in. wide by 3 ft. 11 in. high, 1½-in. thick. Glazed with Clear Glass, divided with leaded bars. Cabinet is 3 ft. wide and 4 ft. 7¼ in. high over all, 12 in. deep; inside depth, 9½ in. ¾-in. veneer panel back. Hardware is not included.

Construction: This bookcase is really distinctive in design. The top of the case is nosed on the front and two side edges. The front edges of the three adjustable shelves on the inside are also nosed. The ends are paneled, and the entire cabinet comes to you carefully packed in sealed cartons. Packed to secure lowest transportation charges. Easily put together. Furnished in the white, not painted or varnished. Shipping weight, 103 pounds.

63PM9655—Clear Fir......\$20.60 63PM9506—Clear Oak...... 24.00



Very attractive built-in bookcase. Appropriate for almost any ype of home. The open shelves above and closed cupboard base below afford a convenient arrangement. Popular as built-in bookcase for both sides of the fireplace.

Specifications: Requires a recess opening in wall 2 ft. 6 in. wide, 7 ft. 6 in. high, 8 in. deep, but any proportion of change in size can be made. Cupboard space below is 12 in. deep, extending 4 in. out in the room; height to top of cupboard counter, 2 ft. 6 in. Made of Clear Fir or Clear Oak. Four adjustable shelves include shelf supports. Lower section includes one pair of panel doors 2 ft. 1 in. wide over all, 2 ft. high, 1½ in. thick. One shelf included in lower section. Hardware not included. Securely packed in cardboard carton. Will reach you bright and clean. Packed to secure lowest transportation charges. Easily put together. Furnished in white, not painted or varnished. Shipping weight, 70 pounds.

63PM9370—Clear Fir. \$11.45
63PM9289—Clear Oak. 14.95 Specifications: Requires a recess opening in wall 2 ft. 6 in.

Shipped From Our Own Factory in NEW JERSEY, Not Prepaid



Telephone Cabinets

Modern conveniences in a typically modern setting. A built-in telephone stand that's going to save time and annoyance by keeping the instrument and langing cords off the floor and out of theway.

Telephone Cabinets are an important piece of built-in furniture. The telephone and secessories require a convenience is a very pleasing design with the wires, bell tox, etc., hidden, but easily accessible. Recess opening in wall, 1 ft. 2¾ in, wide, 2 ft. 8 in. high; depth, main shelf, 8 in. Bin has 3¾-in. inside depth. Back band trim. Door is of 3-ply wood panel. Set up ready to set in place with all hardware applied. Carefully packed in cardboard cartons. Shipping weight, 26 pounds.

63PM9651—Clear filt Each \$\frac{1}{2}\$ \$\fra


63PM9651—Clear Fir. Each....\$5.50 63PM9502—Clear Oak. Each....\$7.50

Hanging **Book Shelves**

Hanging shelves make an attractive accessory for any room. Can be installed in any one of a dozen suitable places in the home. Quite suitable for books, china, bric-a-brac and art objects. They harmonize beautifully with any furnishings.

Specifications: Made of Specifications: Made of Clear Fir, 2 ft. 1 in. wide, 2 ft. 10 in. high, 5½ in. deep. Includes three shelves. Securely packed in cardboard carton. Will cardboard carton. cardboard carton. Will reach you bright and clean. Packed to secure lowest transportation charges. Easily put together. Fur-nished in the white, not painted or varnished. Shipping weight, 9 pounds.

63PM9670 -- Clear r. Each..... \$1.80



Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Honor Bilt MILLWORK

Modern Kitchen Cabinets

Modernize Your Home at Low Cost

TITCHEN CABINETS that speak volumes for efficiency, convenience and comfort. The room where most women spend practically two-thirds of every day should be strictly modern in every respect, and at the same time, alluring, pleasant and Very desirable central working units, such as any of the arrangements shown at the bottom of both this and the opposite page, can be made from these cabinets. Big generous size cabinets both above and below the working plane or table, give ample room for everything you require. Open a door, or pull out a drawer. What you need at your finger tips.

The pride and joy of every woman is a cheerful, neat, conveniently planned kitchen. What could be more attractive to the feminine taste and prove more efficient than the arrangements we have pictured at the bottom of this and the opposite page, and these are only a very few of the many combinations that can be made from these units. An abundance of shelves that will hold quantities of canned goods, linens or kitchen utensils.

There are dozens of uses for cabinets, which are pictured in this group. They will serve you efficiently and faithfully for a long, long time.

For specifications see opposite page. Shipped From Our Own Factory in NEWARK, N. J. Not Prepaid.

Utensils and dishes in cabinets not included.




HARDWARE

Equipped with heavy nickel plated brass hinges, easily operating nickel plated catches of special design and nickel plated drawer pulls, as illustrated above.



63PM9663—Broom Closet. Made of Clear Fir. Width, 1 ft. 8 in.; height, 7 ft.; depth, 1 ft. 3 in. Includes cap mold, wood panel back, shelf and all hardware. Shipping weight, 68 pounds, Not Prepaid.

Each.....\$12.45





63PM9662—Ceiling Wall Unit or Upper Section.
Made of Clear Fir. Width, 3 ft.; height, 4 ft. 6 in; depth, 12½ in. Includes cap mold, wood panel back, three adjustable shelves and all hardware. Shipping weight, 90 pounds. Each. \$12.45
63PM9659—Counter Unit or Base Section. Made of Clear Fir. Width, 3 ft.; height, 2 ft. 10 in. to top of counter shelf; depth, 1 ft. 6 in. Includes wood panel back, 1½ in. thick, counter shelf and all hardware. Shipping weight, 71 pounds. Each. \$11.90




63PM9661—Ceiling Wall Unit or Upper Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 4 ft. 6 in.; depth, 12½ in. Includes cap mold, wood panel back, three adjustable shelves and all hardware. Shipping weight, 50 pounds, Not Prepaid.

63PM9660—Counter Unit or Base Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 2 ft. 10 in. to top of counter shelf; depth, 1 ft. 6 in. Includes one drawer, drawer slide, one cutting board, one lower shelf, wood panel back and all hardware. Shipping

weight, 57 pounds, Not Prepaid.





Many popular combinations can be made to fit any size kitchen. A few suggestions are illustrated the left.

of the Finest Construction

With These Attractive Built-In Features

HE maximum of beauty, comfort and convenience built into both new and old homes is the modern tendency. Fine cabinet work and built-in conveniences do much to make a house—a home. We show throughout this book many built-in features for your kitchen, dining room, living room, bed room and bathroom.

All our cabinets are manufactured in our own factory by expert cabinet makers. We have


been especially careful in selecting the design and materials. Distinctive features, such as lipped drawers, lipped doors, rounded corners and edges make cleaning easy.

Our unit system of kitchen cabinets provides many combinations. A few are pictured here. A number of units can be ordered and we will supply a single counter shelf to connect them. Be sure to state if single counter shelf is wanted.

SPECIFICATIONS


These cabinets are made of Clear Fir. Carefully machined and sandpapered. Complete unit includes fronts, doors and counter shelves 11/8 inches thick, drawers and slides, bread board, ends, tops, bottoms, backs, shelves moldings where shown, and all hardware. Unfinished no paint or varnish. Shipped ready to put together. Fronts and ends are glued up. Doors and drawers lipped ready to install. Everything cut to exact size. Securely packed to secure the lowest transportation charges in cardboard cartons sealed against dust. Easily put together. Shipped by freight or express only from our own factory in NEWARK, N. J., NOT PREPAID.

Utensils and dishes in cabinets not included.



SPECIFICATIONS

The cabinets shown here are carefully constructed by expert cabinet makers in our own factory. The distinctive features of these cabinets that make them better than the average kitchen cabinet are the rounding of all corners and all edges. In the enlarged section above, a part of the counter top has been cut away in order to show these rounded corners, which adds to the beauty of their appearance, besides making them easy to clean. Doors and drawers are lipped. Ends of cabinets are paneled.




63PM9664—Storage Unit. Made of Clear Fir. Width, 1 ft. 8 in.; height, 7 ft.; depth, 1 ft. 3 in. Includes cap mold, wood panel back, five adjustable shelves and all hardware. Shipping weight, 82 pounds, not prepaid. Each.....\$13.95



63PM9666—Hanging Wall Unit or Upper Section. Made of Clear Fir. Width, 3 ft.; height, 3 ft. over all, depth 12½ in. Includes cap mold, panel back, two adjustable shelves and all hardware. Shipping weight, 57 pounds, not prepaid.

Each.









63PM9669—Hanging Wall Unit or Upper Section. Made of Clear Fir. Width, 1 ft, 8 in.; height, over all, 3 ft.; depth, 12½ in. Includes cap mold, panel back, two adjustable shelves and all hardware. Shipping weight, 35 pounds, not prepaid. Each.....\$7.90

63PM9667—Counter Unit or Base Section. Made of Clear Fir. Width, 1 ft. 8 in.; height, 2 ft. 10 in. to top of counter shelf; depth, 1 ft. 6 in. Includes four lipped drawers, drawer slides, work board and all hardware. Shipping weight, 54 pounds, not peaned. 54 pounds, not prepaid. Each.







63PM9804—Kitchen Cabinet. Clear Cypress, with 2 ends and back as shown above. Shipping weight, 200 lbs. Not prepaid. \$23.95 63PM9803—Kitchen Cabinet, with only one end and no back. Shipping weight, 175 pounds. Not prepaid. Clear Cypress. \$18.75

Honor Bilt MILLWORK

KITCHEN CABINET No. 63PM9804
illustrated at left is made of Clear
Cypress.
These cabinets or dressers are strictly
high grade cabinet work. Made to set
anywhere in the room where sufficient
wall space is allowed. No hardware
included.

included.

Kitchen Cabinet No. 63PM9803 is made of Clear Cypress. Same specifications as Kitchen Cabinet No. 63PM-9804 except has no back and finished on one end only. Made to set in a corner. Reversible. Can be used in right or left hand corner.

Shipped packed to secure the lowest

hand corner.

Shipped packed to secure the lowest transportation charges in cardboard carton. EASILY PUT TOGETHER.

Complete cabinet measures 4 feet wide by 8 feet high over all.

Bottom section measures 18¾ inches from front to back, 2 feet 10 in, from floor to top of counter shelf. Contains 2 lipped drawers and 2 doors 1½ inches thick. Has one removable shelf in back of panel doors.

doors.

Top section is 12 in. deep. Has 2 glazed doors 1½ in. thick. Glazed with clear glass. Contains 3 shelves with adjustable metal supports. For hardware, see pages 76 and 79.

Kitchen Cabinet 63PM9782, illustrated at right, is made of beautiful Clear Fir. Furnished with two ends and back. Made 3 ft. 6 in. wide and 7 ft. 6 in. high. Bottom section with the four drawers and flour bin extends back 12 in. The counter shelf or working table is 1834 inches from front back. Hardware not included in price. See pages 77 and 78 for hardware. Top section has two doors 36 in. thick, with clear glass, and contains three shelves, with adjustable metal supports.

EASILY PUT TOGETHER.



63PM9782—Kitchen Cabinet. Clear Fir. \$23.75
Shipping weight, 200 pounds. Not prepaid.
This cabinet can be had with panel doors in upper section instead of glazed doors, and with door in lower section instead of flour bin, for the same price. If you want these changes made, be sure to mention them in ordering.

Chest of Drawers



Chest of Drawers for under pantry shelves, in closets, under drain boards, as shown in the illustration at the right, and in many other places.

Specifications: Made of clear fir. Construction is skeleton. Face sandpapered. Drawers carefully fitted, easy running and lipped. If wanted with sides, top, bottom or back, nail finishing lumber in place, as skeleton is very rigidly constructed. Height, 2 feet 5 inches from floor; width, 3 feet 4 inches; depth, 2 feet. Each drawer is 6 inches deep on the face. Shipped set up, without paint or varnish, carefully crated and guaranteed to arrive in good condition. Hardware not included. Shpg. wt., 65 lbs. Not prepaid.

63 PM9 8 73—Chest of Drawers, Clear Fir. \$9.55.

63PM9873-Chest of Drawers, Clear Fir. \$9.55

Clear Fir Flour Bin

This Flour Bin is made of clear fir, is 1 foot 6 inches wide by 2 feet 6 inches high. Extends back 9 inches at the bottom and 17 inches at the top. Weight, 20 pounds. Not prepaid.
63PM9841—Clear Fir. ... \$3.15
Flour Bins Are Packed to Secure Lowest Transportation Rates. Easily Put Together.

Hardware Not



Modern Convenience

The illustration above shows how some of the modern kitchen conveniences shown below may be "built-in." Note how the chest of drawers 63PM9873 goes under the drain board at the left. The storage bin 63PM9871 fits under the right hand drain board.

Single Drawers



FRONT VIEW




SIDE VIEW

Made of clear fir. All set up ready for use. The face is lipped, which means it projects slightly beyond the opening in which the drawer fits. Shipping weight, each, 14 pounds. Not prepaid. Shipped set up already for use. Pulls Not Included.

63PM9872-Clear Fir.

Width, Inches	Height, Inches	Depth, Inches	63PM9872 Each
14	6	18	65c
16	6	18	70c
18	6	18	76c

Storage Bin



Made to match the chest of drawers shown at left. It is same dimensions as the chest of drawers and construction is skeleton, so it can be placed under shelves, etc. These Cabinets can be combined into a kitchen work bench. Made of clear fir. Shipped set up. No hardware included. Shpg. wt., 40 lbs. Not prepaid.

63PM9871—Clear Fir \$6.45

Clear Oak Drain Boards

Made of clear oak; nice clean stock. Grooved and beveled. Shipping weight, 14 pounds. Not prepaid.

63PM7792—Size, 13/16x22x24 in. \$1.52



63PM7772—Size,
11/x22x24 in ches.
The extra thickness
makes this board much less likely to warp out of
\$1.95

All items on this page shipped from our own factory in NEWARK, N. J., not prepaid.

Honor Bilt MILLWORK Built-In Honor Bilt MILLWORK Ironing Board Outfits

Always Ready for Use-Never in the Way

A labor saving built-in feature for your kitchen. Complete full size ironing board, including sleeve board. Easy to install, always handy and yet never in the way. Usually installed with electric light socket in the compartment, so electric iron can be conveniently attached.

A Combined Ironing Board and Service Table

Note the small illustration below to the right which shows how the serving table is attached. Ironing board is furnished either with or without the table. Door lock and hinges not included. Refer to description of board below.

Made of Clear Fir

Made of Clear Fir

Made of clear fir. Opening in wall, 14 inches wide, 80 inches high, 14½ inches deep. Will fit between studding placed 16 inches on center. Ironing board is 11½ inches wide by 49 inches long, 32 inches from floor. Sleeve board, 5 inches wide, 23 inches long. Serving table, open 22½ inches wide by 40 inches long; ¾x3½-inch casing furnished for trimming. No hardware.

63PM9801—Including Tetra


63PM9801—Including Trim and Doors but without Serving Table. Shipping weight, 86.60

63PM9802—Including Trim Doors and Folding Serving Table. Shipping weight, 95

pounds.....\$8.50

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid.

Shipped to you ALL SET UP READY TO INSTALL except for fitting of doors, trim and hardware




Completely Concealed

Illustration above shows how our built-in ironing board is completely 'concealed. Nothing is seen but a neat panel in the wall.




Convenient and Practical

Above illustration shows ironing board as it appears in a typical kitchen. Includes doors, round edge trim and all hardware except door hinges and latch. Door hinges and latch should be ordered separately to match other hardware in your home. Carefully packed in cardboard carton. Will reach you bright and clean.



Strong Construction

Note strong rigid con-struction of our built-in ironing board. The sleeve board is hanging within easy reach, ready for use any time needed.



Serving Table Feature

Illustration above shows how serving table is used. In many cases this eliminates the necessity of having a regular table in the kitchen,


Above; ironing board and sleeve board ready for use; serving table folded up out of Built-In Medicine Cabinet



Made of clear Fir. Plain made of clear Fir. Plain plate mirror, 14 in. wide by 18 in, high. Three adjustable shelves. No Hardware Included. Furnished with trim as illustrated. Recess opening in wall, 1 ft. 8 in. wide by 2 ft. 4½ in. high. cepth, over all, 4 in. Size of door 1 ft. 6 in. by 1 ft. 11 in. high. Shpg. wt., 35 lbs. All set up ready to install



Bathroom Cabinet



A most convenient article of furniture for the bathroom. Plenty of room for towels and various toilet articles. Note lower com-partment makes a most convenient receptacle for soiled towels and linen.

Specifications

Specifications
Made of clear Fir. Height, 4 feet. Width,
2 feet 2 inches. Depth, 1 foot. Has four
drawers and two compartments.
Furnished in the white; that is, without paint or
varnish. Hardware not included in price. Shipped
set up, all ready to set in place. Carefully crated
and guaranteed to reach you in good condition.
Shipping weight, 130 pounds.
63PM9864—Bathroom Cabinet, Clear Fir.
Each. \$19.95
Shipped From Our Own Factoryin NEWARK,
N. J., Not Prepaid.





case and door are of steel.

Specifications! Mirrors, 18 x 26 inches. Inside dimensions, 15x21x 4½ inches. Out-off flange, 17½x23x 1½ inches. Wall opening, 15½x21½x3½ inches. Shirping weight, 55 lbs. Packed in individual woodboxes.

63PM1785.

63PM | 785 Each \$ | 3.25 Shipped From Factory in OHIO, Not Prepaid.

Wardrobe **Double Unit Clothes Closet**

[Honor Bilt] Aromatic Red Cedar Lining

for New or Old Closets





A very good closet arrangement. Plenty of room for complete wardrobe in which garments are kept in better condition than in ordinary closets. Outfit consists of shelves, drawers, clothes rod, panel doors and trim.

Packed to secure the lowest transportation charges. Easily put together. Door linges, locks and drawer pulls are not included in price. These should be ordered separately to match the other hardware in the room. Back and sides are not furnished as wardrobe is intended to set in a finished plastered opening.

Required recess opening in wall 2 feet 6 inches deep, 6 feet 10 inches high or more and 4 feet 5 inches wide. Doors furnished are our regular 1½-inch 2-panel Clear Fir doors described on page 15. Back band trim furnished with this wardrobe is our back band trim illustrated on page 40. For material for larger or smaller closets send sketch for price.

sketch for price.
63PM9292—Clear Fir Wardrobe, including 2-panel Fir doors, each door size, 5 Sold in full bundles only, 2 feet wide by 6 feet 8 inches high. Shipping weight, 125 pounds..........\$27.50

3/8x21/2 Inches, Aromatic Red Cedar, Tongued and Grooved and End Matched

Now every home can have its Aromatic Red Cedar Clothes Closet. Aromatic Red Cedar for clothes closets keeps moths Manufactured in such awav. form that it may readily be installed in the closets of old or new homes. Clothes may be hung on regular hangers in the usual way. Any article wanted is readily accessible and can be found and removed without disturbing the remainder. Aromatic Red Cedar Closet Lining is made \(^3\)\section-inches wide, with tongued and grooved edges and ends matched. The cedar lined closet is superior to a storage chest, and makes the regular closet a big, roomy moth deterrent compartment of fine appearance and thorough utility. It affords con-venient all year storage for furs and woolens, which allows ready access to every garment.

Aromatic Red Cedar Closet Lining is shipped carefully packed 48 board feet to the bundle. Enough to cover 40 square feet of surface.





Illustration Shows Closet Lined With Aromatic Red Cedar Lining

63PM9812 — Aromatic Red Cedar Closet Lining. Per bundle (48 board feet to the bundle) Shpg. wt., 45 pounds....\$5.95

Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

Breakfast Alcoves



Colonial Breakfast Alcove


A new and very desirable design. Made of Clear Fir and sandpapered ready for finish. Furnished with seating capacity of four,
requiring floor space 6 feet wide by 4 feet deep. Equally desirable
when set up in a corner, or against a wall in your kitchen. Shipped
in the white, without paint or varnish. Shipped in sections, packed
to secure the lowest transportation charges. Easily
Put Together. Packed in cartons sealed against dirt
and dust. Will arrive bright and clean.

and dust. Will arrive bright and clean.

Specifications

Table, width, 2 feet 6 inches; length, 3 feet 8 inches; height from floor to top, 2 feet 6 inches. Width on seat, 1 foot 1½ inches; length, 3 feet 8 inches; height, over all, 3 feet 5 inches. Shipping weight, 95 lbs.

63PM9612—Colonial Breakfast Alcove, Clear ir \$16.45



Breakfast Alcove

A new design. Packed to secure the lowest transportation charge. The sections are assembled. Easily put together. Made of Clear Fir, sandpapered, ready to put together and finish. Requires floor space 6 feet wide by 4 feet deep. Equally desirable

when set up in a corner or set up against a wall in. your kitchen. Shipped in the white without paint or varnish. Wrapped in tough paper and crated.

Specifications


Table, width 2 feet 2 inches; length, 3 feet 8 inches; height from floor to top, 2 feet 6 inches. Each bench, width on seat, 1 foot 1½ inches; length, 3 feet 8 inches; height, over all, 4 feet. Shipping weight, 95 pounds. 63PM9294—Breakfast Alcove, Clear Fir \$19.20

FLOOR PLAN Shipped From Our Own Factory in NEWARK, N. J., Not Prepaid

"CLOSHUTE" LAUNDRY CHUTE







PLAN

CLOSHUTE is a modern laundry chute constructed entirely of high grade rustproof furniture steel, and can be built in the home you are planning on building, or in your present home. All joints are overlapped and electrically welded. Neatly finished in snowwhite enamel. CLOSHUTE is rigid, trim and permanent.

rigid, trim and perimanent.

Let this clothes chute save you steps and provide a better place for the clothes than the unsanitary, old fashioned clothes hamper. It saves space and also saves running up and down stairs.

It is adaptable to any wall thickness—easily and quickly installed anywhere—bathroom, kitchen or chamber and will outlast the building itself because it senset warp, soliter or wear.

Chute itself is 14 inches wide; 7 inches deep inside. Easily installed.

We can furnish Closhutes with openings on second floor, with a galvanized extension to basement, requiring an 8½-inch wall. If interested write for

BLACK DIAMOND COAL CHUTE

Heavy All-Steel Construction. Stands **Hardest Service**

Locks Automatically



"Black Diamond" Guaranteed Coal Chute

(To Be Set in Foundation Wall, For Delivering Coal, Wood, Etc., Into Basement)

The BLACK DIAMOND Coal Chute is equal to the best coal chute on the market, regardless of price.

The use of this steel coal chute eliminates the battered looking window through which coal is usually shoveled into the basement. When the door is opened it protects the wall above from flying lumps of coal. Simple in operation, and cannot be opened from the outside.

Specifications

It is built of heavy copper steel. When door is closed it locks automatically. No hopper or chains. With ordinary use it will last as long as the building. This chute will pay for itself in a short time in saving of window glass and sash. Built for any wall. Measuring opening, 213/4x16 inches.

Shipped from our store, Not Prepaid. 63PM9235—Shipping weight, 45 lbs. Each. \$4.50


FIREPLACE MANTELS **ATTRACTIVE**

PROVIDE for a fireplace in your new home, or, if you are remodeling, do not overlook a brick mantel. The many hours of cheer and happiness which a fireplace will radiate on drab winter days will more than repay its modest cost. We supply everything necessary to complete the mantel, including face brick, martel shelf (made of clear fir, or clear oak), fire brick lining for fireplace, wrought from trimmings where shown, tile flashing, color for mortar, tile for hearth and angle barbet throat damper or ash dump, these must be ordered separately (See page 58). We furnish a complete set of working plans. Only perfect material supplied. The bricks are packed in barrels and carefully laid in sawdust so that they reach destination in first class condition.

We can supply the designs listed in either smooth face or rough face brick in the following colors: Rough Texture Brick—Brown with black dots, deep red, cream or medium gray. Smooth Surface Brick—Soft gray, cream or deep red.

Please bear in mind that the colors might vary somewhat, but will closely resemble the description.

We do not furnish the common brick, mortar, cement or foundation brick. The brick for mantels is shipped from factory in PENNSYLVANIA, not pre-paid. The mantel shelf is shipped from factory in NEWARK, N. J., not prepaid.



Be Sure to State. Color and Kind of Brick Wanted

> Honor Bilt MILLWORK



Specifications

The mantel is 7 feet 3 inches wide over all and 5 feet 3 inches high. Width of body, 6 feet 6 inches. The fireplace is 36 inches wide by 30 inches high. The hearth is made of quarry tile and is 18 inches by 78 inches. Price does not 78 inches. include fireplace fixtures. For prices see page 58. Shipping weight, 2,175 pounds, not prepaid.

63PM9854—Mantel as described above, with clear fir shelf....\$69.00 63PM3372—Mantel as described, with clear oak shelf...... 71.95

Be sure to state color and kind of brick wanted

Colonial Design Brick Mantel

63PM9853—Clear fir frame and shelf only, no brick......\$18.85



63YM4170 \$5.00



Handsome, well designed cast iron ndirons. Finished in burnt antique rass or ebony black. Matches fire set 37M4170 or 63YM4812. Total height. 7 in. Wt., 35 lbs. Depth, 18 in. Not remaid.

631 M41 8 in. Not Prepaid. 631 M4826—Per pr. black \$3.55 634 M4827—Finished in Burnt Antique Brass, per pair \$4.80

Andirons





Cast iron andirons in attractive design antique burnt brass or black finish. Height, 13% inches. Depth, front to back, 19 inches. Weight, 18 lbs. Not Prepaid. 637M4802—Black, pair...\$2.70 637M4805—Burnt Brass, pair ...\$35

REPLACI


LENDS CHEERY COMFORT To the Humblest Dwelling

Renew Its Charm With These

REAUTIFUL FURNISHINGS

The leisure grace of early Colonial homes is recalled in the reproduction of this charming room from an old New England house. For a comparatively small sum you can capture the charm of this room and transfer it to your very own home. Duplicate this delightful room with fireplace furnishings chosen from this page and with millwork selected from other pages in this book.

Our Fireplace furnishings are of the same high grade as those sold for use in the finest homes. Finishes are permanent and will not burn off. Prices are extremely low for these attractive high Quality Sets. If you do not find them to be exceptional values, we will return your money. Fireplace furnishings are shipped from our store, Not Prepaid.



Four-Piece Fire Set

Ball tip handle wrought iron design fire set, complete with heavy stand, shovel, tongs and poker. Suitable for colonial or mission fireplace. Furnished in plain black finish or burnt antique brass handles. Willmatch all designs of andirons shown on this page. Total height, 25 inches. Weight, 13 lbs.

Not Prepaid.

63YM4160—Black finish\$3.25 63YM4161—Black with burnt antique brass linish handles...\$3.60



63YM4175

Easily adjusted. Can be combletely closed in 34x13 in. 40x13 in. 51 lbs. 55.10

Automatic Ash Dump

Size, 6x8 inches. Shpg. wt., 3 lbs. Not Prepald. 63ҮМ4176.. 60с

Ashpit Door

Including frame m a de with flanges to hold it securely in the brickwork of the chimney. Size, 10x12 inches. Shpg. wt., 15 lbs. Not Prepaid.

63YM4177

\$1.60

Five-Piece Fire Set



63YM4812 \$6.15



A charming portable fireplace coal Grate for use in
open fireplace. Dumping Bottom.
Burns wood or coal, Ebony (black) finish.
Depth, front to back, 13 in. Not Prepaid.

63YM4870 63YM4871 63YM4872 63YM4873 63YM4874 63YM4875	20 22 24 27	Wt., L 49 53 55 58 65 72	\$4.95 5.25 5.50 6.05 6.90
63YM4875	30	16	0.50

Five Piece Fire Set

Each

Each
Popular m o dern
hand hammered design fire set. Finished in burnt antique brass. Complete with stand,
shovel, tongs, brush
and poker. Matches
andirons 637M4810
and can be used with
all andirons with
burnt brass finish.
Total height, 30 in.
Weight, 20 lbs. Not
Prepald,
63YM4808

63YM4808 \$6.75



Andirons



Made of cast iron. Beautiful burnt antique brass finish. Matches fire set 3YM4808. Total height, 18 in. Total lepth, 18 in. Wt., 18 lbs. Not Pre-

63YM4810-Per Pair....\$4.65



Artistic east from andirons. Ornamental design. Burnt antique brass finish. Matches fire set 63YM4812 or 63YM4808. Total height, 18 in. Depth, from front to back, 19½ in. Weight. 18 lbs. Not Prepald. \$4.25




Furnished in plain black or burnt antique brass finish. Made of cast iron. Matches 63YM4808 or 63YM481, fire sets. Height, 20 in.; depth, front and back, 19 in. Shpg. wt., 22 lbs. Not Prepald.
63YM4830—Black, pair. \$4.00
63YM4831—Burnt Antique brass finish. Per pair. \$5.25



Spark Guard


Made of



3-Fold Spark Screen

A very pleasing design. Fabric is heavy steel wire screening that stops flying sparks, finished in black japan. The framework is strong in hammered design, finished in burnt antique brass, Height of screen is 30 in. Side folds are 13 in. wide, center fold, 26 inches wide. Shpg. wt., 12 lbs. Not Prepaid.


63YM4213 Three-Fold Screen.....\$7.45



3-Fold Spark Screen

New and very attractive design with ornamented scrolls in panels at top. Fabric is heavy steel wire screening that stops flying sparks. Finished in black japan. The framework rigid, Hammered design, finished in burnt antique brass. Each screen is 30 in. high. Side folds are 13 inches wide, center fold, 26 inches wide. Shipping weight, 12 pounds. Not Prepaid.

63YM4212-Three-Fold Spark Screen. \$8.90



4-Fold Spark Screen

These screens are attractive in addition to the protection they give. Four folds that permit adjustment to any angle. Each fold 13 in. wide. 30 in. high. Weight, 13 lbs. Not Prepald.

63YM4214—Hammered brass finished frame. Heavy black finish flat weave wire screen.

57.40

63YM4211—Heavy round black frame, with brass handles; hinge caps and knobs. Spiral weave screen cloth finished in black

54.75

Concrete Machinery

SOLD ON EASY PAYMENTS

Buy that concrete mixer or that block machine from this page at prices lower than wholesale. Get the benefit of our enormous manufacturing facilities and our tremendous buying power.

Grouped on this page are the most popular items in our large complete line of Concrete Machinery and Concrete Mixers. And the prices! From 20 to 35 per cent less than prices usually quoted elsewhere for machines of equal quality. Nowhere else can you get

guaranteed concrete machinery of such high quality at such a saving. Our customers tell us that our machines have all others beaten for volume of production, low cost of upkeep, dependability and real dollar-for-dollar value.

Concrete Machines and Molds of All Kinds

There is only enough room on this page to show our smaller mixers and concrete block machines. If you need a larger capacity machine than we show here, or one better suited to your requirements, or if you prefer to see these machines in larger illustrations with more complete descriptions, write at once for our new

Special Concrete Machinery Catalog. It contains our entire line, including concrete mixers; also a large variety of models for concrete products, including block machines, urns, brick molds, automatic block tampers and pallets.

Triumph Block Machine

A good block making outfit at a moderate price for anyone wishing to make blocks for his own use. Makes blocks face down, using a wood pallet. Makes 8x8x16-inch blocks with rock face and double air space. Flask is locked with simple latches attached to engagates. Two men make from 100 to 125 blocks per day. Either mounted on substantial iron stand as shown or furnished with hinge lugs to fasten to bench. Each outfit contains:

One Rock Face Plate for whole blocks.

Two Rock Endgates.
Two Dividing Plates.
One Gable Block Dividing Plate for making gable blocks.

Two Dividing Plates.
One Gable Block Dividing Plate for making gable blocks.

Two Dividing Plates.
One Double End Tamper.
One sample Wood Pallet.

Additional parts and attachments can be furnished cx1173.

Write for Your Copy of

This Concrete Machinery Catalog PD532BM

You will find this Concrete Machinery Catalog complete, interesting, helpful, valuable. Every machine and every accessory fully described. Whether you wish a large capacity machine for contract work, or a smaller one for personal use, you'll find just the right size and type of machine to do your work fast and economically; the price will more than please you; also gives Easy Payment Prices and Terms on our Full Line of Concrete Machinery. Write today for this book. Just say, "Send me your Concrete Machinery Catalog PD532BM," and we will send you one by first mail, FREE. Machinery C mail, FREE.



\$6890 Not Prepaid

Wizard Concrete Block Machine

A complete outfit for quantity production of high grade building blocks. Used by many leading block manufacturers. Priced low enough to make its use profitable on farms or other places where concrete products are in demand. Makes 888x16-inch blocks. Makes blocks face down. Each outfit contains:

One Face Plate for making inside corner blocks. Two Dividing Plates. Two

NOW! Easy Payments on Concrete Machinery

For the past quarter of a century Sears, Roebuck and Co. have been supplying the VERY BEST CONCRETE MACHINERY at the LOWEST POSSIBLE PRICES—prices that are one-fourth to almost one-half lower than the regular prices elsewhere for equipment of equal quality. In addition to this we protect our customers by an ABSOLUTE GUARANTEE OF SATISFACTION.

Now as a further convenience and to make it still easier for you to take advantage of our low prices, we have provided EASY MONTHLY TERMS. You need not put off buying these convenient labor and time saving machines any longer. Buy now! A small initial payment is all that is required.

How to Order on Easy Payments

How to Order on Easy Payments
After selecting the mixer or machine that
meets your requirements, note the Easy
Payment Price of the machine you wish and
send us the down payment together with
your order, which should be made out on
our regular Time Payment Order Blank
which you will find in the back of our big
General Catalog. If you do not have a blank
write us and we will send you one.

If there is any information you wish concerning our equipment or our Easy Monthly
Payment Plan, do not hesitate to write us.
If you need cement machinery not shown
here ask for our latest Cement Machinery
Catalog. Your letter will have our prompt
attention. How to Order on Easy Payments

All Articles on This Page Shipped from Our Own Factory in OHIO. Not Prepaid

Triumph Concrete Mixer

Sears Roebuck and Co.

CONCRETE

MACHINERY



Especially suited for farm and general use. An ideal mixer for small jobs, such as concrete floors, walks, driveways, foundations, cellars, feed troughs, etc. Thoroughly mixes concrete, mortar or plaster, wet or dry. A good feed mixer. Will pay for itself in a short time. Capacity, 1½ to 2 cubic feet per batch. One batch a minute. Operated by hand or power. Strong construction. Mixing drum is heavy 16-gauge sheet steel with heavy cast iron bottom mounted on a 1½-inch angle iron frame. Guaranteed full satisfaction.

63PM5998 — Triumph Concrete Mixer, on stand. Shipping weight, 215 pounds, Not Prepaid. ...\$21.60

Sold for Cash Only

Wizard Concrete Mixer With Engine



This Wizard Concrete Mixer is the ideal mixer for small or medium size jobs. All contractors who handle miscellaneous concrete construction should own one of these light, inexpensive machines, in addition to their mixers generally used on large jobs.

The important feature of the Wizard Concrete Mixer is in the taper of the drum, which with the help of three simple and easily cleaned mixing blades on the inside, keeps throwing the material from the mouth and back to the conter of the barrel, thereby insuring a thorough mix in the shortest possible time.

THE TILTING DRUM of the Wizard permits loading on one side and discharging on the other side of the mixer, especially convenient for pouring into form work, as the mixer, being light in weight, can be moved along the forms, loaded on one side and discharged on the other side directly into forms.

SPECIFICATIONS

Capacity—3½ cubic feet of unmixed material per batch, or 40 to 50 cubic yards per day.

Mixing Drum measures 33 inches deep by 26 inches in diameter with 17%-inch opening; constructed of steel with a one-piece cast bottom.

Tilting Gears are a 4 to 1 ratio, making it very easy to tilt the drum when loaded to capacity. Will turn the barrel so that mixer can be loaded on one side and discharged on the other.

Transmission—Chain drive No. 62, malleable tron, with prockets and gears of semi-steel. Drive shaft, 11/4-inch

Transmission—Chain drive No. 62, malleable fron, with sprockets and gears of semi-steel. Drive shaft, 1¼-inch steel.

Power—Equipped with our famous 1¼ horse-power Economy Gasoline Engine with built-in magneto, which eliminates the use of batteries and all engine trouble caused by batteries. Our engine is one-third larger than engines generally used on this type and size of mixer.

Frame constructed of 4-inch steel channels with cast fron standards, supporting mixing drum. All botts fitted with lock washers.

Truck Wheels are all steel, 18 inches in diameter, with cast hub; 3-inch grooved tread. Axles are 1¼-inch cold rolled steel.

Tread—44 inches, front and rear.

Dimensions—Length, over all, 6 feet 7 inches; width, over all, 4 feet 2 inches; charging height, 3 feet 6 inches long by 22 inches wide by 30 inches high and can be removed by loosening four bolts.

63PM5975 3½ Cubic Ft. Concrete Mixer, Complete With Engine \$153.65
Shog. wt. 1.150 lbs. Not Prepaid. Cash price...\$169.65
Easy Payment Price...\$169.65

Modernize With Tile!

Use Super-Tile-Just Nail It On

WALL TILE furnished in sheet form, ready to install on any wall. Beauty, charm, originality in your home may now be had at very little expense with Super-Tile. A strong, tough fiber board with a highly polished enameled surface that does not chip, crack, craze or discolor. Can be sawed, planed, nailed, or glued the same as lumber. Super-Tile costs less than half the price of porcelain tile, yet it has all the desirable features entertained in regular glazed tile-beauty and permanence unsurpassed. It is

sanitary, moisture-proof, vermin-proof, is not affected by heat or cold or by grease or steam from cooking or washing, and is easily cleaned. An occasional bath with a damp cloth will keep it looking new and fresh year after year. It is flexible enough to make installation easy.


Super-Tile is furnished in a variety of fadeless colors: White, Cream, Light Green or Blue. Plain, smooth, polished surface.

> This variety of colors enables one to select a color scheme suitable to his individual taste.

Super-Tile can be installed in your Kitchen, Pantry, Bathroom, Nursery, Breakfast Nóok, Dining Room or Hall.

If yours is an old house, modernize it with Super-Tile. It will make the home more attractive and add greatly to its resale value.

If you are building a new Home, make sure to get Super-Tile in the kitchen, pantry, bathroom and laundry. It will not only add charm and comfort to your home, but will save the expense of redecoration for all



"You Can Lay It Yourself"

(1)

Our floor tile is made in 1-inch hexagons. It is furnished pasted on sheets of paper about 1 foot wide by 2 feet long. The design is carefully worked out at the factory, so that the lay-ing is an easy matter. Many of our customers lay their own tile, but we recommend employing an experienced cement worker or tile setter.

NOTE-When ordering, always allow an extra foot or two for fitting.

Ceramic Mosaic Floor Tile

Illustrated at the Right


Illustrated at the Right

It is very easy to keep clean. Will never wear out. Requires no expense in upkeep. Is vermin-proof and sanitary in every way.

Our floor tile is first quality ceramic mosaic, fully guaranteed by us. We carry a complete stock of the designs shown on this page and can make prompt shipment of your order.

Should you want any assistance in figuring the amount of tile you need, send us a pencil sketch of the floors to be tiled. We will figure the exact amount of tile you need and will give you our price on it delivered to your station. This will not obligate you in any way.

Many people prefer plain white tile for bathroom floors, vestibules, porch or pantry floors. We sell a large quantity of this plain white hexagon. Prices quoted here will save you money.



Ceramic Mosaic Floor Tile
Plain White Floor Tile
63PM 1000—1 inch hexagons mounted on
paper. Price per square foot, 30 cents. Shipping weight, per square foot, 3 pounds.

Plain White Floor Tile, relieved with do's of 6 black tiles.
63PM | 030-1 inch hexagons mounted on paper. Price per square foot, 35 cents.
Dots can also be furnished in Chocolate, Red, Buff, Blue or Green at the same price.
Shinning weight, per square foot, 3 pounds:

Shipping weight, per square foot, 3 pounds:
Shipped From Factory in OHIO, Not Prepaid.



Tiled walls in the bathroom or kitchen will cost a little more than plastered walls, but tile is the cheapest in the end. When once properly set it practically never needs to be repaired or refinished. Our tile is highest grade. Everyone who builds or remodels a home can now afford to put in tile floors and walls, at least in the bathroom, kitchen and vestibule. Tile is durable, attractive, easily cleaned and perfectly sanitary. 63PM1187 We offer a high grade glazed white wall tile with a complete set of trim (cap, base and corners) at a low price. GLAZED WALL TILE 63PM1185 Furnished in Plain White Only 63PM1150—Wall tile, size 6 inches by 3 inches. 63PM1173 63PM1 177-Exterior angles for base No. 63PM1173. Each. 23c 63PM1155 63PM | 185—Exterior corner lip, size 3 inches by 3% inches. 63PM | 187—Interior corner lip, size 3 inches by 3¼ inches. 63PM | | 70—Base, size 6 inches by 6 inches. Per lineal foot. 72c 63PM | | 60—Interior angles, for base No. 63PM1170. Each. 54c 63PM | | 61—Exterior angles, for base No. 63PM1170. Each. 54c 63PM | | 62—Right stops for base No. 63PM1170. Each... 54c 63PM | | 63—Left stops for base No. 63PM1170. Each... 54c

GLAZED WHITE WALL TILE

Shipping weight, per square foot, about 41/2 pounds.

Shipped From Factory in OHIO, Not Prepaid.

63PM1170

When You BUILD! LET US MAKE YOUR PLANS and GIVE YOU A COMPLETE ESTIMATE

Enjoy Lowest Factory Prices on Every Item That Goes Into the Home—Lumber, Millwork, Plumbing and Heating Equipments, Electric Fixtures, Hardware, Paint, Etc.

WE have built houses for hundreds of customers from special plans we have helped them develop. We have also saved them many thousands of dollars, over local prices, on houses built from these plans. In addition, we have sold more than 50,000 "Honor Bilt" Ready Cut Homes.

Many of these happy home owners were vainly waiting for a more advantageous time to build. But after receiving our low money saving figures, based on factory prices on all materials, they found they could well afford to build now. These happy folks are now enjoying the freedom and all the many other advantages of living in a home of their own.

If you intend to build soon, send us your blue print plans and let us figure your new home just as you want it.

If you have no prepared plans, but are anxious to get started, make us sketches of the floor arrangements with dimensions and give us an idea of the appearance of the elevations and roof construction, and we will have plans drawn upon receipt of a deposit of \$50.00. When your order is placed, we will give you full credit for the \$50.00, as we are glad to give you free plan service with your order.

These plans will be drawn by skilled architects; practical men who designed the homes shown on this and the next page.

This is the same service for which you have to pay a local architect \$300.00 to \$500.00.

Let Your Home Express Your Individuality

No doubt you have in mind a number of special features you would like to have in your home. Attractive corner cabinets in the dining room; a convenient cabinet in the kitchen, arranged just so; a broom closet large enough to hold the vacuum cleaner, or a breakfast nook of just the right



proportions to meet the needs of your family. Bedrooms with ample closets and windows arranged to give the proper wall space for your furniture, or a recreation room in the basement or in the attic for the kiddies. When writing to us be sure to mention these features, giving exact sizes so we can incorporate them in the plans we draw up for you. Better yet, make your selection from this Millwork Catalog. Show us exactly what you want.

Better Materials - Better Construction

We guarantee to furnish lumber and millwork of the very highest quality. This letter from one of our customers, typical of thousands in our files, tells the story of Sears, Roebuck and Co. quality better than we can tell it: "I am very well pleased with the material you sent me for my house. You could well guarantee a dollar a knot, as I did



not find one single knot in all my lumber. I think that for quality, service and price Sears, Roebuck and Co. have no equal," says CHARLES MERTZ. (Address furnished on request.)

The lumber furnished on these special plans comes in standard lengths, the way such lumber is regularly furnished from the lumber yard.

All lumber is well seasoned. All framing lumberstuds, joists and rafters are No. 1 lumber, not No. 2. Rafters are 2x6 inches, not 2x4 inches. Double studding is used for extra strength around all door and window openings. And when we quote on Clear lumber or hardwood flooring you get Clear and not Select. (In lumber language Clear is the first or best grade and freest from knots and bark, while Select is the second grade.) In other words you get a better quality house, better construction and stronger framing than you would ordinarily get, and pay less for it.

SEND US YOUR SKETCH TODAY

See Further Details on Next Page

We Build from YOUR PLANS!

Let Us Save You \$500 to \$2,000 on Your Home No Extras—Our Low Price Includes Everything

THAT home you are going to build. Build it of best quality materials at lowest direct-from-factory prices. Save on everything that goes into its construction—lumber, millwork, plumbing and heating equipment, electric fixtures, hardware, paint, etc.

We estimate the cost accurately and give you a definite guaranteed figure. There are NO EXTRAS—no costly unexpected items to arise after construction has begun. Building your home this easy, pleasant way, is really worth more to you because of its freedom from worries, yet it actually costs you far less than building the old way.

This plan is very popular with our customers, as they are in effect the general-contractors and keep the general-contractors' profit in their own pockets. Under this plan the mason, carpenter, plumber, electrician and other mechanics are really your sub-contractors. However, we supervise the construction through our Field Service Department, who watch the progress of building every step of the way to see that the house is structurally perfect and a thoroughly first class architectural job.

Ideal Financing Plan Payments Like Rent

YOU SAVE on the finance arrangements, through which you can secure as much as 75 per cent of the total cost of your home, and you will have no refinancing or worrying over costly bonuses.

We Arrange Financing at the Lowest Rate. We enable you to pay for your home in easy monthly payments like rent.

All You Need Is a Clear Lot

There's no need to wait years until you get the funds. All you need is a good building lot and a small amount of cash. Our direct-from-factory prices enable you to have excellent architecture, beautiful rooms with oak flooring, bronze hardware, attractive fireplace, built-in bookcases, French doors, linen closets, telephone stand, wrought metal lighting fixtures and faultless plumbing. Air sealed insulation and a high grade furnace insure year around comfort and fuel economy. In short, you will have as charming a home, inside and out, as money can buy and it will be built from far better materials than are ordinarily used in building construction and, besides, it will be built according to your own individual ideas.

Take the First Step NOW!

Send Us Your Plans for FREE Estimate

and see how little materials for a high grade home will cost you through our low cost methods. Use Coupon below.





A very charming and practical home designed by our Architectural Division,

Build Your Home This Easy Way and Save \$500 to \$2,000


It's so easy to own your home under our low cost, high quality building methods and our liberal financing plan, which brings yourself and family the joy, the happiness and the accumulated wealth that only home ownership can bring. Here's the way to proceed:

1—Send us your blue prints or sketches and get our low directfrom-factory prices on your ideal home; guaranteed to include all materials specified to fully complete your home.

2—If you do not have working plans, authorize us to make same from your sketches, at a cost of only \$50.00, which will be refunded when you send us your order.

3—Place your order with us and receive (A) "Honor Bilt" lumber and millwork of the highest quality; (B) sufficient material to give you the very best and most rigid construction; (C) on easy payment terms (D) under our guarantee of absolute satisfaction.

4—Move into your ideal home in a short time, and be happy while you pay for it with your rent money.



Freight Rates on Millworl

From Our Factories in OHIO or NEW JERSEY, Whichever Is Nearer Your Station

Freight charges amount to very little compared with the substantial saving we make you on all millwork, lumber and building material of every description. We quote prices that just include the actual manufacturing

An Easy Way to Figure What Your Freight Will Be

To figure the amount of freight on any bill of goods, you need only to know: First, THE WEIGHT. Second, THE CLASSI-FICATION. Third, THE RATE. The approximate weights on millwork are given throughout the book, or on this page. These weights will vary slightly, but will give you a fair idea of what the approximate freight will be.

CLASSIFICATION

The Railroads Charge for Freight according to its classification. For example: Unglazed doors take third class rate east. By referring to other side of this sheet you will find the third class rate to the nearest town in your state. If the table below does not contain the article you want, you can, as a rule, use the rate given on some article of similar nature.

Merchandise Classification Is Governed by Locality

It varies according to the section of the country. For example: Doors, paneled, etc., take fourth class freight rate to eastern sections of the country, but take the third class freight rate to southern sections of the country.

In the Table Below you will find two columns marked (East), respectively, and in each column is shown what classification or rate of freight the merchandise takes in that section.

On the Other Side of This Sheet we show opposite each pounds for each classification. When you look up your nearest town in the list on the other side of .his sheet refer to the table below and you will find what class freight the articles take; then refer again to the table on other side of this sheet and find what the rate is for that class to your town and then figure at that rate per 100 pounds, according to the weight given in the description of the goods. For example, suppose you are figuring the freight on Paneled Doors and you live in Buffalo, N. Y., or Buffalo, N. Y. (in Eastern Section) is the nearest town to you. Referring to the table below you will find that Paneled Doors take the third class retain (East) territory. Referring back to the other side of this sheet you find that the third class freight rate to Buffalo, N. Y., is 55 cents per 100 pounds, therefore the freight on Paneled Doors to Buffalo, N. Y., will be 55 cents per 100 pounds.

We Pack and Ship our goods in a manner that secures for you the lowest freight charges.

WEIGHTS

Throughout the catalog we give shipping weights on most of the items shown. We also give a table herewith which will enable anyone to figure the weight on ordinary millwork items. The Panel Doors referred to in this table are One, Two and Five Cross-Panel Doors.

are one, I we and I we					
Panel Doors	13/4 Inches	Thick			
	White Pine	Fir 31 lbs. 49 lbs.	Oak 60 lbs. 85 lbs. 100 lbs.	59 lbs.	Fir 37 lbs. 54 lbs. 65 lbs.

Table of Approximate Molding Weights

1.0	ante or whbi	O'Alliande Pita		
	per 100 Feet Lineal	Lineal	34x5-Inch, Wt., per 100 Feet Lineal 75 lbs.	%x8-Inch, Wt., per 100 Feet Lineal
Fir Cypress Yellow Pine Oak	12 lbs.	45 lbs. 36 lbs. 45 lbs. 54 lbs.	60 lbs. 75 lbs. 90 lbs.	96 lbs. 120 lbs. 144 lbs.

WINDOW FRAMES

WINDUW FRAMES

With 1½-Inch Outside Casing, Plain Drip Cap, will average 45 pounds.
With 1½-Inch Outside Casing, Crown Mold Cap, will average 50 pounds.
Window Screens will average 10 pounds each.
We'will gladly quote a delivered price on any order you make up from this catalog.

RATE

The table on the other side of this sheet tells you what the freight rates are to towns in different sections in every state. This table makes it plain and simple. The rate for 100 pounds to your station is almost, if not exactly, the same as it is to the town nearest you, found in the list on the other side of this sheet. Freight charges can be paid at the station when you get the goods.

As an Example of How to Figure Freight Charges

We submit an order received from one of our customers living in Harrisburg, Pa., a distance of about 150 miles from the factory. We plainly show the items ordered and the weight of each item, which can be easily ascertained by referring to the approximate shipping weights shown opposite our prices on all doors, windows, etc. For weights of molding and articles not shown opposite prices

we submit a table of weights on miscellaneous millwork. After ascertaining this total weight, refer to the freight table on this page and it is an easy matter to find the proper classification which determines the rate per 100 pounds; when added up it gives you the total freight charge on the entire shipment.

doors, windows, etc. For w	eights of molding and articles not shown opp		Weight Foob	Total Weight	Takes Class	Rate per 100 Pounds	Total Freight Charges
1,000 feet	Panel Doors Class S S	1½ inches 2-8x6-8x1¾ 1½ inches 10x12	58 pounds 22 pounds 6 lbs. per 100 feet 77 pounds	174 pounds 132 pounds 60 pounds 77 pounds 24 pounds 12 pounds	3d 1st 3d 1st 3d 3d 3d	42c 63c 42c 63c 42c 42c	\$0.73 \$0.73 .83 .25 .49 .10 .05
	and a labele of from our fr	ctory to Ind	ianapolis, Ind., we	bulu amount c	0 01113		

The freight on the same bill of goods shipped from our factory to Indianapolis, Ind., would amount to only \$2.20.

1 stands for First Class.

3 stands for Third Class. 4 stands for Fourth Class. 11/2 stands for 11/2 times First Class.

2 stands for Second Class. 4	Classific Merch	ation of		Classific Merch	ation of andise
ARTICLES		(South)	ARTICLES	(East)	(South)
Balusters. Blocks. Brackets. Cabinets. Columns, built up or solid. Door and Window Frames, knocked down. Doors, Glazed, plain, figured or stained glass (not plate). Doors, glazed, leaded or plate glass. Doors, paneled, also Sash Doors without glass. Glass, window, colored, enameled or ground, leaded, curved line patterns. Glass window, colored, enameled or ground, leaded, straigh angle or line patterns.	3 1 3 3 1 1 1 3 1 1 1 1 3	4 3 1 4 4 3 1 4 4 1 1/2	Lumber (Studding, Sheathing, etc.), write for special carload rates	4 3 3 1 1 1 1 4 1 3 2 3	4 3 2 3 4 2 4 3 3 3 3

WRITE FOR FREIGHT RATES ON LUMBER, LATH AND SHINGLES, SIDING, ETC. WE WILL SEND YOU A DELIVERED

Freight Rates on Millwork

From Our Factories in OHIO or NEW JERSEY, Whichever Is Nearer Your Station

Refer to Opposite Side of This Sheet for Freight Classification to which the articles you are ordering belong. Find the approximate weight as quoted on the page where the articles are quoted. Then refer to this page and find under your state the name of the town nearest you. The freight rate to that town will be found to be almost if not exactly the same as the freight rate to your own station.

Shipping From Our Own Factories Direct to You saves you retail profits. Controlling our supply of lumber from the time it leaves the forests of the Pacific Coast, or the Southern forests, and manufacturing it in our own factories with the most improved methods, enables us to sell you millwork at the price retail dealers pay. The freight charges amount to very little as compared with the saving we make for you by handling it on the "direct from the factory to you" basis.

We Guarantee to Make You a Saving on Millwork, Lumber and Building Material after you have paid the freight charges. Upon receiving your materials, if you don't consider you have made a substantial saving you are at liberty to return them to us at our expense and we will return your money and any transportation charges you paid.

To Contractors and Builders, We Announce That We Make Shipment of Millwork and Lumber from OUR OWN FACTORIES. In our fireproof warehouses we carry in stock, ready for quick shipment, about 100,000 doors, 150,000 windows and millions of feet of moldings, together with other millwork products, all in bright clean condition. We crate all orders carefully, so that they reach destination in first class condition. You take no risk.

Prepared Felt Roofing and Building Papers will be shipped from CHICAGO, ILL., PHILADELPHIA, PA., ATLANTA, GA., MEMPHIS, TENN., or from some one of our factories or warehouses in your vicinity as shown in the description of the article, which will enable us to give you much quicker delivery, and the benefit of the LOWEST FREIGHT CHARGES.

NOTICE—Freight rates printed in heavy black face type are the rates per 100 pounds from OUR FACTORY in Newark, N. J. Those printed in light face type are the rates per 100 pounds from OUR FACTORY in Norwood, Ohio.

	ist Class Freight, per 100 Lbs.	2d Class Freight, per 100 Lbs.	3d Class Freight, per 100 Lbs.	4th Class Freight, per 100 Lbs.		Freight, per 100 Lbs.	2d Class Freight, per 100 Lbs.	3d Class Freight, per 100 Lbs.	4th Clas Freight, per 100 Lbs.
ALABAMA—		-			MISSISSIPPI—	6: 07	\$1.67	\$1.38	\$1.08
Birmingham	\$1.63	\$1.39	\$1.14	\$0.90	Hattiesburg	\$1.97 1.84	1.56	1.29	1.01
Brewton	1.93	1.64 1.67	1.35 1.37	1,06 1,08	Jackson	2.00	1.70	1.40	1.10
Dotham	1.96 2.02	1.72	1.41	1.11	New Albany	1.56	1.33	1.09	.86
Montgomery	1.78	1.51	1.25	.98	NEW HAMPSHIRE— Berlin	.90	.79	.60	.43
CONNECTICUT—					Concord	.79	.67	.56	.43
Hartford	.57	.48	.41	.31 .31	NEW JERSEY—	60	.48	.38	.32
Waterbury	.57	.48	.41	.01	Atlantic City	.60 .32	.48	.23	.16
DELAWARE—	.65	.56	.44	.34	NEW YORK—				
Dover Frankford	.70	.60	.50	.38	Albany	.60	.50 .69	.42 .55	.34
DISTRICT OF					Buffalo New York	.79 .32	.27	.22	.38 .16
COLUMBIA	.70	.60	.50	.38	Syracuse	.67	.57	.48	.34
Washington	.70	.00			NORTH CAROLINA-	3.44	1.23	1.08	.88
FLORIDA— Jacksonville	2.15	1.83	1.51	1.18	Charlotte	1.44 1.33	1.14	1.00	.81
Miami	2.69	2.29 1.72	1.88	1.48 1.11	Wilmington	1.44	1.23	1.08	.88
Pensacola Tallahassee	2.02 2.06	1.75	1.44	1.13	OHIO-	.59	.50	.39	.30
Tampa	2.38	2.02	1.67	1.31	Columbus Steubenville	.84	.71	.56	.42
GEORGIA—		4.20	1.15	00	Toledo	.73	.62	.49	.37
Atlanta	1.64 1.48	1.39 1.26	1.15	.90 .81	PENNSYLVANIA—	.85	.75	.57	.40
DaltonSavannah	2.00	1.70	1.40	1.10	Erie Harrisburg	.63	.54	.42	.32
Valdosta	2.00	1.70	1.40	1.10	Philadelphia	.42	.34	.57	.23 .40
Waycross	2.03	1.73	1.42	1.12	Pittsburgh	.85	.75 .57	.57	.32
ILLINOIS—	,89	.75	.60	.45	Scranton RHODE ISLAND—				
Cairo	.81	.69	.54	.41	Providence	.67	.60	.50	.38
Joliet	.92	.78	.62	.46	SOUTH CAROLINA—	1.95	1,66	1.37	1.07
Springfield	.84	.71	.50	,72	Charleston	1.79	1.52	1.25	.98
INDIANA— Evansville	.75	.64	.51	.38	Greenville	1.70 1.85	1.45	1.19	1.02
Fort Wayne	.66	.56	.44	.33	Sumter TENNESSEE—	1,03			
Indianapolis	.57	.48	.38	.29	Jackson	1.32	1.12	.92	.73
Richmond	.76	.65	.51	.38	Knoxville	1.28	1.09 1.24	1.02	.80
KENTUCKY-					Memphis	1.25	1.06	.88	.69
Frankfort	,89	.76	.62	.62	VERMONT—			et c	
Hopkinsville Louisville	1.12	.48	.38	.30	Bennington	.67	.60	.50	.38
Morehead		.82	.68	.53	MontpelierVIRGINIA—	,50			1
MAINE-		00	CC	50	Luray	1.03	.90	.70	.48
Bangor	1.02 1.67	.90 1.45	1.15	.50 .85	Marion	1.74	1.48	1.15	.79
Portland	.86	.73	.60	.43	Richmond	1.14	.97	.79	.54
MARYLAND—	1				Rockymount	1.29	1.13	.97	.61
Baltimore	.65	.56	.50	.34	WEST VIRGINIA-	.73	.62	.49	.37
Pocomoke	.70	.60	.50	.30	Charleston	.99	.87	.66	.47
MASSACHUSETTS— Boston	.67	.60	.50	.38	Wheeling		.71	.56	.42
Pittsfield		.48	.41	.31	WISCONSIN-		1.33	1.02	.74
MICHIGAN-			4.00	7.1	AshlandLa Crosse		1.23	.94	.67
Bessemer	1.62	1.33	. 1.02	.74	Madison	1.20	1.07	.83	.61
Detroit	.84	.72	.57	.42	Marinette	1.17	1.00	.79	.40
Traverse City	1.03	.87	.69	.52	Milwaukee	1,00	,	, ,,,,,	

UALITY ASPHALT ROOFING

Makes the Best and Cheapest Roof

GIVES A FIRE RESISTING ROOF THAT AFFORDS REAL PROTECTION

O roofing materials will give you as much coverage per dollar nor as low roofing cost per year as our fire resisting asphalt roofings. They are by far the most economical roofings you can buy, whether

for a brand new roof or for reroofing purposes. Easy and economical to put on.
Below are the comparative costs of different kinds of roofs for an average size house with a roof area of 16 squares (1,600 sq. ft.). Labor figured at \$1.00 per hour on all roofs. Cedar shingles laid 4 inches to the weather, or 900 shingles to the square (100 sq. feet). See for yourself how much you can save by using one of our guaranteed asphalt roofings; and also bear in mind that our prices are for a fire resisting roof that has passed the severest hot blast flame test and other tests of the Underwriters' Laboratories. They consider these roofings sufficiently fire resisting to affix their label for low insurance rate and safety.

These Figures Prove the Economy of Our Roofings Cost of Material | Total | Estimated

Roof	and I	abor	Cost	Life of Roof	per Year
Clear Cedar Shingles	Shingles Nails Labor	\$86.40 5.47 57.60		12 Years Not Guaranteed	\$12.45
"Fire-Chief" Shingle Roll Roofing	Roofing Labor	47.68 16.00		17 Years' Guarantee	3.75
"Oriental" Plain Slate Surfaced Roofing	Roofing Labor	31.20 16.00		17 Years' Guarantee	2.78
"Best-of-All" Roofing, 65-lb.	Roofing Labor	36.00 16.00		16 Years' Guarantee	3.25

These figures show vividly the tremendous economy of Sears Asphalt Roofings.

BUY ROOFINGS THAT OUTLAST THE GUARANTEE

Our Money-Back Guarantee **Insures Satisfaction**

Every one of our roofings is guaranteed unconditionally. You are assured the full life of service stated in each guarantee, whether it be 11 years or 17 years. When laid properly, our roofing far outlasts the guarantee. Many customers write us that roofing purchased from us over 20 years ago is still giving

Lay It Fast—It Goes on Easy

Our asphalt roofings are easy to lay. Compared with shingling, laying an asphalt roof is an easy job that can be done remarkably fast. One width across the roof covers as much surface as can be covered with wood shingles in 3½ hours by an experienced shingler. It should take an inexperienced man only 16 hours to cover an average roof of 1,600 square feet with roll roofing, whereas a shingling job would take one man 58 hours just for shingling alone, while to remove the old shingles would require another 4 hours.

Our asphalt roofings can be laid right over the old roof. See illustration at right. This makes reroofing doubly easy and also gives practically double roofing protection. It also gives a warmer home in winter and a cooler one in summer, as the old shingle roof covered with our asphalt roofing acts as an insulating material.

For reroofing always use 1¾-inch roofing nails which are long enough to go clear through the old shingles, and you will be certain of a good job.

Here's the Right Way to Lay Roofing

It is best to start at the bottom, or eave, and work up to the ridge. Each width of roofing should be laid with the proper lap and nailed every foot along the upper edge to hold in place until the lap is completely nailed.

Be careful in working over the laid roofing that you do not punch any holes or drop loose nails on the finished roof.

To avoid buckling, start nailing in the center of the strip and nail towards the two ends.

Enjoy Lowest Factory-to-You Prices

We are the world's unquestioned leaders in honest, rock bottom roofing values. nonest, rock bottom rooning values. Twenty-five years' experience in roofing is behind our roofings. Right now there are over one million roofs covered with Sears, Roebuck and Co.'s roofing. Your roofing dollars have far greater purchasing power here than elsewhere.


EASY PAYMENT TERMS

On Asphalt Roofing and Shingles, Wallboard Building Paper, Walltile Sheet Plaster, Guttering, Metal Ceiling, Steel Roofing, Siding and Accessories

Amount of	Add for Easy	First Payment	Monthly
Order	Payments	With Order	Payments
\$25.00 to \$30.00	\$3.00	\$5.00	\$5.00
30.01 to 35.00	3.50	5.00	5.00
35.01 to 40.00	4.00	5.00	5.00
40.01 to 45.00	4.50	6.00	5.00
45.01 to 50.00	5.00	7.00	5.00
50.01 to 60.00	5.50	8.00	6.00
60.01 to 70.00	6.50	9.00	7.00
70.01 to 80.00	7.50	10.00	8.00
80.01 to 90.00	8.50	12.00	9.00
90.01 to 100.00	9.50	14.00	10.00

For amounts over \$100.00 write for Special Terms. When Ordering on Easy Payments Use Time Payment Order Blank from our big General Catalog.

Lay It Right Over the



You don't have to remove the old roof in order to put on our asphalt roofing. Just lay it right over the old roof. The old shingles under our asphalt roofing act as an insulating material.

See How Easy

To Put On

Figure 1—Showing how Valleys are put on before laying roof.

Figure 2—Roofing is laid from bottom up and capped at top.

Figure 3—Method of fin-ishing edges and corners.

Figure 4—Finishing around chimney with roofing cement.

Highest Guaranteed Roofing Grade Guaranteed Roofing






EASY to FIGURE YOUR NEEDS

FOR GABLE ROOFS (Figure A) multiply roof length (22) by rafter length (15) for number of square feet on one side (330). Multiply by 2 for number square feet both sides (660). Divide by 100 to get number rolls of roofing needed.

FOR HIP ROOFS (Figure B) multiply roof length (20) by distance from peak to edge (12), for square feet (240), divide by 2 for number square feet on that side (120). For square roof multiply by 4 to get total area (480). Divide by 100 for number rolls of roofing. If roof is not square get area of each side separately.

FOR DORMERS AND GABLES (Figure C) multiply length (6) by longest rafter (8) for area 2 sides. Divide by 2 for area one side. Order full rolls or bundles.

Order roofing packed with 1%-inch nails if to be laid over old wood shingles. Use 1-inch nails for roofing applied directly to sheathing. For asphalt shingles order nails separately. We will be glad to estimate your needs, if you will send us the dimensions of your roof.





After blowing a stream of hot blast flame against our Best-of-all roofing and our Oriental Slate Surfaced roofing and shingles, and testing them for construction, durability, pliability, thickness, weight, fire resistant properties, strength, uniformity, insulation, etc., the Underwriters Laboratories considered them sufficiently fire resisting to recommend them for approval.

Then, after exposing these roofings to an extreme heat by keeping them within a few inches of a large piece of cast iron, heated to a white heat and, at the same time, blowing a hot blast against the roofings for a considerable length of time, the Fire Underwriters Laboratories again considered them sufficiently fire resisting to recommend them for approval, for low insurance rate and safety.

BEST-OF-A SMOOTH FINISH ROO The Best Smooth Roofing Made!

Leading roofing experts say: "Best-of-all is the best smooth finish roofing made." It is the economical asphalt roofing you can buy. Outwears wood shingles or tar roofing. Three weig medium, heavy and extra heavy. Lay it right over roof boards or your old wood shingles. Just roof for homes, sheds, garages, factories, farm buildings and warehouses. Heavy and extra b grades are listed as standard by the kirc Underwriters Laboratories—saving you at least 12 per fire insurance in most localities.

Highest Quality Materials Used

Made from highest grade materials. Every roll made to our own tested and tried formula. The blending of the asphalt is controlled by our special process and by actual test lasts longer than the years specified in our liberal guarantee. Only thick, heavy felt, best grade asphalt and other quality materials are used. It is double coated and surfaced, giving a black, smooth finish. Absolutely weatherproof! Will not melt or evaporate; elastic, pliable and tough. Free from odor. Will not discolor rain water. Each roll contains 108 square feet, and will cover 100 square feet of roof surface.

Guaranteed 14 Years

48YM3032—Heavy seight—55-pound rolls.
Listed as standard by Fire Weight-55-pound rolls.
Listed as standard by Fire Complete with 1-inch Underwriters Laboratories.

Galvanized Nails and Cement for Laps. Not Prepaid.

For over Old Shingles. Complete with 1%-inch Galvanized Nails to lay over old shingles and Cement for Laps.

48YM911—Heavy weight Per Roll—55-pound rolls. Not Prepaid

Guaranteed 11 Years

Weight—45-paund rolls.
A lighter weight roofing than the Heavy and Extra Heavy weights. Will give many years of roofing service and is far better than most lower priced roofings. Complete with 1-in. Galvanized Nails and Cement for laps. Not Prepaid.

Composition Roofing

Made of felt, saturated with asphalt, has smooth finish on both sides. Satisfactory, where long wear or fine appearance is not necessary. Furnished with cement and nails (not galvanized).

48YM3111-Light weight Per Roll 35-pound roll. Not Prepaid.

Average weight per roll is shown. We do not prepay transportation charges on roofing.

Guaranteed 16 Years

48YM3033—Extra Heavy Weight—65-lb. rolls. Listed as standard by Fire Underwriters Laboratories, Per Roll Complete with 1-inch Gal-vanized Nails and Cement for Laps. Not Prepaid.

For over Old Shingles.
Complete with 13/4-inch Galvanized Nails to lay over old \$
shingles and Cement for Laps.

48YM912 — Extra Heavy Weight — 65-pound rolls. Not Per Roll Prepaid.

SMOOTH RAINESTE ROUGES LOOS GLEEN

Sold on Easy Payment Terms. See Page 65.

amous Attractive Shingle Design—Guaranteed 17 Years

Protects Against Fire From Flying Sparks

Fire-Chief has a perfect shingle design and looks just like painted wood shingles when laid on the roof. Two colors, red or green. The shingle pattern is made with inlaid lines of black asphalt, which form a shingle design which is strikingly natural, permanent and beautiful. See illustration at left.

Fire-Chief is absolutely reliable in all climates and weather. It excludes snow and rain better than wood shingles. It is airtight and watertight, and defies heat and cold.

Fire-Chief is made of the highest quality roofing materials. Our formula and process for making it have been used for many years. It has been put to the severest tests. Roofing laid 17 years ago is practically as good as the day it was laid.

For New Roofs

Fire-Chief Shingle Design Asphalt Roofing complete with 1-inch large headed galvanized roofing nails and cement for laps. Not Prepaid.

48YM488—Red.

48YM489—Green.

Fire-Chief is thick, strong and durable. It does not rust or decay. It is warmer than wood shingles and costs less than half. Economical to lay over old shingles, giving double roof protection.

Fire-Chief is made of heavy felt, saturated with the highest grade of imported elastic asphalt and surfaced with the choicest natural slate in non-fading red or green colors. Listed as Standard by the Fire Underwriters' Laboratories. Guaranteed for 17 years. See top of page 66 for explanation of guarantee.

Weight, per roll, including nails and cement, 85 to 90 bunds. Contains 108 square feet; will cover 100 square feet, all in one piece.

CAUTION—Buy only roofing with 2-inch Watertight Lap Joint. If slate or pebbles lie between the two layers of roofing, joints will loosen up and leak.

For Over Old Shingles

Fire-Chief Shingle Design Asphalt Roofing, complete with 1½-inch large headed galvanized roofing nails to lay over old shingles and cement for laps. Not Prepaid.
48YM | 67—Red.
48YM | 72—Green.

Quick Shipments and Low Freight Rates Wherever You Live

Our roofing warehouses are located in many sections of the country, Below we list locations and shipping points of our largest roofing fac-tories and warehouses. See how close we are to your home! You ories and warenouses. See now close we are to your nome: You save on price of the good roofing, and you also save money on the short haul freight charges. Shipped from CHICAGO, PHIL-ADELPHIA, BOSTON, NEWARK, N. J., ALBANY, N. Y., CENTRAL N. Y., WESTERN N. Y., YORK, PA., SOUTH-ERN ILL., NORTHERN ILL., DETROIT, MICH., SOUTH-ERN OHIO, KANSAS CITY, MO., MINNEAPOLIS, MINN.

Sold on Easy Payment Terms. See Page 65.



ROOFING WAREHOUSES

SEARS, ROEBUCK AND CO.

Per Roll NOT PREPAID

P547

Per Roll



Guaranteed ON THE BASIS OF 17 EARS

HEXAGON STRIP Heavy Weight — Slate Surfaced **ASPHALT SHINGLES**

Guaranteed 17 Years

Here is an ideal shingle for those who wish a roof that is pleasingly modern in design, and which affords a welcome change from the plain shingle pattern.

Make your home more attractive and increase its resale value with a new roof of these Hexagon design shingles, which combine beauty with utility at no extra cost. Hexagon shingles are fire resisting and spark-proof. Listed as Standard by Fire Underwriters' Laboratories. Lay them and save the cost of expensive repairs. Also save as much as \$100 over prices elsewhere on a sizely roof. Save even more by laying them yourself. Fasy to lay Single roof. Save even more by laying them yourself, Easy to lay. Do not curl or warp nor blow up in the wind.

Do not curl or warp nor blow up in the willd.

Hexagon shingles are the result of over 25 years of manufacturing experience. Home owners and contractors praise them enthusiastically. Made of heavy felt and best grade of imported asphalt. Surfaced with a heavy layer of crushed slate in beautiful natural colors of Red, Green and Color-blend, which is a pleasing blend of red, green and tan. Red-tone and Green-tone color combinations consist of set of five shingles each of a different color with red or green predominating and when laid on the roof, as they come from the bundles, they blend into a beautiful Red or Green Tone. Each bundle will cover 50 square fee of roof surface. Easy Payment Terms if desired. See page 65. Not Prepaid.

Catalog	Color	Shipping Wt.,	Per Bundle (Covers 50
No.		per Bundle	Sq. Ft. of Roof Surface)
48YM483 48YM482 48YM481 48YM486	Red Green *Color-blend Greentone Redtone	80 pounds 80 pounds 80 pounds 80 pounds 80 pounds	\$2.25 2.25 2.45 2.45 2.45



Per Bundle of 50 sq. ft., Not Prepaid. Guaranteed for 17 Years 4-in-1 Strip Heavy Weight Slate Surfaced Asphalt Shingles Our 4-in-1 Strip Shingles make a very attractive roof. Furnished in

red or green crushed slate in natural unfading colors—also in Colorblend which is a pleasing blend of red, green and tan slate. Look like individual shingles and can be laid nearly four times as fast and with

individual shingles and can be laid nearly four times as fast and with much less expense. We believe these 4-in-1 Shingles are the very best made. They are beautiful, fire resisting and economical. Will not warp, curl or blow up in the wind. Climate will not affect them. Ideal for a new house or for re-roofing right over the old roof without removing shingles. Guaranteed for 17 years.

Made of heavy felt, saturated with best grade of imported asphalt and crushed slate. 4-in-1 shingles are listed as standard by Fire Underwriters' Laboratories. Each shingle is furnished in two sizes: 10 inches or 12½ inches wide. Two bundles of 10-inch shingles will cover 100 square feet of roof surface giving two complete thicknesses all over the roof. Three bundles of 12½-inch shingles will cover 100 square feet of roof surface giving three complete thicknesses. Our Easy Payment Plan is explained on Page 65. Not Prepaid.

Catalog	Color	Width of	Shipping Weight,	Per Bundle,
No.		Strips	per Bundle	Not Prepaid
48YM2931	Red	10 inches	100 Pounds	\$2.60
48YM2930	Green	10 inches		2.60
48YM2933	* Color-blend	10 inches		2.85
48YM1288 48YM1289	Red Green * Color-blend	12½ inches 12½ inches	82 Pounds	2.10 2.10 2.25

Slate Surfaced Asphalt Shingles

Galvanized Roofing Nails

One and one-quarter pounds of 1-inch nails per bundle to lay shingles on roof boards. Order two pounds of 1¾-inch nails per bundle to lay over old

Guaranteed 17 Years

Listed as Standard by Fire Under-writers'

48YM3041

Nails, 1-inch long. Per pound \$0.08 100-lb. keg 7-50

48YM2976

All shingles and nails shipped Not Prepaid.

Sold on Easy Payments See Page 65

All Material on This Page Shipped From Points Shown on Page 67

Made of same material as is used in making above shingles—16 inches wide and 25 feet long. Weight, per roll, 25 pounds. Not Prepaid.
48YM9615—Green. Per roll. 30c

Slate Surfaced Asphalt Valley

48YM9617—Color-blend, red, green and tan mottled.

BEAUTIFUL red, green, blue-black, and blended color slate surfaced shingles. Give triple protection and insulation. Furnished in two sizes, 9x12 or to be laid 4 inches and 12x16 to be laid 5 inches, to the weather. One bundle covers 25 sq. ft. of roof surface. Fire resisting and guaranteed. The 12x16 shingles are extra heavy known as Jumbo Weight. Our low price enables you to save as much at \$100.00 over prices elsewhere on a single roof. Quick service. Large stock ready for immediate shipment. Guaranteed 17 years. Not Prepaid.

oht. per	service. Large si	OCK ready for this	nediate at	принсии	Outremeed at Jenter	
ght, per id. . Per	Catalog No.	Color	Wt., per Bdl.,Lb.		Per bdl, to cover 25 8q. ft. roof surface	
80c	48YM2926	Red	60	9x12	\$1.35	
er 80c	48YM2927	Green *Color-blend	60	9x12 9x12	\$1.35 1.35	For Shipping Point Nearest
blend,	48YM2929					You see
		Jumbo	weight	—inaiv	idual Style	Page 67
85€	48YM1281	Red	75 75 75 75	12x16	\$1.75	I age or
	48YM1282	Green	75	12x16	1.75	
	48YM1283	Blue-black	75	12×16	1.75	
	18VM 1984	*Color-blend	75	12x16	1.85	
to the	*A Color-blend	shingle has a ple	asing bler	id of red,	green and tan slate pr	oducing a pleasin
. 75c	mottled effect.				_	
	77 77	O	D	- E Ct	lards and Specifica	PIOTIS

Made of same material as our extra heavy grade Best-of-all Roofing.

48YM9607—Length of roll, 25 feet. Width, 16 in. Weight, 21 pounds.

Not Prepaid. Per roll.

Slate Surfaced Asphalt Ridge

Slate Surfaced Aspirat Aregument Slate Surfaced Aspirat Aregument Slashing

For ridge or flashing around chimneys. To be used with any of our asphalt roofings or shingles or as a starting strip under the first row of shingles at the eaves. Lengths of roll, 25 feet. Width, 8 inches. Wt., 13 lbs. Not Prepaid. (Not illustrated.)

48YM9608—Surfaced with Crushed Red Slate, per roll. 45c
43YM9609—Surfaced with Crushed Green State. per roll. 45c

487 M9603 45c
Slate, per roll 487 M9611—Surfaced with Color-blend,
Slate, red, green and tan mottled. Per roll 50c

Oriental Slate Surfaced Shingles Are Manufactured in Strict Accordance with U.S. Government Bureau of Standards and Specifications

Individual

Style

WALL BOAR

For New or Old Buildings—Makes a Ceiling That Can't Fall Down

UR 4-ply Wood Fiber Wall Board has many uses. You can line your garage, finish attic rooms, make extra rooms in basement and use it right over cracked plaster. Our wall board is easy to put up. It does not require painting, as it comes to you tinted green one side, cream on the other side.

Buy Now at These Low Prices!

Why pay more for the same quality 4-ply compressed Wood Fiber Wall Board, sold elsewhere under another name? It has so many uses where economy and quick, clean work are essential in homes, offices, holges, halls, garages and stores. Anyone can easily apply this wall board with excellent results. No experience needed, all you need is a saw and a hammer. Rooms are ready for occupancy as soon as WALL BOARD is applied. No unsightly muss to clean up afterward as with lath and plaster.

Our Wall Board Costs You Less! Why Pay More?

WALL BOARD provides the most economical wall finish because it is ready to use, tinted light green on one side and cream on the other. No need for paint. Nails won't split it. Comes 32 or 48 inches wide and in varying lengths from 6 to 10 feet.

Wall Board and Panel Strips shipped from CHICAGO, NEW-ARK, N. J., WESTERN NEW YORK or SOUTHERN ILLI-NOIS. Not Prepaid. Carefully bundled for shipment. We guarantee safe delivery, but to avoid damages order at least three

NEW LOW WALL BOARD PRICES

48 YM3 | 96—Sheets 32 or 48 inches wide and 6 to 10 feet long.

State length and width wanted. ³/₄ inch thick. Tinted light green on one side, cream on the other side.

Width 1 Length | No So Fet Star Walt | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile | Profile

Width,	Length,	No. Sq. Ft.		Per Sheet
In.	Feet	Sheet	per Sheet	Not Prepaid
32	6	16	9 lbs.	39c
32	7	1823	11 lbs.	46c
32	8	211/3	12 lbs.	52c
32	9	24	14 lbs.	59c
32	10	26%	15 lbs.	65c
48	6	24	14 lbs.	59c
48	7	28	16 lbs.	69 c
48	8	32	18 lbs.	78 c
48	9	36	20 lbs.	88c
48	10	40	22 lbs.	98c

Wood Panel Strips FOR USE with wall board. Size, %ax14 inches. 48YM7922—Per 100 feet. Shpg. wt.. 12 lbs. Not Prepaid....\$1.00









Wall Board and **Building Paper** Sold on Easy Payment Terms See Page 65



We Do Not Pay Freight on Items on This Page

UILDING PAPERS Save Hee

Just the thing for homes, garages, poultry houses, barns, cellars and storerooms. Keeps your buildings warm in winter, cool in summer. Saves fuel, saves money. Our low prices quoted here save you even more. These fine building papers are used by thousands of builders. We recommend them for standard quality, highest values. Manufactured from select material. We believe them to be the best building paper values you can buy. All building papers and felts shipped from our store. Ask for samples.

TARRED FELTS

Tarred felt is one of the best kinds of building paper for lining floors and for use between sheathing and siding. Used under stucco and brick veneers; also for gravel roofs. Made of carefully selected felt thoroughly saturated with redistilled American coal tar. Not Prepaid:

48YM3050—Tarred Felt. 216 sq. ft. per roll. Wt., per roll. 54 lbs.

We recommend this for all first class jobs, because it is the thickest. Used extensively for roofing temporary buildings. It makes an excellent insulation felt and should be used under all floors.

48YM3054—Tarred Felt. 432 sq. ft. per roll. Wt., per roll. 62 lbs.

DEADENING FELT

Deadening Felt between floors and walls deadens annoying sounds; also used under linoleums and rugs. Made of good grade soit pliable felt. Adds much to the warmth and value of your building. All rolls 36 inches wide and cover 45 square feet. Made in two weights, 1 lb, and 1½ lbs, per sq. yd. Take advantage of this low price and order now. Not Prepaid.

48YM3004—Heavy Deadening Felt.

Shipping weight, per roll, 50 pounds.

48YM3006—Extra Heavy Deadening Felt. Shipping weight, per roll, 75 pounds.

3.25

RED ROSIN PAPER

Blue Plaster Cardboard

Less than one-half of a cent a square foot for our Fulton Brand Blue Plaster Cardboard, Used as a low priced material for ceiling and above wainscoting; also used in buildings where a low cost in-terior finish is desired. Good for lining garages and poultry houses. Keeps out wind and cold.

A heavy paper, about the thickness of ordinary cardboard with smooth surface. Made only in "A" grade from carefully selected stock. Strong and durable. A pleasing shade of blue. Easily put on with ordinary large headed tacks or 6-oz. bill posters' tacks. For sheathing pur-poses it would be hard to obtain a warmer, stronger or tougher material. Rolls are 36 inches wide.

48 YM 30 12—Blue Plaster Cardboard, 250 square feet per roll....75c

Wt., per roll, 30 lbs.

lbs. Not Prepaid.



Per Roll of 250 Sq. Ft, Not Prepaid

INSULATE AGAINST HEAT AND COLD SAVE FUEL

VALLTITE Not Easy to Apply

Save \$15.00 to \$25.00 every winter on your coal bill! Keep out winter's cold by insulating your walls and roof with these high quality insulating materials.

Use WALLTITE as a base for plaster, instead of lath; also in place of wood for sheathing utside walls. By actual test WALLTITE gives 33½ per cent more protection against heat and old! Will cut your coal bill one-fourth to one-third.

SEALTITE, the flexible insulation, is equally effective. It is tucked between the studs and joists of walls, ceilings, floors and roofs. It is a heavy weatherproof fire resistant blanket and has few equals among flexible type insulations.

Build with WALLTITE and prepare your home for year round comfort through severest cold summer heat. Save on your coal bills by insulating with WALLTITE.

Actual tests prove WALLTITE gives one-third greater insulating protection from heat or cold than wood; also deadens sound. WALLTITE gives greatest heat economy when placed in the roof, the point of greatest heat loss. WALLTITE is easily and quickly handled. No waste. Comes in boards, 3/6 inch thick, 48 inches wide and from 6 to 10 feet in length, to nail to studding the same as sheathing lumber. It can then be covered with clapboards, or brick veneer, or stucco.

. Used on the inside walls in place of lath, WALLTITE forms a perfectly solid bond with plaster. When used on both inside and outside walls, it gives practically double insulating results and double fuel economy. When constructing new homes use it (1) for sheathing, (2) on the underside of roof rafters, and (3) under the attic floor. Fine for enclosed porches or any place where greater warmth is desired. Not Prepaid.

48YM3204-Walltite Insulating Board. 36 inch thick.								
Size of	Wt., per	Per	Size of	Wt., per	Per			
Sheets	Sheet	Sheet	Sheets	Sheet	Sheet			
48x72	15 lbs.	\$1.02	48x108	22 lbs.	\$1.51			
48x84	17 lbs.	1.18	48x120	24 lbs.	1.68			
48x96	19 lbs.	1.34						

Walltite is shipped from CHICAGO, NEWARK, N. J. or MINNEA-POLIS, MINN.If you prefer to see a sample before ordering, write us.

REG. U. S. PATENT OFFICE

SEALTITE provides the most efficient sound deadener and cold and heat insulator. It is verminproof, everlasting and fire resistant. Easily applied in frame construction, brick veneer, stucco or metal lath, or tile and brick walls. Tuck it in like a quilt or blanket. Place it between roof rafters, between floor joists, between studding or applied to outside of studding beneath sheathing. SEALTITE is made of a layer of chemically treated hair, interwoven and fitted together to form a uniform hairfelt. This hairfelt is sewed between two layers of special heavy waterproof asphalt paper. Send for a sample. Instructions for applying sent with each order. Furnished in rolls either, 18 inches wide and 100 feet long for tucking between studs and rafters, or 36 inches wide and 50 feet long, for use over studs, under sheathing and roof boards. Each roll weighs 75 pounds, ½ inch thick. Specify width desired when ordering. Send for sample. Shipped from MILWAUKEE, WIS.

48YM3201—Per roll containing 150 square feet.

Shipping weight, 75 pounds, Not Prepaid.

Ideal for repair

Makes a plastered ceiling that cannot

crack or loosen, ing old ceilings.

Joodwalf **PLASTER BOARD**







Resists Fire! Burning Oily Waste Won't Ignite It!

Protect your home or garage at low cost against fire. In actual tests GOODWALL resists the leaping flames of burning, oily waste and rubbish —just such materials as so commonly start blo-fres! Every garage should be lined with GOOD-

just such materials as so commonly start big fires! Every garage should be lined with GOOD-WALL.
GOODWALL helps protect you from loss by fire, insulates your home against winter cold and summer heat and deadens sound. Home owners and contractors declare GOODWALL is a better than lath as a base for plaster. GOODWALL is a better than lath as a base for plaster of even thickness with a sheet of heavy gypsum impregnated cardboard on each side. Comes in sheets, ¾ inch thick, various sizes. It will not chip or break when nailed and can be sawed, or broken with a clean edge. Makes a rigid inside wall that can be immediately painted, papered or plastered. Gives a smooth, dry, clean vermin-proof wall. Use 4 Penny nails. On Carload quantities special prices are shown below.

Prepared First Coat Plaster

For %-inch first coat order 150 bs. for .ach 100 sq. ft. of surface. Add only water. Instructions supplied. Shipped in strong bags from factory. Not Prepaid.

48YM2999-Per 100-lb. bag.......65C

Prepared Second Coat Plaster

Order this plaster for white finish coat. Fifty pounds will cover 100 sq. ft. of surface 1/4 inch thick. Add only water. Instructions supplied. Shipped from factory in bags. Not Prepaid.


40 1113027 3000 111122								
Size In.	Sq. Ft. per Sheet	Price from All Points Except Chgo. and Newark, Per Sheet	Price from Chgo. and Newark Per Sheet	and	6,000 Sq. Ft. Over From Chicago and Newark Per Sheet			
16x48 32x48 48x72 48x96 48x108 48x120	5 1/4 10 3/4 24 32 36 40	\$0.13 .26 .86 1.15 1.30 1.44	\$0.15 .30 .93 1.24 1.40 1.55	\$0.10 .72 .72 .96 1.08	\$0.12 .79 1.06 1.19 1.33			

Crack Filler For filling Joints of Sheets and Nail Holes.

48 YM2995 5 lb. package, Not Prepaid. 80c 5 lbs. for 12 sheets 32x48 in.

DOESN'T CRACK WHEN NAILED-Two layers of heavy cardboard impregnated with gypsum composition, resist fire and also prevent splitting when board is nailed. er Sheet Inside layer of fire resisting gyp-sum rock plaster composition which resists flames of ordi-nary fires. We Do Not **Pay Freight** IDEAL AS A on Items on PLASTER BASE This Page

Plaster Board, Plaster and Joint Filler shipped Not Prepaid, from WESTERN N. V.. GRAND RAPIDS, MICH., NORTHERN OHIO, FORT DODGE, IOWA or PLASTERCO, VA. Also from CHICAGO, ILL. and NEWARK, N. J. at Slight Added Cost.



Solderless Joints

HIS new method eliminates the old solder joint by the use of our patent slip joint connection as shown. It wedges two pieces of trough together, forming a compact and solid joint, enabling the water to run either way without leakage. No experience is necessary. It is furnished without extra cost to you on caves troughs and mitered corners. A big saving of time and money. Our galvanized steel is furnished in extra heavyweight, U. S. Standard, 28-gauge. Since the extra heavyweight is 20 per cent thicker and gives at least twice the wear, we recommend its use in all cases. The added cost is very small. All articles on this page Shipped Not Prepaid.



Shoe

Patent Slip Joint Eaves Trough



Furnished with the slip joint connection that will fit at either end of trough, no matter which way the water runs. No jother about right hand or leit hand. Just order the number of pieces of trough you need and put them on. We recommend 5 and 6-inch trough for Homes and Large Buildings. For garages, etc., 3½ and 4-linch trough is recommended, Average weight, per length of 28-gauge trough is rough weighs 8 pounds per length. Not Prepaid. Heavweight U. S. Standard 28-Gauge Galvanized Steel.

Width across top or size, incless... 38c 44c 55c 68c Extra Heavyweight U. S. Standard 26-Gauge Galvanized Steel.

48YM3304—State width wanted.

Extra Heavy Gauge Eaves Trough Corners



Inside Corner Miter

48YM3309

Furnished only in EXTRA HEAVY 26-gauge galvanized steel, because more strength is required at corners of eaves trough, where ice and snow are likely to collect. Use with either 28 or 26-gauge caves trough. Complete with slip joint connection that fits at either end of the corner, so that it can be connected with eaves trough. State width and whether you want outside or inside. Average weight, each miter, 1½ lbs.

Not Prepaid.

48YM3310—Inside.

Not Prepaid, 48YM3310—Outside, Width across top or size, inches. 3½ 4 5 6 Each 25c 28c 30c 38c



Slip Joint End Cap



Wire Eaves Trough Hangers

48YM3170-Every 4 feet of trough needs one hanger.
State size wanted. Average weight, per dozen Hangers, 1½
bis. Not Prepald.

512e, inches.

212e 26e 29e 34e



Ridge Roll Finial

Heavyweight U. S. Standard 28-gauge galvanized steel. To be used at ends of our Round or V-Angle Ridge Cap. Weight, each, 1 lb. Not Prepald.

48YM3168 40C




Tin Shingles

Sheet Zinc



Suitable for covering table tops, stove-boards, heat shields, etc. Grade No. 9. Size of sheet, 36x84 inches. Weight, per sheet.

Sold on Easy Payments See Page 65



Rain Pipe

Rain Pipe
(Corrugated)
Heavyweight U. S.
heavyweight U. S.
Alandard 28 or extra
heavyweight U. S. Standard 26-gauge galvanized steel,
Makes a stiff, strong pipe, easily put together, Furnished
only in 10-foot lengths.
Order Eaves Trough and Rain Pipe in Proper Sizes
For Jack of 4-Inch Eaves Trough, order 2-Inch Rain
Pipe and Elbows, For 5-Inch Eaves Trough order 3-inch Rain
Pipe and Elbows, For 6-Inch Eaves Trough order 4-Inch Rain
Pipe and Elbows, For 6-Inch Eaves Trough order 4-Inch Rain
Pipe and Elbows, For 6-Inch Eaves Trough order 4-Inch Rain
Pipe and Elbows, Average weight, per length of 28-gauge
Rain Pipe, is 6½ lbs. 26-gauge Rain Pipe weighs 7½ lbs. per
length. Not Prepaid, 48YM1278
Heavyweight
Size, inches
28-Gauge
28-Gauge
29-Gauge
29-Gauge
29-Gauge
29-Gauge
20-Gauge
Elbows and Shoes

Elbows and Shoes

(Corrugated)
U. S. Standard 28 or 26gauge, galvanized steel,
State catalog number an d
diameter or size, 28-gauge,
Elbows and Shoes weigh 12
oz. each. Not Prepaid,
Heavyweight 28-Gauge
48YM3182 - Elbow.
Angle No. 2, 60 degrees,
48YM3183 - Elbow.
Angle No. 3, 75 degrees,
48YM3312 - Elbow.
14c 17c 26c
Shoe 20c 24c 35c
Extra Heav
48YM3312 - Elbow.
14ngle No. 2, 60 degrees.
48YM3313 - Elbow.
Angle No. 3, 75 degrees.
48YM3313 - Elbow.
Angle No. 3, 75 degrees.
48YM3313 - Elbow.
Angle No. 3, 75 degrees.
48YM3314 - Shoe.

Rain Pipe F

Rain Pipe Funnels

Extra heavyweight U. S. Standard 26-gauge galaxianized steel. For running two rain pines into one. Size indicates size of lower spout. Average weight of Funel, 12 oz. Not Prepaid. Size in Size wanted.

Rain Water Cut-Offs

Extra heavyweight U. S. Standard 26-Gauge.
For corrugated rain pipe. Fits corresponding size of rain pe. A turn of the handle diverts water to cistern or over-

For corrugates the handle diverts water to eistern or overflow pipe, A turn of the handle diverts water to eistern or overflow pipe,
48YM3306—State size wanted. Average weight of Cut
off. 14 ounces. Not Prepaid.
Diameter of rain pipe, inches. 2 3 4
Each 52c 59c 83c Hooks for Rain Pipe

Tinned, for rain pipe. Can be used on frame or brick building.

48YM3 | 88-State size wanted, Average weight of dozen Hooks, 1% lbs. Not Prepaid.

Size, inches. 2 3 4 Per dozen 50c 63c 90c 50c 63c 90c


Galvanized Wire Strainers

Placed in the outlet of eaves trough prevents leaves, etc., stopping up the rain pipe. The size given designates the size outlet strainer will fit, Each Strainer weighs 2 oz, Not Prepaid.

48YM3194-State size wanted.

Round Roll Ridge Cap

Diam, of roll, 2 in.; width of apron, 2½ in.; girth, 10 in. Made only in 10-ft. lengths, Not Pre-paid.



Heavyweight U. S. Standard 28-Gauge Galvanized Steel.

48YM3 152-Wt., per length, 5½ pounds. Per length.

Extra Heavyweight U. S. Standard 26-Gauge Galvanized Steel.

48YM3337-Wt., per length, 8 pounds. Per length.



Used on steel, slate or shingle roofs. Comes in 10-foot lengths, 8-inch girth, in heavyweight U. S. Standard 28 or extra heavyweight 26-gauge steel. Not Prepald,


Heavyweight 28-Gauge Galvanized Steel 48YM3167-Wt., per length. 45C

Extra Heavyweight 26-Gauge Galvanized Steel

48YM3341-Wt., per length, pounds. Per length.....

All Articles on This Page Shipped From Our Store, Not Prepaid

Square Bead Box Style Eaves Trough and Fittings With Lap Joint for Soldering
HANGER



Square Bead Box Style Eaves Trough and Square Pipe add to the appearance of your home. Made of extra heavyweight U. S. Standard 26-gauge galvanized steel. Width across top, 4½ in.; width at bottom, 3 in, Depth, 3½ in. Square Bead Fittings and Square Pipe Priced Below. Ten-foot lengths weigh 10 p ou n d s. Not Prepaid.

48YM3420-10-foot length. 95C

Corner Miters

48YM3425 — Outside, Each, Not Prepaid and Cap. Not Prepaid. 78c
48YM3426 — Inside. Right hand Cap. Not Prepaid. 10c
Hangers
48YM3426 — Inside. Not Prepaid. 10c
Hangers
48YM402 | Each, Not Prepaid. 6c
Weight, each, 2 oz. Weight, each, 3 oz. Square Hooks

Square Flows

Square Blows

Square Blows

Square Blows

Square Blows

Square Blows

48YM34 | 5-Size, in. Shipping wt., 10 Price, 10 it. Igth. Prepaid

Square Elbows 48YM3416-Size, 2x3 inches, Not Prepaid, Shpg. wt., % lb.....45c

WEATHER PLATE ROOFING AND SIDING

Give your building positive, last-ing protection from fire, lightning, and wind. Steel covered buildings cannot be damaged by lightning if roofing and siding are thoroughly grounded.

Protects buildings from grass res or burning buildings. Confires or burning buildings. Confines fires within the building. Durable and economical. Lower insurance rates are given on buildings with Steel roofing and siding. You save on our low prices, you save on insurance and you save again because you can lay it yourself.



Unless otherwise specified, all articles on this page shipped from factory in Nor-thern Kentucky, Central Ohio, near Pitta-burgh, Pa. or warehouse in Newark, N. J. NOT PREPAID

Steel roofing and siding furnished in two thicknesses: Heavyweight, U. S. Standard 28-Gauge and Extra Heavyweight, U. S. Standard 26-Gauge. 26-Gauge is fully one-fifth heavier than 28-Gauge and wears nearly twice as long. Roofing described as "painted" has coat on both sides but requires

additional paint. Use galvanized steel for seashore territory.

Width of Steel Siding and Roofing
1½ and 2½ in. corrugated sheets actually measure 26 in. wide with a covering width of 24 in. Two inches allowed for side lap. Allow 6 in. for end lap. 2- and 3-V Crimp sheets are 24 in. wide and cover same area.

Easy Payment . Terms See Page 65

Corrugated

NOT PREPAID						nas cos	I OH I		
2½-Inch Corrugated									
Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per '7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet		
48YW3105 28-Gauge. Painted.	33c	40c	45c	52c	58c	\$.66	\$.79		
48YM3106 28-Gauge, Galv.	50c	61c	71c	81c	91c	1.02	1,22		
48YM3123 26-Gauge, Galv.	56c	66c	78c	90c	99c	1,13	1.35		
·····	~~	∽ 1	1/4-11	nch (Corr	ugai	ted		
Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet		
48YM3107 28-Gauge, Painted.	34c	41c	46c	53c	\$.59	s.67	\$.80		
48YM3108 28-Gauge, Galv.	52c	62c	72 c	84c	.93	1.05	1.24		
48YM3125 26-Gauge, Galy,	57c	66c	79c	91c	1.03	1,16	1.37		

How to Figure Your Needs:

To find quantity of steel roofing or siding needed, divide length of building to be covered by two—(Sheets actually cover 2 feet in width).

Example: If a straight gable roof is 30 feet long and 12 feet from ridge to eave you need: 30 feet divided by 2 is 15 sheets for one side time. 2 equals 30 sheets needed for roof.

Shipping Weights

For each running foot: 28-ga, painted steel weighs 1½ lbs. 28-ga, galvanized steel weighs 2 lbs. 26-ga, galvanized steel weighs 2½ lbs. A 12-foot sheet of 28-ga, painted steel weighs 18 lbs.

Thr	ee-V	Crimpe

		-			-		
Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet
48YM3086 28-Gauge, Galv.	48c	58c	67c	77c	86c	\$,96	1.15
48YM3083 26-Gauge, Galv,	53c	64c	74c	84c	95c	1.06	1.27

Two-V Crimped

,		AL.					
Catalog No.	Per 5-Ft. Sheet	Per 6-Ft. Sheet	Per 7-Ft. Sheet	Per 8-Ft. Sheet	Per 9-Ft. Sheet	Per 10-Ft. Sheet	Per 12-Ft. Sheet
48YM3077 28-Gauge. Painted,	32c	37c	44c	50c	57c	\$.63	s.76
48YM3078 28-Gauge, Galv.	47c	56c	66c	75c	85c	.94	1.13
48YM3080 26-Gauge, Galv.	52c	62c	73c	84c	97c	1.04	1.24




Steel Ventilators for Large Barns

Extra heavy, 22, 24 and 26-gauge galvanized steel is used in the manufac-ture of our Majestic Ventilators, according to size. Four stay rods hold them securely in place on the roof. A wire screen keeps out birds. Your choice of gold bronzed Horse or Cow Weather yane. State choice. Shipped from Central Ohio. Not Prepaid.

No.	Flue	Base	Ft.	ght In.	Wt., Lbs.	No. Cattle	Each
48YM657 48YM653 48YM654 48YM656	124 in.	136 III.	19	5 4	115 182 235 396	8 12	\$22,00 29,20 34,95 45,60

Beaded Steel for Ceilings or Sidings



48YM3115—Beaded Steel Siding or Ceiling. Wt., 70 lbs. per 100 sq. feet.

Length, feet..... 5 Per sheet...... 33c 41c 54c 69c

BRICK and ROCK FACE STEEL SIDING



Use where ornamental siding is wanted. Excellent for store fronts, garage siding, etc. Inexpensive and easy to put on.

Brick design, size of single brick, 234x81/2 in. In sheets 60x28 in. Wt., painted 8 lbs.; galvanized, 10 lbs., per sheet. Furnished only in 28-gauge. Not Prepaid.

Catalog Brick Design Steel Siding 48YM3116-Painted38c 48YM3117-Galvanized ...56c Size of single stone, 7x12 in. In sheets 60x28 in. Wt., painted 8 lbs.; galvanized 10 lbs. per sheet. Furnished only in 28-gauge. Not Prepaid.

Catalog No. Rock Design Steel Siding 48YM3142—Painted39c 48YM3143—Galvanized ...57c



28

Gauge..... Wt. per sheet

lbs..... Per sheet.

26

Galvanized or Black Sheet Steel

Best Quality flat sheet steel. Full gauge. Size of sheets 28x96 in. Be sure to mention gauge wanted. Not Prepaid.

48YM3222-Black Sheet Steel. 24 Gauge..... Wt. per sheet, lbs.... 11 14 19 49c 55c 68c Per sheet.

17 84c 98c

24

Galvanized Steel Valley

48YM3197—28-Gauge Galv, Valley, 14 in, wide,

25-ft. roll. Wt. 20 lbs.....\$1.85 50-ft. roll. Wt. 40 lbs....\$3.70

Shipped from our store, Not Prepaid.

Metal Ceiling and Siding

Corrugated Ridge Roll
For 2½-in, Roofing
48YM332-28-ga., painted. Per 10 feet 55c
48YM332-28-ga., painted. Per 10 feet 75c
For 1½-inch Roofing
48YM332-98-ga.,
painted. Per 10 ft. 55c
48YM3330-28-ga.,
palnted. Per 10 ft. 55c
Wt., 8 lbs., per 10 ft. Not Prepaid.

The Choice of One of America's LEADING ARCHITECTS



The sign of beauty, strvice a discurity at your door. The utmost in mode mechanical perfection, brand lock sets listed by brand lock sets listed by brand sets are recommended to leading architects.

Mr. David S. Betcone, one of America's leading architects, personally favors LION hrand lock sets for their individuality, artistic lines and sturdy construction. Mr. Betcone has recommended the use of LION brand lock sets to more than 50,000 home builders.

The GREENWICH



For those who prefer something other than rec-For those who prefer something other than recangular shapes, no lock design could be more acceptable than the Greenwich. A pendant type of graceful contour, this early American design, with its well balanced lines and perfect proportions throughout, is an artistic addition to our period hardware that will bring joy and satisfaction to the home owner. Furnished in lemon brass finish with screws to match. This is a very special value.

9D4583—Inside Lock Set. Steel knobs and escut-

9D4582—Bathroom Lock Set. Fluted glass knobs, genuine bronze escutcheons with nickel plated finish inside. Thumb turn in place of key. Postpald....\$1.85

9D4581—Bit Key Front Door Lock Set. Steel knob and escutcheon on outside; glass knob inside, Reversible lock, 5x3½. Two keys, Postpaid......\$1.95

9D4580—Cylinder Front Door Lock Set. Genuine bronze face, outside knob and escutcheons. Fluted glass inside knob. Outside escutcheon, 8x2 in. Reversible lock, 5½x3½. Three nickel silver keys. Postpaid....\$7.50



A beautiful, artistic design with fluted glass knobs and decorated trimmings. The entrance handle set can be used with any style of inside trim. Furnished in sanded old brass finish with screws to match.

9D4576—Inside Lock Set. Fluted glass knobs, Plated steel trimmings, Lock, 3½x3½ in. Postpaid. \$1.40

9D4553—Inside Lock Set. Fluted glass knobs. Genuine bronze trimmings, Lock, 3½x3½ in.

\$1.95

9D4553—Inside Lock Set, Fluted glass knobs, Genuine bronze trimmings. Lock, 34x34/4 in.

904554—Closet Door Lock Set, Fluted Glass knob outside, turn on inside, Genuine bronze trimmings.

Postpadd Genuine bronze trimmings.

Postpadd Genuine bronze trimmings.

Postpadd Genuine bronze trimmings.

Nickel plated finish inside, Genuine bronze trimmings.

Postpadd Genuine bronze trimmings. Nickel plated finish inside, with thumb turn in place of key. Postpadd.

9D4552—Bit Key Front Door Lock Set, Genuine bronze face, outside knob and trimmings. Fluted glass knob inside. Reversible lock, 5x34/2 in, Two keys.


9D4550—Cylinder Front Door Lock Set, Genuine bronze face, outside knob and trimmings. Fluted glass knob inside. Reversible lock, 5/x33/2 in, Three nickel silver keys. Postpadd.

9D4551—Cylinder Entrance Handle Lock Set, Genuine bronze face, lever handle and latch and trimmings. Fluted glass knob inside. Operated by thumbpiece on outside. Reversible lock, 5/x34/2 in, Three nickel silver keys.

9D4556—French Window Set, Genuine Bronze lever handle and trimmings. Fluted glass knob, Lock 34x1/4 in, Postpald.

\$9.65

The RHYTHMIC



A modernistic design. Beautiful and conservative yet completely modern. It blends into typical American Homes and buildings and marks the owner as one in step with modern tendencies. While "modernistic." it is not limited to use on extremely modern types of architecture, but can be used to give that up-to-date touch to the older homes. In lemon brass finish, Screws to match. Postpaid.

9D4603—Inside Lock Set. Fluted glass knobs; steel escutcheons. Locks, 3343% in. \$1.10

9D4602—Bathroom Lock Set. Fluted glass knobs. Genuine bronze escutcheons, nickel plated trimmings inside. Thumb turn in place of key. \$1.95

9D4601—Bit Key Front Door Lock Set. Genulne bronze acce, outside knob and escutcheons. Fluted glass knob inside. Reversible lock, 5x3½ in. Two keys.\$4.25

9D4600—Cylinder Front Door Lock Set. Bronze face, outside knob and escutcheons, Fluted glass knob inside. Reversible lock, 5x3½ in. Reversible lock, 5½x3½ in. 3 nickel silver keys. \$8.85

9D4604—French Window Set. Genuine bronze, escutcheons and lever handle, 1¼ in. fluted glass knob. Lock, 33k31½ in. \$8.85

Antique Hand Wrought Design

Antique Hand Wrought Design

Antique Hand Wrost y led in the traditional English manner, Simple yet appropriate. It gives your home an old time charm and quaintness that is admired so much these days. The fittings illustrated are exact reproductions of fine pieces seen on the front doors of dwellings in the colonial days—gracefully swinging hinges and a latch of hospitable security. "H and Wrought" is so fitting in design and so remarkable in wear that architects recommend it. The cylinder entrance lock furnished with this design assures complete security. Entrance set and straps made of non-rusting metal, will not streak or mar the door. With screws.

9D4700 — Cylinder Entrance Lock Set. Lever handle outside, knob inside. Reversible lock 5½x34 in. Threekeys. Postpaid. \$10.25

9D4701 — Straight Hinge Strap. Postpaid, Size, in.. 8¼ 17½ 22 Each89c \$2.00 \$2.85

9D4702 — Curved Hinge Strap, 25-in. Postpaid.\$4.85 9D4703—Inside Lock Set, Reversible lock, 3½x3½ in. Postpaid...\$1.45



9D4703 LION-7he BETTER DOOR CHECK

HIGH GRADE BUTTS at LOW PRICES



Light Cupboard Butts

Steel. Loose pin. Screws to match, Postpaid, 9D4653 Lemon brass,

| Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | Summer | S



Lemon Brass or Old Copper Postpaid

Heavy steel, loose pin. With screws to match. Prices are per pair. We Pay the Postage.

Length		9D4838	9D4567
of Joint,			Sanded
Inches	Brass	Copper	Brass
11/2	19c	19c	23c
2	25c	25c	29c
21/2	27c	27c	31c
3	28c	28c	33c
31/2	29c	29c	35c
4	42c	42c	47c

9D4428-Nickel plated steel.

Push Plates

Loose Pin Plated Butts 16¢ Pair, 2½-In. Lemon Brass or Old Copper Postpaid

Best quality, extra heavy steel, ball tip, loose pin. Beautifully finished to harmonize with other hardware. Every butt fitted to work smooth and easy. With screws to match. Prices are per pair. Postpaid.

	9D4651	9D4832	9D4568
Size,	Lemon	Old	Sanded
In.	Brass	Copper	Brass
21/2×21/2	16c	16c	22c
3 x3	17c	17c	23c
3½x3½	18c	18c	24c
4 x4	29c	29c	33c
41/2×41/2	53c	53c	57c

Closes door quickly, silently, Non-freezing liquid for efficient year-round operation. The type used in U. S. hospitals and large office buildings. Gold bronze finish. With screws. Postbald.

pitalis and large office buildings. Gold bronze finish. W i th screws. Postpaid.

9D4441—Size 1. For screen, or very light inside doors...\$3.85

9D4442—Size 2. For light inside doors...\$3.85

9D44443—Size 3. For side doors, for light or utoff the screen finish or or outside door non over 7½x3 ft, and 2½ netices thick. Stallies with the screen finish of the screen



Postpaid

Butterfly **Steel Butts**

Ball tip, embossed, for upboards and china cabinets. Size, open, 238x2 in. With screws to match. Postpaid,

9D4842 — Old copper finish, Pair. 12c Dozen pair . \$1.39 9D4548 — Sanded old brass finish. Pair. 15c Dozen pair . \$1.70





For double acting doors. Strong spring. Smooth, easy action. For doors 1½ to 1¾ in. thick. With screws, Postpaid.

—Lemon brass.....87c —Old copper......87c —Sanded old brass.93c

Attractive Designs, High Quality, Low

Artistic Metal Ceilings

Suitable for Stores, Offices, Churches, Schools, Etc.

Metal ceilings are suitable for private or public buildings. Churches, schools, offices, theaters, music halls, lodge rooms, stores and dwellings are particularly adapted for using metal ceilings.

Our designs are attractive. The patterns are from en-

tirely new dies which are perfect and clean cut. You will find our metal ceiling prices enable you to make a big saving.

Metal ceilings take a very low freight rate. In most territories metal ceilings are shipped as fourth class and the freight charges amount to very little. To give you an idea of how small the freight charges will be: An order of 100 square feet of ceiling or side wall material, crated ready for shipment. weighs about 70 pounds and is shipped as fourth class freight.

We pack our metal ceilings in a most careful manner and guarantee safe delivery to any point in the United States. Our Pocahontas design is carefully packed in bundles for shipment.

ESTIMATES

If you are unable to estimate the amount of metal ceiling required for your rooms, send us a sketch of the room and show measurements of all the offsets and our Estimating Department will gladly figure this for you. Be sure to state the style of ceiling you want.

We furnish, without extra charge, with any pattern of metal ceilings, except on the Pocahontas design on page 75, or side walls, special nails for putting up the metal; also the wood brackets for molding and cornices when necessary.

SOFT WOOD FURRING STRIPS

About 100 lineal feet of furring strips are required for each square metal ceiling, 48 Y 30 60—Size, 14 x 34 inch. Per 100 lineal feet (Not Prepaid)...\$1.40

BRACKET Illustration Shows Principal Parts of Com-plete Ceiling. You Get the Entire Ceiling When You Order by Number in Catalog. HOW TO ORDER

It is best to send us a small sketch or drawing showing the exact outline of your ceiling, including offsets, if any, Show measurements on all four sides, as buildings are frequently out of square. Be sure to show locations of doors and windows and give exact distance from the ceiling. For side walls be sure to locate doors, windows, vestibules, chimneys or other offsets. Give the distance from the top of the doors and windows to the ceiling and from the bottom of the windows to the floor; also give height of walls and baseboard.

-13 FT 6 IM

12 FEET


SIMPLE RULES FOR MEASURING

On each page, below the design given, we show the drop of cornice. It is necessary to figure enough extra to allow for the distance which the cornice or border extends down the side walls from the ceiling.


1st—To the actual width of the ceiling add twice the size of the cornice drop printed below the design you select; this gives you the proper width to figure. 2d—To the actual length of the ceiling add twice the size of the drop printed below the design you select; this gives you the proper length to figure.

3d—Multiply these two results, width and length together and you have the area, or the number of square feet to order.

For example, we will take a square room 12x12 feet. The design you select has a cornice with a 9-inch drop. To the 12-foot ceiling we must add twice beinches, or 1 foot 6 inches, the drop of the cornice on both walls, which gives us 13 feet 6 inches for each dimension. 13 feet 6 inches multiplied by 13 feet 6 inches equals the area, or 182½ square feet.



Sold on Easy **Payments** See Page 65



FIELD Mold Fi

Suitable for Large Rooms, Especially Churches, Halls and School Rooms

Suitable for Small YALE Rooms Only

Cornice drops on wall 4 inches.

Add 8 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

48YM2465—Per100 square feet, including wood brackets for \$5.85 cornice and nails for putting on ceiling (Not Prepaid)......\$5.85 Shipping weight, 60 pounds per 100 square feet.

Shipped rom factory in CENTRAL OHIO.

Cornice drops on wall 4 inches.

Add 8 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

48YM | 692—Per 100 square feet, including wood brackets for cornice and nails for putting on ceiling (Not Prepaid)........\$5.85
Shipping weight, 60 pounds per 100 square feet.

Expanded Metal Lath

For outside stucco finish or for interior work where fireproof construction is desired. Shipped in bundles of 10 sheets. Sheets are 27x96 in. and 2 square yards. Will break bundles if necessary.





GALVANIZED							
Catalog- No. 48YM2820 48YM2822	Per Square Yard 24c 31c	Yards, per Bundle 20 20	Weight, per Square Yard, Lbs. 2.5 3.4				
PAINTED							
48YM2810 48YM2812	17c 21c	20 .	2.2 3.0				
Shipped from	factory in	EASTERN OHIO.	Not Prepaid				

Filler Cornice

Metal Ceilings and Side Walls

All metal ceilings painted a light drab color on both sides to prevent rusting





Especially Good for Kitchens

STEEL TILE

Suitable for Large or Small Rooms


Shipping weight, 60 pounds per 100 square feet.

Steel Ceilings may be bought on Easy Payment Terms. See Page 65.



Cornice Filler Mold

Field Furnished in Sheets 24 in. Wide by 48 in. Long.



Field Mold Furnished in Sheets 24 in. Wide by 48 in. Long.

Filler

VENUS

Suitable for Large or Small Rooms

Cornice drops on wall 4% inches.
Add 9 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

48YM | 1604—Per 100 square feet, including wood brackets for cornice and nails for putting on ceiling (not prepaid).

\$5.85

Shipping weight, 60 pounds per 100 square feet.

Suitable for Large Rooms, Halls, Churches, Theatres, Etc.

Cornice drops on wall 9 inches.

Add 1 foot 6 inches to length and width of room to allow for cornice before calculating number of square feet required for this design.

Shipped in bundles from factory in CENTRAL OHIO, from which point customer pays the freight

Garage Door Set Complete Hardware for Double Doors

For your garage, this serviceable set! Strong, durable; set consists of six 10-inch extra heavy embossed T hinges, 6-inch chain bolt, six-inch foot bolt, universal latch with inside pull, and pair of padlock eyes. Complete with screws; neatly finished in black japan. For 8 to 10-foot opening. Postpaid.

99D4451-Set .. \$2.50

Folding and Sliding 3-Door Garage Set

3-Door Garage Set
Easily installed. Set for three
doors, each not over 2 inches thick
or 3 feet wide. Provides service
door. Can be operated either to
right or left. Set includes roller
bearing hanger, 4½ pairs 4x4lach butts, door pull, thumb
latch and handle, foot bolt, chain
bolt, 7 feet steel tracks, brackets
and all necessary screws and bolts.
Complete with instructions. For
8 to 9-ft. opening. Postpaid.
9904452—Set....\$3.65

"Clear View" Around the Corner 3-Door Garage Set

3-Door Garage Set
Usual \$6.50 value elsewhere,
Doors slide around the corner inside the garage. Three-door arrangement permits two doors to
slide around the corner either
to the right or left inside garage.
Service door may be hinged to
jamb on the right or left side,
or the three doors may be hinged
together if preferred. Three roller
bearing hangers; 3 8-inch heavy
strap hinges; 3 8-inch heavy
strap hinges; 3 8-inch heavy
strap hinges; 3 8-inch heavy
strap hinges; 3 8-inch heavy
strap hinges; 1 tumb-latch;
2 floor door guide plates; 1 door
umper; 6 28-inch sections flat
track and 1 curved piece. With
bolts, screws and instructions.
Fits opening up to 8 feet wide.
Opening must be 21 inches from
corner. Shipping weight, 43
pounds. Shipped Freight or
Express, Not Prepaid.
99DM4454 ...\$4.50

Garage or Barn Door Track



For "Rockwell" hangers or any hanger using flat track. Round edge heavy flat steel, 11/4×1/6 inches. Steel brackets attached. Includes all necessary screws. Shipped Freight or Express, not Prepaid.

Catalog Lgth., Shpg.

No. Ft. Wt., Lbs. Each
99DM1041 6 6 48c
99DM1042 8 8 64c
99DM1043 10 10 80c

品 90 3 HINGES LIKE THIS Genuine Rockwell Garage or Barn

Door Hangers and Sets

Pair Hangers
Only
Postpaid
Have large 314

For "Rockwell" hangers or any hanger using flat track. Round edge with hinge door attachment. Cannot binder brackets attached. Includes all necessary screws. Shipped Freight or Express, not Prepaid.

Catalog Lgth., Shpg.
No. Ft. Wt., Lbs. Each 99DM1041 6 6 48c 99DM1042 8 8 64c 99DM1043 10 10 80c

WE DO NOT PAY FREIGHT

We have large 3½-inch roller bearing with hinge door attachment. Cannot bind. Won't jump off track. Guard holds wheels on track if door is raised by obstructions. Black japanned finish. Bolts for attaching to door included. Weight, 8 pounds. Postpaid hangers only.


Catalog No. Ft. Wt., Lbs. Each 100 Not Prepaid.

Two "Rockwell" hangers, with track complete. Shipped Freight or Express, Not Prepaid.

Catalog No. Width Track Wt.

Style Postpaid with hinge door attachment. Cannot bind. Wot Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind wheels. Provided with hinge door attachment. Cannot bind. All In Not Provided with hinge door attachment. Cannot bind wheels on track if door it with hinge door attachment. Cannot bind with hinge door attachment. Cannot bind with hinge door attachment. Cannot bind with hi

The New Improved Roller Bearing



We absolutely guarantee that a set like this cannot be bought under \$5.00 elsewhere. No more tugging, pulling, or pushing. Your garage or barn doors will work easier than ever before, because they operate on roller bearings. Will carry doors weighing up to 1,000 lbs. Cannot jump the track. Storm-proof and bird-proof. Up and down adjustment provided by slotted holes. Set includes two adjustable double roller bearing hangers, complete with track, lag screws, bolts, and bracket. Gray enameled finish. Shipped Freight or Express. Not Prepaid.

99DM4470—Set for 8-foot doors. Shpg. wt., 30 lbs. \$2.95

99DM4471—Set for 10-foot doors. Shpg. wt., 33 lbs. \$2.80

99DM4477—Set for 8-foot doors. Shpg. wt., 33 lbs. \$2.80

99DM4478—Set for 10-foot doors. Shpg. wt., 38 lbs. \$3.30



Makes your garage or barn door work as easily as the front door of your home. These roller bearing double trolley hangers are carefully and scientifically designed. They never give trouble. Covered track protects roller bearing hangers from weather, rain and birds. Never sag. Have vertical and lateral adjustments, without blocking up or removing door. Suitable for doors up to 2' inches thick. Our low prices challenge all competition.

9D4250—Two hangers, without track. Includes one center bracket and two end brackets, necessary bolts and screws for attaching. Postpaid.

"ROLL RITE" COMPLETE SETS

All necessary hangers, track, brackets, bolts and screws. Shipped Freight or Express, Not Prepaid.

99DM4483—For 8-foot door. Shpg. wt., 33 lbs.

99DM4484—For 10-foot door. Shpg. wt., 40 lbs.

99DM4486—Length, 4 feet... 74c 99DM4488—Length, 6 feet... \$1.10

99DM4487—Length, 5 feet... 92c 99DM4489—Length, 6 feet... \$1.10

99DM4487—Length, 5 feet... 92c 99DM4489—Length, 8 feet... \$1.48

Steel Brackets for Above Tracks



Steel T Hinges

Size given is meas-Pair urement from joint
3-In. to end of hinge.
Post- Screws included. We
paid Pay Postage. 9D4398-Light.

Steel Hinge Hasps





9D4213-4½ in....10c 9D4214-6 in....20c

Hinges and Door Trimmings at Lower Cost



3-in. Sizes given are one-half the total length. Screws included. We Pay the Postage. Size, bid 194394—Light. Size, in. 3 4 6 Pair. \$0.09 \$0.12 \$0.19

Screw Strap Hinges



Heavy steel. 45¢ Pair 10-In. 9D4390 Postpaid Lgth., in. . 10 12 14 Pair \$0.45 \$0.50 \$0.65 6 pairs . . . 2.60 2.90 3.75

Barn Door Stay Roller

15¢ Post paid Reversible and adjustable from 1% to 2% inches. Heavy japanned steel. Postpaid. 9D4244—Each ...15c.

Hooks and Staples





Corner

Wrought steel.
With screws Postpaid.
9D4191
Size, in. 1x/2 2x/3 3x/4 4x/6
Dozen. 15c 28c 40c 75c

Foot Bolt

Japanned steel. Length, 6 inches, 15 inches of boit. Locked or released with foot. Screws included. We Pay the Postage. 90424537c



Cast iron, japanned, With
panned, We Pay
the Postage,
panned, We Pay

Postpaid 10c

Barn Door Pulls Large, full grip. Japanned steel. Length, 6% in. With screws. We Pay the Postage. 9D4237....9c 1

Thumb Latch

Maria

Chain Bolt
Japanned steel.
Length, 6 inches, %inch solid rustproof
bolt. 24-inch chain.
Reversible for doors
swinging in or out.
Screws included. We
Pay the Postage. 9D4243...37c



39c



"Automatic" Garage Door Holders
Easy to install; no loose parts. Simple, positive action. Gravity catch locks when door is opened. Released by backward pull on door. We believe it is the best holder made. Length, 31 in. Screws included. Postpaid.
904235
Per pair......\$1,98

Per Pair Postpaid

Swinging Door Latch

Heavy cold rolled steel, japanned. Rustproof bolt. Easiest operating latch made. Fits doors 1/2-inch to 2/4 inches thick.

9D4233 - Without padlock, Postpaid .48c 9D4234—With 11/2-in. chromium plated pad-lock. Postpaid..... 68c



ELL.

The CHICAGO



Our Greatest Lock Set Value! Beauty and Security Combined

Built on straight line principle, reflecting neatness and simplicity. A design that goes well with any style of architecture. Easy to apply and extremely appropriate for repair work. The broad beveled edges add a touch of refinement to the design. All lock sets furnished complete with screws to match finish. A comparison will convince you we furnish better goods and at lower prices than offered elsewhere.

Steel Lock Sets for Inside Doors.
Reversible mortise lock, 34x34 inches; 24-in, knobs, eavy beveled edge escutcheons, 7x24 inches. Nickel

Reversible mortise lock, 334x344 inches; 244-in, knoos, Heavy beveled edge escutcheons, 7x244 inches. Nickel plated key.

9D4619—Lemon brass finish, steel. Per set.

9D4679—Old copper finish, steel. Per set.

39c
Genulne Solid Bronze Lock Sets for Inside Doors.
Easy spring mortise, lock, 334x334 inches, with cast for lack of the set.

29c december 2244 in. knobs, and escutcheons, 7x244 in. kickel plated key.

9D4620—Lemon brass finish on genuine bronze. Postpaid.

9D4680—Old copper finish on genuine bronze. Set.

Steel Bathroom Sets.

steel Bathroom Sets.

9D4622—Lemon brass finish. Nickel plated inside

9D4622—Lemon brass finish. Nickel plated inside. Ostpaid. 85c
9D4682—Old copper finish. Nickel plated inside. 85c
Cenuine Bronze Bathroom Sets. Will not rust. 9D4419—Lemon brass finish outside. Nickel plated inside. with thumb turn in place of key. Per set, ostpaid. \$2.00
9D4421—Old copper finish on outside, nickel plated inside. with thumb turn in place of key. Per set, ostpaid. \$2.00
9D4421—Old copper finish on outside, nickel plated inside. With thumb turn in place of key. Per set, ostpaid. \$2.00
Reversible lock, \$x3½ in. 2½-in. knobs; escutcheons, outside. 10½x2½ in.; inside, 7x2½ in. Two keys. Postpaid.

The Colonial

Your opportunity to save at least one-third over prices elsewhere on this extra high quality lock set. 2-inch clear futed glass knobs of very latest design. Lemon brass plated metal trimmings. Revenuel with the set of th





Cadmium Plated Non-Rust Cellar Window Set butts, one steel sash fastener one 2½-in, hook and eye. With screws. and one 21/2-in. hook and eye. V

The Newest Designs in LION Brand BUILDERS HARDWARE



We Save You Money!

The LA TOSCA



Our Prices Are Lower!

A beautiful design. One of the most unique and fascinating you will find anywhere. Will add distinction and grace to the most beautiful home. Entirely removed from so called stock designs. Gives added charm to your home and makes it a source of pride and satisfaction to you. Sanded old brass finish. Complete with screws ppd8856—Incld Lock St. 2010.

to you. Sanded old brass finish. Complete with screws to match.

9D4856—Inside Lock Set, Steel knobs and escutcheons. Lock, 34x334 inches.

9Bc4857—Inside Lock Set, Fluted glass knobs, 2 in. steel escutcheons. Lock, 34x334 in. Postpaid.

9D4856—Closed Lock Set. Genuine bronze knobs and escutcheons. Lock, 34x334 in. Postpaid. \$1.20

9D4855—Closed Door Lock Set. Genuine bronze knob and escutcheon. Turn inside in place of knob. Postpaid.


9D4853—Bathroom Door Lock Set. Genuine bronze knob and escutcheons. Nickel plated inside with thumb turn in place of key. Postpaid.

9D4851—Bit Key Front Door Lock Set. Genuine bronze knob and escutcheons and knobs. Reversible lock, 5x34/ in. Outside escutcheon, 7/x24/ in. Two keys. Postpaid.

9D4850—Cylinder Front Door Lock Set. Genuine bronze face, escutcheons and knobs. Reversible lock, 51/x34/ in. Outside escutcheon, 7/x24/ in. Two keys. Postpaid.

9D485454—French Window Lock Set. Genuine bronze knob, escutcheons and lever handle. Lock, 34x14/, in. Postpaid.

9D485454—French Window Lock Set. Genuine bronze knob, escutcheons and lever handle. Lock, 34x14/, in. Postpaid.



Styles of Locks **Used in LION Sets**

A-French Window Set B-Inside Door Set -Bit Key Front Door Set -Cylinder Front Door Set D-

All our locks are carefully built and assembled by hand, insur-ing perfect op-eration.

HARDWARE VALUES SASH CORD and



Hook Sash Lifts Crescent Sash Fasteners Hook Sash Lifts 6 3 C Post-paid Size, 11/2 inches. With

Fasteners
Cast iron.
With screws.
Postpald.

Vith Survey of the Survey of t

Ventilating Side Sash

Holds, sash firmly in any position. Prevents rattling. With screws, 9D4514 — Lemon brass finish. Each, Postpald. 13c 9D4776—Old copper finish. Each, Postpald....13c

Window Spring Bolt

Cadmium plated steel.
Size 31/4 inches, overall, We
Pay the Postage.
9D4254—Doz...30c
brass

Casement
Fasteners
For either
ight or left
shand sash. Size.

%XIV in. With screws.
904532—Lemon brass finish. Each, Postpaid.
2904759—Old copper finish.
Each, Postpaid.
3004759—Size old brass
finish. Each, Postpaid.
3004258—We
904471—Nickel plated finish. Each, Postpaid.
3004258—We
904258—We
904258—We
Size Balances

Casement Window Adjuster

Knob style, screw fastener, Will hold windows opening out, in any position, 12 in, long, Lemon brass finish, With screws, 9D4534—Postpaid....39c
Universal Friction

Casement Adjuster

Steel Sash Pulleys

57° Postpaid

Easily inserted in casing, 2-in wheel.
We Pay Postage.
904256 63c 9D4256 Per dozen57c

tape. and up Steel Set, of 4 tension spring. Operates noiselessly and efficiently. With screws. With screws, 9D4258—We Pay the Postage.

Balances Sash lbs. 6 to 7 8 to 9 10 to 11 Set of \$1.90 2.10 2.30 2.40 2.85 12 to 13 14 to 15 16 to 17

Stop Bead Screws and Washers

9D4512 Lemon brass finish. For windows opening out brass. 1.10

Size, 12 in. With screws. Postpaid.

9D4533—Lemon brass. 95c 9D4751—Old copper. ... 95c 9D4780

9D4533—Sanded old brass ... \$1.10

9D449—Sanded old brass. 6 for......40c 9D4413 — Nickel plated. Each....8c

Sash Cast Iron Size, 3½ in. With

The Choice of One of America's LEADING ARCHITECTS



The sign of beauty, service and security at your door. The utmost in modern design, and mechanical perfection. Our selection of LION brand lock sets listed below are real American styles for real American homes. LION brand sets are recommended by leading architects.

Mr. David S. Betcone, one of America's leading architects, personally favors LION hrand lock sets for their individuality, artistic lines and sturdy construction, Mr. Betcone has recommended the use of LION brand lock sets to more than 50,000 home builders.

The GREENWICH



For those who prefer something other than rectangular shapes, no lock design could be more actangular shapes, no lock design could be more acceptable than the Greenwich. A pendant type of graceful contour, this early American design, with its well balanced lines and perfect proportions throughout, is an artistic addition to our period hardware that will bring joy and satisfaction to the home owner. Furnished in lemon brass finish with screws to match. This is a very special value.

9D4584—Inside Lock Set. Fluted glass knobs, steel escutcheons. Lock, 31/4x31/4 in. Postpald...........79c

9D4582—Bathroom Lock Set. Fluted glass knobs, genuine bronze escutcheons with nickel plated finish inside. Thumb turn in place of key. Postpaid....\$1.85

9D4580—Cylinder Front Door Lock Set, Genuine ronze face, outside knob and escutcheons Fluted glass nside knob. Outside escutcheon, 822 in. Reversible lock, 4/x3//. Three nickel silver keys. Postpaid....\$7.50



A beautiful, artistic design with fluted glass knobs and decorated trimmings. The entrance handle set can be used with any style of inside trim. Furnished in sanded old brass finish with screws to match.

9D4575—Inside Lock Set. Fluted glass knobs. Plated steel trimmings. Lock, 3¾x3¾ in. Postpaid. \$1.40

9D4565—Bathe Lock Set. Fluted glass knobs. Genuine bronze trimmings. Lock, 3¾x3¾ in.

9D4565—Bathroom Lock Set. Fluted Glass knobs. Genuine bronze trimmings. Nickel plated finish inside, with thum bronze trimmings. Nickel plated finish inside, with thum bronze trimmings. Nickel plated finish inside, with thum brum in place of key. Postpaid. \$2.35

9D4565—Bathroom Lock Set. Fluted glass knobs. Genuine bronze trimmings. Nickel plated finish inside, with thumb turn in place of key. Postpaid. \$2.35

9D4565—Bathroom Lock Set. Fluted glass knob inside. Reversible lock, 5x3¾ in. Two keys. Postpaid. \$2.35

9D4565—Cylinder Front Door Lock Set. Genuine bronze face, outside knob and trimmings. Fluted glass knob inside. Reversible lock, 5½x3¾ in. Three nickel silver keys. Postpaid. 9D4565—Cylinder Entrance Handle Lock Set. Genuine bronze face, lever handle and latch and trimmings. Fluted glass knob inside. Querated by thumbpiece on outside. Reversible lock, 5½x3¾ in. Three nickel silver keys. Postpaid. 9D4566—French Window Set. Genuine Bronze lever handle and trimmings. Fluted glass knob. Lock 35(x) 4n. Postpaid. \$3.35

The RHYTHMIC



A modernistic design. Beautiful and conservative yet completely modern. It blends into typical American Homes and buildings and marks the owner as one in step with modern tendencies. While "modernistic," it is not limited to use on extremely modern types of architecture, but can be used to give that up-to-date touch to the older homes. In lemon brass finish. Screws to match. Postpald.

9D4603—Inside Lock Set. Fluted glass knobs; steel escutcheons, Locks, 33½x3½ in.

51.10

9D4602—Bathroom Lock Set. Fluted glass knobs. Genulne bronze escutcheons, mickel plated trimmings inside. Thumb turn in place of key.

9D4601—Bit Key Front Door Lock Set. Genulne bronze lace, outside knob and escutcheons. Fluted glass knob inside. Reversible lock, 5x3½ in, Two keys.\$4.25

9D4600—Cylinder Front Door Lock Set. Bronze face, outside knob and escutcheons. Fluted glass knob inside. Outside escutcheon, 10x2¾ in, Reversible lock, 5½x3½ in, 3 nickel sliver keys.

9D4604—French Window Set. Genuine bronze escutcheons and lever handle, 1¼ in, fluted glass knob. Lock, 33&x1½ in.

82.76

Antique Hand Wrought Design

Antique Hand Wrought Design

Antique Hand Wro.

Styled in the traditional English manner, Simple yet appropriate. It gives your home an old time charm and quaintness that is admired so much these days. The fittings illustrated are exact reproductions of fine pieces seen on the front doors of dwellings in the colonial days — gracefully swinging hinges and a latch of hospitable security. "Han d Wrought" is so fitting in design and so remarkable in wear that architects recommend it. The cylinder entrance lock furnished with this design as that will not streak or mar the door. With screws,

9D4700 — Cylinder Entrance Lock Set. Lever handle outside, knob inside, Reversible lock 5½x3¼ in, Three keys. Postpaid...\$10.25

9D4701 — Straight Hinge Strap. Postpaid. Size, in. 8¾ 17¼ 22 Each ... 89c \$2.00 \$2.85

Seach ... 89c \$2.00 \$2.85 \$9D4702 — Curved Hinge Strap, 25-in. Postpaid.\$4.85 9D4703—Inside Lock Set, Reversible lock, 3¼x3¼ in. Postpaid ...\$1.45



9D4703

HIGH GRADE BUTTS at LOW PRICES



Less C Pair Than Postpaid Narrow, fast joint. Plain fin-ish. With screws. We Pay the Postage. We Pay t Postage. 904388

Length, 1 in, Length, 1½ in, Length, 2 in, Length, 2½ in.

Light Cupboard Butts

Steel. Loose pin. Screws to match, Postpald, 904653
Lemon brass, 904836
Old Copper, Size, In. Pair 2x2 In. 2½x2 21c
Postpald 2½x2½ 21c
Po4569—Sanded old brass sish. Size, 2½x2 inches, r pair. 25c

Steel Butts | Half Mortise Butts

> Pair 11/2-In. Lemon Brass or Old Copper Postpaid

Heavy steel, loose pin. With screws to match. Prices are per pair. We Pay the Postage.

Length		9D4838	9D4567
of Joint,		Old	Sanded
Inches	Brass	Copper	Brass
11/2	19c	19c	23c
2	25c	25c	29c
21/2	27c	27c	31c
3	28c	28c	33c
31/2	29c	29c	35c
4	42c	42c	47c

nish. Size, 2½x2 inches. 25c cs pair. 25c sp. 426.—Nickel plated Size, 25x2 inches. Pair. 25c cs. Per pair. 26c sp. 25c size, 2 inches. Pair. 37c size, 3½ inches. Pair. 48c

Loose Pin **Plated Butts**

Pair, 2½-In, Lemon Brass or Old Copper Postpaid

Best quality,
extra heavy
steel, ball tip,
loose pin, Beautifully finished
to harmonize
with other hardware. Every butt fitted
to work smooth and easy. With screws to work smooth and easy. With screws to match. Prices are per pair. Postpaid.

	9D4651	904832	9D4568
Size,	Lemon	Old	Sanded
In.	_Brass	Copper	Brass
21/2×21/2	16c	16c	22c
3 x3	17c '	17c	23c
3½x3½	18c	18c	24c
4 x4	29c	29c	33c
41/2×41/2	53c	53c	57c

Butterfly Steel Butts

Ball tip, embossed, for cupboards and china cabinets. Size, open, 234x2 in. With screws to match, Postpaid.

9D4656 — Lemon brass

9D4548 — Sanded old brass finish. Pair.....15c Dozen pair......\$1.70

Push Plates

O Pair
Glass
Postpaid For use on double acting

double a cting doors.

9D4719
Plate glass, bevel edge, 3x12-inch, With screws, Pair, Postpaid ...60c

9D4630
Real brass, bevel edge, 2½x 10½-inch. Lemon brass finish. With screws Pair, Postpaid ...73c

Ball Bearing Floor Hinges



For double acting doors, Strong spring, Smooth, easy action, For doors 11/4 to 13/4 in, thick, With screws, Postpaid.

9D4658—Lemon brass.....870 9D4845—Old copper......870 9D4542—Sanded old brass.930

LION-The BETTER DOOR CHECK





LION

Cylinder Padlock Pickproof-Breakproof Rustproof

1½x2¼ In. We Pay

Bullt for years of security.
One-piece tough, solid bronze case, pickproof padlock. Five disc tumbler cylinder. Hardened, rustproof steel shackle.
No two keyed alike. Two nickel plated coined keys; small size, convenient to carry. Others ask as much as \$2.00 for a lock of this high grade. Postpaid.

904356-14424k to 75-2

9D4356-1 1/x21/ in.. 75c 9D4357-1 1/x21/ in.. 90c





904358 9c RFD Mail Box Lock Post-With LOX, Cast brass case, steel shackle. Self locking. 1½x2½ in. Two keys.

9D4347......45c Adjustable



Paid Brass plated steel. 2x3 Usually where. Post-paid. 9D4352 18:

Lion Padlock
Made exclusively for us,
Has strength,
beauty and security. Solid
cast brass case
with round
steel shackle.
Size 134 724 k eys.

Usual 75c value elsewhere. Postpaid.
9D4371 48c Postpaid Anti-Rattle Spare Tire Lock

Tire L
C a st
bronze, 1½inch lock
Shackle adjustable
to 1½ in
Rubber button between
case and
shackle
prevents
rattling.
Two keys,
Postpaid,
9D4372
98c

98¢ Postpaid

Chromium Plated Padlock 23t 1½-Strength and security. 2 keys. Post-paid. 9D4374 14x1% in... 9D4370 2x3 in...

....28c Fulton Burglar proof. Rust-proof heavy fron case. Pin tumbler cylin der. Phosphorbro or z e shackle. 2 keys. No two locks keyed alike, Size, 2x2½ in. Post-Postpaid paid.


.....230

Paid. 9D4355......89c

No Keys
"Junkunc"
Combination
Padlock.
Brass case and
knob, steel
shackle. 1 1/4 in.
Strong, secure. shackle. 1 // Strong, secure. Postpaid. 9D4 367 79c 9D4369 Bra s dial \$1.15

Will to 79¢ Enameled Dial Postpaid

Cylinder Rim Night Latch



A Value That Challenges Competition! Here is a latch made on the very latest principle of burglar-proof locks with a five disc tumbler cylinder of alloy metal. Heavy iron case, 3½x2½ inches, black japanned finish. Brass knob and deadlock stop. Heavy brass bolt can be reversed for doors opening in or out. For doors % inch to 2½ inches thick. Three nickel plated coined keys. New type keys, small in size and convenient to carry. No two latches keyed alike. Complete with screws.

9D4022—We Pay the Postage.



Postpaid

Cylinder Rim Night Latch



904045 Set.....37c 904044—Lock only....27c 904061—Knobs only....19c

Rim Night Latch Rim Night Latch
Japanned case,
3x2 in. For doors
up to 13¼ in. thick.
Spring bolt. Can be
set to hold latch
open. Two keys and
screws included,
9D4019
Postpaid. 49c

49¢



CUPBOARD and DOOR TRIM Elbow Catch |

Cupboard Catches

And Up
Postpaid

Steel, electroplated. With Steel, screws. Size, 2½x13% inches. Postpaid. 904500—Lemon brass....9c 904792—Old copper...9c 904562—Sanded old brass. 10c

60 all l Japanned iron. With screws. Post-paid. 9D4252.5c

Cuphoard Turns 10¢ And Up Postpaid Steel, electro plated. Size, 134x136 inches. Postpaid.



Drawer Solid Brass Cup Hooks Door Screw Hooks Buttons Pulls and Eyes and Eyes

77

Picces
We Pay
Postage

Assortment of 72 pieces.
Every size, from picture eyes to clothesline hooks. We Pay
the Postage.

Mortise Door Japanned Steel Barrel

Bolts 9t 2-In.

Postpaid 0 0

27¢ Post-paid
Solid bronze
knob and escutcheon with screws.

D

We Pay the Postage 9D4496 Lemon brass ish. Each.... 904800 d cons Old copper finish. Each.....27c

Japanned Steel Barrel Bolts

Brass knob. With screws. Postpaid. 904248—State length. 99 Brass 4 6 90 Brass 4 6 90 Brass

Door Holders

finish

9D4310.... 5¢ And Up Postpaid

Postpaid
Protects wall behind door, on, rubber tipped, Postpaid.
9D4457—Lemon brass...5c
9D4829—Old copper....5c
9D4545—Sanded old

Locks or releases with foot. Neat design. Rubber tipped. Holds door in any position. With screws.

Half Round Surface Bolts 10

TRIM for FURNITURE and CHESTS



40t Post-paid For /

Size 1 1/4 1 in. Brass cylinder. With screws. cylinder. With screws. Postpaid. 9D4326.....40c

Brass Chest Locks

Brass Chest Locks

Brass
Forkini
Withscrews.
904325—2 x 1½
in.
904324—Brass, self locking. For 1 in. wood.
With screws. 3½ x 2½
in. Postpaid. \$1,40



Pair Postpaid Japanned steel. 3-inch plate. With screws. Postpaid. 9D4328—Pair. 20c **Brass Box Corners**

55 For 4 Post-paid heavy brass Size, 134 In. With acrews, 904342 Package of 4 Postpaid ... 55c

Truck Casters Station-ary heavy cast iron. Japanned finish. Complete with screws.

finish. Screws. Screws. 9D4166—Postpaid. Size, Height, Over all Each 2½ in. 4 in. 30c 9D4165 3½ in. 5½ in. 40c 9D4167

Brass Knobs DI 58¢ For 6
Postpaid

New period design antique rass knob. Size, 1 inch. We Pay Postage. 904467—6 for...58c brass knob We P



9D4471-6 for....69c Colonial



Per Dozen 65c 75c 95c



Bassick "No Mar"

Roller Bearing Swivel Box or Truck Casters With

Casters
Heavy cast from. With
screws. Postpaid.
Ht.,
Size, overWheel, all,
In. In. Each
9D4165 2½ 3½ 40c
9D4167 3 4½ 65c

Drawer Pulls 40¢ Set of 6

Brass plate. Gilt finish. 11/1x 41/2 in. Bolts, 3 in. center to center. Postpaid.

904473—Set of 6....40c

Brass Drop Handles

3½-inch brass plate, handle and lugs. Bolts fasten from

9D4482—Lemon brass. Each, Postpaid. 28c 9D4812—Old copper.

9D4812—Old copper. Each, Postpaid. 28c 9D4404—Nickel plated. Each, Postpaid. 30c Trunk Locks

Trunk Locks
Sturdy, secure lock.
With two keys. Size,
61/(x2 in. With rivets
and nails.
9D43336—B r a s s
plated steel.
Postpaid.
9D4337—Solid brass.
Postpaid.
\$1.35

Genuine "Silent Gildes"
Makes all furniture
slide easily. Saves your
rugs and hardwood
floors. Hardened Lickel
steel. We Pay the Postage.
9D4134—State

Size, in. 1/2 1/4 1/4 1/4 1/2 for. 12c 12c 12c 12c

Metal Bed Casters

Metal Bed Casters
Ball bearing. Fit iron
and brass beds. Wood
wheels, Expansion sockets.
We Pay the Postage.
Wheel Fits
Diam., Opening, Inch
9D4171 11/6 54
9D4172 11/4 14

4 for 23c 26c Ball Bearing Grip Neck Steel Casters We Pay the Postage. Wheel, Set



Steel plate. With screws. Postpaid. Wood Wheel 9D4150 9D4151 9D4152 Steel Wheel 9D4155 9D4156 9D4157 Plate 1½ in. 1½ in. 1% in. 1 1/2 x 1 1/6 in. 1 1/2 x 1 1/4 in. 2 1/2 x 1 1/4 in.



Page 78

LUNBER

Let Us Save You Money on Lumber, Lath and Shingles

BUY a better quality of lumber for less money direct from our enormous lumber plants.
Our Fir and Pacific Coast Hemlock come from the virgin forests of Washington and Oregon and are far superior to Tamarack, Norway Pine and Eastern Hemlock, often sold elsewhere.

We Keep 25,000,000 to 50,000,000 Feet Always on Hand for Immediate Shipment Consisting of:

Oak Flooring
Maple Flooring
Edge Grain Yellow Pine
Flooring
Red Cedar Shingles
Stained Red Cedar Shingles
Red Cedar Bevel Siding
Redwood Bevel Siding
Spruce Lath

Cypress
Finish
Molding
Bevel Siding
Bungalow Siding
Drop Siding
Barn Siding
Barn Battens

Timbers
Joists
Joists
Studding
Rafters
Boards
Shiplap
Dressed and Matched
Drop Siding
Bevel Siding
Barn Siding

Partition
Ceiling
Flooring
Flooring
Frinish
Bridging
Grounds
Lath
Moldings
Stepping
Bevel Cribbing

SEND US YOUR LIST OF MATERIALS and GET OUR LOW FREIGHT PREPAID PRICES

If you are going to erect a small house or any building requiring as much as a carload of lumber we can make you a very worth while saving. Just send us your list of the lumber (also millwork items) and get FREE our low prices including transportation charges to your station—no obligation. Immense stocks our yards always carry will assure you of quick delivery.

Let These Lumber Experts Help You

For certain purposes the less expensive grades and kinds of lumber often serve as well as the higher priced grades, and we will be glad to suggest these cheaper grades whenever we have sufficient information. If you are in doubt which grade or what

kind of lumber to use for a given purpose, ask us to help you make your selection. Your questions will receive the personal attention of one of our experienced lumbermen and building experts, who are only too glad to save you money whenever they can.

Only Real Quality Could Inspire These Testimonials

"Your material is a grade far better than I could have bought here. Several lumber dealers inspected it and admitted they did not see how you could furnish such an excellent grade of lumber at such a low figure," says Grayson S. Burke. The explanation is, we see how much value we can give—not how little and, for every carload of lumber the dealer sells we sell several train loads. (Address on request.)

"The quality of lumber could not be duplicated for the price. I know I saved \$200.00 says J. E. Schmidlin. "It's better than I could get right from the local mills," adds Mr. Chas. Seehase. Another contractor-builder, M. E. Claffin, says, "I have used lumber for over 30 years and I have never used any better lumber. I figure I saved 20 per cent." (Addresses furnished on request.)

carload of Minles the deders sells we sell furnished on request.)

Its it any worlder we are able to sell many millions of feet of furnisher a year, in view of such a record for value giving?

Sears, Roebuck and Co.

The World's Largest Store

WRITE YOUR LIST on BACK of THIS SHEET

WRITE YOUR LIST on BACK of THIS SHEET

PF8189a Rev.5.16.50

0

28c

28c

30c

ND CO.

(OVER)

This Is Not an Order Blank

Sears, Roebuck and Co. FREE ESTIMATE BLANK

Please Use the Order Blank When Ordering

IN addition to the items shown in our Millwork Catalog we stock millions of feet of lumber. Send us a list of the lumber you need along with all other items and we will promptly give you a price delivered to your freight station. Our low prices will make you a substantial saving.

On flooring, sheathing, siding, ceiling, etc., state number of square feet wanted. On moldings, casing base and finishing lumber, state number of lineal feet (total length) wanted. On doors and windows give width first.

Name					Freight Station				
Postoffice									
Street Ade Rural Roy	ite. or	Box No.			State				
Please ;	give bot	h your route	and box num	ber if on a r	ural route				0
		uantity	1		Date				
No. of Article in Catalog	Pieces		Size	Length	Description, Kind of Wood, Grade and Size	1		4-1-1	
						1		7-27 18	
		ALLEN DE SALE		290.70	4000				
		- Aside No							
								7	
						il ada	0	*	
					ESTA CONTROL STATE OF THE STATE				
	1 3	WINE MOVE	1	AL O	and the second s	(3) 363			
13-19-	4								

						D DOV			
					The state of the s	1 10			
		7-7-10-20				111	100		
•••••									
							5, 18		


				~~~~~~~					-2-
		State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state		**********					

# High Quality Homes Cost You Less at Sears









Write for Our New Book of Homes and Get Our Low Price on a Home of Quality

## No Home Too Large—No Home Too Small for Us to Build!

DO you know that we build homes like these shown here, as well as the small inexpensive types?

Whether you want a small cottage or a large formal residence you should certainly ask our Home Construction Division to show you how much Sears can save you, and to explain our remarkable finance plan—the most liberal plan for home financing yet devised.

We Plan, Build and Finance

Every detail of design, construction, materials and equipment gets the benefit of the years of experience gained from building over 55,000 fine homes.

Latest, Most Modern Equipment

We equip these homes, if desired, with such modern refinements as colored plumbing fixtures, incinerators, electric refrigeration, automatic oil heat, etc.—at real worth-while savings.

World's Largest Builders of Fine Homes

Our service to you as the World's Largest Builders of Fine Homes includes architectural design, building construction, financing and supervision—everything necessary to make your home a success.

Our enormous buying power, and the operating of our own mills and lumber yards combine to save you many hundreds of dollars on the construction of your home, regardless of whether it is a modest 4-room cottage or a pretentious mansion.

No matter how large or how small a home you wish to build, write for our latest Book of homes and let us show you how easy and how economical it is to build a home which you will always be proud of.

